Issue No. : Issue 1 Issue Date : July 2017 Project No. : 1260

ECOPARK OPERATION

QUARTERLY ENVIRONMENTAL MONITORING & AUDIT REPORT (APRIL – JUNE 2017)

Prepared By:

ALLIED ENVIRONMENTAL CONSULTANTS LTD.

COMMERCIAL-IN-CONFIDENCE







Issue No. : Issue 1 Issue Date : July 2017

Project No.: 1260

ECOPARK OPERATION

QUARTERLY ENVIRONMENTAL MONITORING & AUDIT REPORT (APRIL – JUNE 2017)

Prepared By:

ALLIED ENVIRONMENTAL CONSULTANTS LTD.

COMMERCIAL-IN-CONFIDENCE

Certified by:

Grace. M. H. KWOK Environmental Team Leader Verified by:

Eric M. K. CHING

Independent Environmental Checker

Approved by:

ANDY S. W. CHAN

Principal Environmental Protection Officer Environmental Protection Department

Issue No. : Issue 1 Issue Date : July 2017 Project No. : 1260

ECOPARK OPERATION

QUARTERLY ENVIRONMENTAL MONITORING & AUDIT REPORT (APRIL – JUNE 2017)

Prepared By:

ALLIED ENVIRONMENTAL CONSULTANTS LTD.

COMMERCIAL-IN-CONFIDENCE

Author: Various

Checked:

HO Tin Kit BEng(Hons) Approved:

Grace M. H. KWOK BEng(Hons) FFHKIQEP MHKIEIA MIAIA MRAPA MISWA MHKIOA MAEE LEED AP BEAMPro CAP

GB Faculty

This report has been prepared by Allied Environmental Consultants Limited with all reasonable skill, care and diligence within the terms of the Agreement with the client, incorporating our General Terms and Conditions of Business and taking account of the resources devoted to it by agreement with the client.

We disclaim any responsibility to the client and others in respect of any matters outside the scope of the above.

This report is confidential to the client and we accept no responsibility of whatsoever nature to third parties to whom this report, or any part thereof, is made known. Any such party relies upon the report at their own risk.

TABLE OF CONTENTS

LIST	OF TABLES	ii
LIST (OF FIGURES	iii
LIST (OF APPENDICES	iii
EXEC	UTIVE SUMMARY	1
1 P	ROJECT BACKGROUND	4
1.1	Project Overview	4
1.2	Operation Programme	4
1.3	Project Organization and Contact Personnel	5
2 S	UMMARY OF EM&A REQUIREMENT	8
2.1	Monitoring Parameters	8
2.2	Environmental Quality Performance Limits and EAP	8
2.3	Environmental Audit of Non-Monitored Parameters	9
2.4	Environmental Mitigation Measures	9
2.5	Environmental Requirements in Tenancy Agreements	9
3 0	PERATION STATUS	11
3.1	General	11
3.2	Champway Technology Limited	11
3.3	Shiu Wing Steel Limited	11
3.4	Hong Kong Hung Wai Wooden Board Company	11
3.5	Li Tong Group	12
3.6	Hong Kong Telford Envirotech Group Limited	12
3.7	WEEE Refurbishment at Lot P5	12
3.8	Chung Yue Steel Group Company Limited	12
3.9	K. Wah Construction Products Ltd.	13
3.10	South China Reborn Resources (Zhongshan) Company Ltd.	13
3.11	Throughput Statistics	13
3.12	Process Review	14
4 IN	MPLEMENTATION STATUS OF ENVIRONMENTAL PROTECTION MEASURES	16
5 M	IONITORING RESULTS	17
5.1	Monitoring Date, Time, Frequency and Duration	17
5.2	Monitoring Methodology, Parameters and Equipment	17
5.3	Results and Graphical Plots of Monitoring Parameters	18
6 S	UMMARY OF ENVIRONMENTAL AUDIT	21

AEC

	k Operation ly Environmental Monitoring & Audit Report (April – June 2017)	ii
6.1	General	21
6.2	Champway Technology Limited	21
6.3	Shiu Wing Steel Limited	22
6.4	Hong Kong Hung Wai Wooden Board Company	23
6.5	Li Tong Group	23
	-	23
6.6	Hong Kong Telford Envirotech Group Limited	
6.7	WEEE Refurbishment at Lot P5	24
6.8	Chung Yue Steel Group Company Limited	24
6.9	K.Wah Construction Products Limited	25
6.10	South China Reborn Resources (Zhongshan) Company Limited.	25
6.11	E.Tech Management (HK) Limited.	26
6.12	China Commercial Logistics Company Limited	27
6.13	General Condition of EcoPark	27
	VIRONMENTAL COMPLAINTS, NOTIFICATION OF SUMMONS AND SUCCESSFUL CUTION	28
7.1	Follow-up on Previous Environmental Complaint	28
7.2	New Environmental Complaint in the Reporting Period	28
8 CO	LIST OF TABLES	29
	<u>LIST OF TABLES</u>	
Table 1		
Table 2		
Table 2 Table 3		
Table 5		
Table 5	1 0	
Table 5		
Table 6		
Table 6		
Table 6 Table 6		
Table 6		
Table 6	e e e e e e e e e e e e e e e e e e e	
Table 6	E Company of the Comp	
Table 6		
Table 6		
Table 6	Environmental Audit Findings for E.Tech	
Table 6	e e e e e e e e e e e e e e e e e e e	
Table 6	e	
Table 8	.1 Throughput Statistics for the Reporting Quarter	

Issue 1_____AEC

LIST OF FIGURES

Figure 1-1	Location of EcoPark in Tuen Mun Area 38
Figure 1-2	Organisation Chart of UPML
Figure 1-3	Organisation Chart of EM&A Works (Operation)
Figure 2-1	LFG Monitoring Locations within EcoPark
Figure 3-1	Current Lot Usage within EcoPark
Figure 5-1	Cleaning of Underground Chamber and Utility Pipe

LIST OF APPENDICES

Appendix 1	Environmental Mitigation Measures (from the Implementation Schedule)
Appendix 2	Environmental Requirements in Tenancy Agreements
Appendix 2.1	Environmental Requirements in Tenancy Agreements (Phase 1)
Appendix 2.2	Environmental Requirements in Tenancy Agreements (Phase 2)
Appendix 3	Material and Waste Throughputs
Appendix 3.1	Material and Waste Throughputs of the Reporting Quarter
Appendix 3.2	Updates of Previously-Reported Material and Waste Throughputs
Appendix 4	Calibration Certificate of Infrared Gas Analyser
Appendix 5	Laboratory Test Report and Graphical Plots of LFG Monitoring
Appendix 6	Tenant-Specific Audit Checklists for the Reporting Quarter
Appendix 6.1	Champway Technology Ltd
Appendix 6.2	Shiu Wing Steel Ltd
Appendix 6.3	Hong Kong Hung Wai Wooden Board Co
Appendix 6.4	Li Tong Group
Appendix 6.5	Hong Kong Telford Envirotech Group Ltd
Appendix 6.6	WEEE Refurbishment at Lot P5
Appendix 6.7	Chung Yue Steel Group Co Ltd
Appendix 6.8	K.Wah Construction Products Ltd
Appendix 6.9	South China Reborn Resources (Zhongshan) Co Ltd
Appendix 6.10	E.Tech Management (HK) Ltd
Appendix 6.11	China Commercial Logistics Company Ltd.
Appendix 6.12	General EcoPark Checklists

Issue 1______AEC

EXECUTIVE SUMMARY

General

EcoPark is a key element in the Government's waste management policy that aims at promoting the local recycling industry by providing long-term land at affordable rents, thereby encouraging investment in advanced technology and value-added recycling processes. EcoPark is being developed in two phases at site in Tuen Mun Area 38 as shown in *Figure 1-1*. The contract for the management of EcoPark – Contract No. *EP/SP/71/13 Provision of Management Services for EcoPark 2014* was awarded to Urban Property Management Limited (UPML) by Environmental Protection Department (EPD) effective from 30th October 2014.

UPML, the "Operator" of EcoPark, have appointed Allied Environmental Consultants Ltd. (AEC) as the Environmental Team (ET) to carry out the Environmental Monitoring and Audit (EM&A) works for the operation of EcoPark as required by the EM&A Manual and in accordance with the conditions of the Environmental Permit (EP) (EP-226/2005/D).

This is the forty-first (41st) quarterly EM&A report prepared for the operation phase of EcoPark and covers the quarter from April to June 2017. In the reporting quarter, there were fifteen tenants in EcoPark Phase 1 and Phase 2, where the tenancy of lot T4 by Hung Wai was succeeded by China Commercial Logistics from 14th May 2017. The details of tenants are provided as below:

Phase 1 tenants comprise:

- Champway Technology Limited (Champway) Waste cooking oil
- Shiu Wing Steel Limited (Shiu Wing) Waste metals
- Hong Kong Hung Wai Wooden Board Co (Hung Wai) Waste wood (Tenancy expired on 13th May 2017)
- China Commercial Logistics Company Ltd (China Commercial Logistics) Waste wood (Tenancy commenced on 14th May 2017)
- Li Tong Group (Li Tong) Waste Electrical and Electronic Equipment (WEEE)
- Hong Kong Telford Envirotech Group Ltd (Telford) Waste plastics

Phase 2 tenants comprise:

- WEEE Refurbishment at Lot P5 (WEEE Refurbishment) WEEE
- K.Wah Construction Products Ltd (K.Wah) Waste construction materials/waste glass
- E.Tech Management (HK) Ltd (E.Tech) WEEE
- On Fat Lung Innovative Resources Ltd (On Fat Lung) Waste rubber tyres
- Chung Yue Steel Group Company Ltd (Chung Yue) Waste metals
- SSK Metal Ltd (SSK) Waste lead-acid batteries
- South China Reborn Resources (Zhongshan) Co Ltd (South China) Food waste
- Alba Integrated Waste Solutions (Hong Kong) Ltd (Alba IWS) WEEE

Issue 1_____ AEC

• Cheong Hing Refinery Works Limited (Cheong Hing) – WEEE

Recycling activities of the following eleven tenants were audited in the reporting quarter: Champway, Shiu Wing, Hung Wai, China Commercial Logistics, Li Tong, Telford, WEEE Refurbishment, K.Wah, Chung Yue, South China and E.Tech. Tenancy of Hung Wai had expired on 13th May 2017. Lots under development by On Fat Lung, SSK, Cheong Hing and Alba IWS were inspected but not audited under the EM&A programme during the reporting quarter, as no recycling activities had commenced.

In this reporting quarter, site inspections were conducted by the Operator and the ET on 20th April, 24th May, and 19th June 2017. IEC also carried out random site audits on 20th April and 19th June 2017. A quarterly joint site inspection was carried out by the Operator, the IEC and the ET on 24th May 2017.

Throughput of Materials / Waste Generated

The throughputs of the eight active tenants and the tenant with tenancy expired in the reporting quarter are summarised below. Please note that product output plus waste disposal does not necessarily equal the waste input, due to material losses during processing and material retained within the lots.

Material Type	Waste Input (tonnes)	Product Output ⁽⁴⁾ (tonnes)	Waste Disposed ⁽⁴⁾ (tonnes)
Waste Organic Food	1,287	1,595	131
Waste Ferrous Metals	26,751	24,779	148
Waste Wood (5)	112	-	-
Waste Electronics	356	189	55
Waste Plastics	196	82	-
Construction Waste	289	7 366	31
Waste Glass	100	7,366	31

Notes:

- 1) The throughput data presented above is the best available data and has been rounded off to the nearest whole tonne for presentation.
- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.
- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.
- 5) There was only one active tenant in EcoPark that carried out wood recycling and the tenancy was expired on 13th May 2017.

Exceedances of Any Measured Action / Limit Levels

The northern part of EcoPark is located within the 250m Landfill Gas (LFG) Consultation Zone of Shiu Lang Shui Landfill. LFG monitoring during this quarter was undertaken on 19th June 2017 at five locations (three in Phase 1 and two in Phase 2). Exceedance of Limit Level was recorded at Stations EP2-2 in the reporting quarter and are summarised in the table below.

Station ID	Parameter	Recorded Level	Action Level	Limit Level	Status
EP2-2	Oxygen (% v/v)	16.1	< 19%	< 18%	Exceedance of Limit Level

Ventilation enhancement was carried out in accordance with the Event Action Plan for LFG specified in Table 6.1 of the EM&A Manual to restore the concentrations of O₂ to non-exceedance level. No apparent source of oxygen (O₂) depletion was identified within the underground chamber during investigation. The exceedance was believed to be triggered by the invasion of organic matter into underground chamber or utility pipes via heavy rain and further decomposition inside the underground chambers and pipes. There was no indication of the migration of LFG from Siu Lang Shui Landfill. As confirmed by the Operator, no underground work was being carried out within EcoPark. Based on the above findings, the exceedance of O₂ should not impose any adverse impact on staffs/workers/environment in EcoPark. Nonetheless, the Operator continued to implement the cleaning programme of underground utilities for wet season, and the cleaning activity was carried out on 26th June 2017.

Summary of Complaints, Summons and Prosecutions

Number of complaints, summons and successful prosecutions in the reporting quarter are summarised below.

• Complaints: Zero.

• Summons: Zero.

• Successful Prosecutions: Zero.

Reporting Changes

There is no change in the reporting quarter.

Future Key Issues

No key issues are anticipated in the next reporting quarter.

1 PROJECT BACKGROUND

1.1 Project Overview

- 1.1.1 In the document "A Policy Framework for the Management of Municipal Solid Waste (2005 –2014)", the government set out a comprehensive policy to support the recycling industry. This included allocating suitable land, encouraging research and development, introducing environmental legislation and providing effective support measures. In May 2013, the Environment Bureau launched "Hong Kong Blueprint for Sustainable Use of Resources 2013 2022", which promised continuing support for the recycling industry.
- 1.1.2 EcoPark was developed to support the local recycling industry by providing long-term land at affordable rents, thereby encouraging investment in advanced technology and value-added recycling processes.
- 1.1.3 EcoPark, as shown in *Figure 1-1*, has been developed in Tuen Mun Area 38 in two phases (Phase1 and Phase 2) under Contract *EP/SP/52/06 Development of EcoPark in Tuen Mun Area 38*, which was awarded to Kaden Construction Ltd by the Environmental Protection Department (EPD) in June 2006. Phase 1 construction was completed in July 2009 and Phase 2 construction was completed in November 2010.
- 1.1.4 The contract for the management of EcoPark Contract No. *EP/SP/71/13 Provision of Management Services for EcoPark 2014* was awarded to Urban Property Management Limited (UPML) by Environmental Protection Department (EPD) effective from 30th October 2014.
- 1.1.5 UPML, the "Operator" of EcoPark, has appointed Allied Environmental Consultants Ltd. (AEC) as the Environmental Team (ET) to carry out the Environmental Monitoring and Audit (EM&A) works for the operation of EcoPark as required by the EM&A Manual and in accordance with the conditions of the Environmental Permit (EP-226/2005/D). Mott MacDonald Hong Kong Limited (MottMac) has been appointed by the EPD as the Independent Environmental Checker (IEC) for the Project. The ET and the IEC carry out the EM&A works for EcoPark as required by the EM&A Manual and in accordance with the conditions of the Environmental Permit (EP).

1.2 Operation Programme

- 1.2.1 By the end of June 2017, there were a total of fourteen tenants in EcoPark and one tenant's tenancy was expired:
 - Eight active tenants (Champway, Shiu Wing, Li Tong, Telford, WEEE Refurbishment, Chung Yue, K.Wah, and South China) who have carried out full recycling operations;
 - Three tenants (China Commercial Logistics, E.Tech and On Fat Lung) carried out machinery testing or installation;
 - Waste Management Policy Group (WMG) of EPD has taken possession of Lot Nos. P2, P3 and P4 and handed over to Alba IWS to carry out plant construction.

- Two tenants (SSK and Cheong Hing) who are carrying out plant design or construction works; and
- One tenant (Hung Wai) whose tenancy was expired on 13th May 2017.

1.3 Project Organization and Contact Personnel

1.3.1 Key personnel and contact particulars are summarised in *Table 1.1*.

Table 1.1 EM&A Personnel Contact Details

Position	Name Email Address		Phone No.			
Project Proponent – EPD						
Principal EPO	Mr. Andy S.W. CHAN	andychan@epd.gov.hk	2872 1720			
Operator – UPML						
Project Manager	Ms. Raindy YIP	raindy.py.yip@urban.com.hk	2212 5900			
Park Manager Ms. May WU		may.sm.wu@urban.com.hk	2212 5920			
IEC – Mott MacDo	nald		•			
IEC	Ir. Eric CHING	eric.ching@mottmac.com	2828 5757			
ET-AEC						
ET Leader	Ms. Grace KWOK	gk@aechk.com	2815 7028			

1.3.2 The organisational structure and lines of communication for the operation of EcoPark with respect to environmental management is given in *Figure 1-2* and *Figure 1-3* respectively.

Figure 1-1 Location of EcoPark in Tuen Mun Area 38



Site Boundary Phase 1 Tenants Phase 2 Tenants

Issue 1______AEC

Figure 1-2 Organisation Chart of UPML





Figure 1-3 Organisation Chart of EM&A Works (Operation)



2 SUMMARY OF EM&A REQUIREMENT

2.1 Monitoring Parameters

- 2.1.1 Landfill Gas (LFG) is required to be monitored quarterly at service voids and utility boxes within EcoPark because the northern part of EcoPark lies within the 250m LFG Consultation Zone for Siu Lang Shui Landfill, which is located to the north of EcoPark.
- 2.1.2 Operational LFG monitoring has been carried out in Phase 1 after completion of construction in July 2009, commencing in the August to October 2009 quarter. In Phase 2, monitoring has been carried out after completion of construction in November 2010, commencing in the November 2010 to January 2011 quarter.
- 2.1.3 The location for LFG monitoring was not specified in the EM&A Manual since the final design of EcoPark was not available when the EM&A Manual was approved. Therefore, during a joint site inspection on 27th July 2009, three monitoring locations were identified and agreed as suitable monitoring locations by the former ET (SMEC Asia Ltd.), IEC (Atkins China Ltd.) and the Operator (Serco Guardian Joint Venture). Subsequently, two more monitoring locations in Phase 2 were proposed by the former ET and agreed by the IEC and Operator via email in January 2011. These five monitoring locations are listed in *Table 2.1* and shown in *Figure 2-1*.

Table 2.1 Operation Phase LFG Monitoring Locations in EcoPark

Monitoring Station ID	Туре	Locations
EP1-1	LFG vent pipe	Inside the landscaping area of Administration Building
EP1-2	Service void	PCCW below-ground chamber outside Lot EP08-01
EP1-3	Service void	HGC Broadband below-ground chamber outside Lot EP08-03
EP2-1	Service void	HGC Broadband below-ground chamber outside Lot P1
EP2-2	Service void	HGC Broadband below-ground chamber outside Lot P3

2.1.4 Routine LFG monitoring has been carried out on a quarterly basis. Should EPD alert the Operator that high LFG levels have been detected during monthly monitoring under the Siu Lang Shui Landfill restoration contract, the Operator may be required to increase LFG monitoring to monthly until such time as EPD inform the Operator that quarterly monitoring can be resumed. No detection of high LFG levels under Siu Lang Shui Landfill restoration contract was received from EPD in the reporting quarter.

2.2 Environmental Quality Performance Limits and EAP

2.2.1 The Action/Limit Levels and Event Action Plan (EAP) for LFG are shown in *Table 2.2* below. These refer to LFG detected in excavations, utilities and any enclosed on-site areas. No other A/L Levels or EAPs are specified in the EM&A Manual for the operation phase EM&A.

Table 2.2 Action Levels, Limit Levels and Event and Action Plan for LFG

Parameter	Level	Action		
	Action Level <19% O2	• Ventilate trench/void to restore O ₂ to >19%		
Oxygen (O ₂)	Limit Level <18% O ₂	 Stop works Evacuate personnel/prohibit entry Increase ventilation to restore O₂ to >19% 		
Methane	Action Level >10% LEL	 Post "No Smoking" signs Prohibit hot works Increase ventilation to restore CH₄ to <10% LEL 		
(CH ₄)	Limit Level >20% LEL	 Stop works Evacuate personnel/prohibit entry Increase ventilation to restore CH₄ to <10% LEL 		
Control	Action Level >0.5% CO ₂	• Ventilate to restore CO ₂ to <0.5%		
Carbon Dioxide (CO ₂)	Limit Level >1.5% CO ₂	 Stop works Evacuate personnel/prohibit entry Increase ventilation to restore CO₂ to <0.5% 		

2.3 Environmental Audit of Non-Monitored Parameters

- 2.3.1 Site inspections provide a direct means to trigger and enforce the environmental protection and pollution control measures specified in the Environmental Impact Assessment (EIA) Report. To examine operational practice, site inspections are to be undertaken by the ET once per month. The monthly inspection shall join with the random site inspection by the IEC where possible. A joint inspection by ET and IEC will be carried out at least once per quarter. Ad hoc site inspections are also carried out if significant environmental problems are identified. In addition, inspections may be required subsequent to receipt of environmental complaint, or as part of the investigation work, as specified in the EAP.
- 2.3.2 The following parameters are required to be audited as part of the operation phase EM&A program:
 - Air Quality
 - Water Quality
 - Waste Management
 - Land Contamination


2.4 Environmental Mitigation Measures

2.4.1 Environmental mitigation measures applicable to the operation phase EM&A as stated in the Implementation Schedule are summarised in *Appendix 1*.

2.5 Environmental Requirements in Tenancy Agreements

2.5.1 Environmental requirements specified in tenancy agreements are provided in *Appendix 2*.

Figure 2-1 LFG Monitoring Locations within EcoPark



Issue 1______AEC

3 OPERATION STATUS

3.1 General

- 3.1.1 The location of lots within EcoPark, the tenancy numbers and tenant names are shown in *Figure 3-1*. A summary of waste throughputs is provided in *Section 3.11*. Brief descriptions of the active tenants are provided from *Sections 3.2* to *3.10*.
- 3.1.2 In the reporting quarter:
 - China Commercial Logistics, E.Tech and On Fat Lung carried out machinery testing or installation;
 - Tenancy of Hung Wai expired on 13th May 2017;
 - Waste Management Policy Group (WMG) of EPD has taken possession of Lot Nos. P2, P3 and P4 and handed over to Alba IWS to carry out plant construction; and
 - SSK and Cheong Hing carried out plant design or construction works.

3.2 Champway Technology Limited

- **Tenancy No.:** EP07-03 (Phase 1)
- Lot Size: Approx. 6,000m²
- Activity: Recycling of Organic Waste (Waste Cooking Oil)
- **Recycling Process:** Turn waste cooking oil into biodiesel by extraction, neutralisation, separation and distillation.
- 3.2.1 In this reporting quarter, waste cooking oil was recycled. Also, the tenant adopted "tankered away" approach for handling of industrial effluent arising from biodiesel production instead of discharging into foul sewer.

3.3 Shiu Wing Steel Limited

- Tenancy No.: EP08-03 (Phase 1)
- Lot Size: Approx. 9,500m²
- **Activity:** Recycling of Waste Metals
- **Recycling Process:** Turn waste metals into light ferrous scrap and heavy ferrous scrap by sorting, baling and shearing.
- 3.3.1 In this reporting quarter, waste metal was recycled.

3.4 Hong Kong Hung Wai Wooden Board Company

• Tenancy No.: EP06-34 (Phase 1)

• **Lot Size:** Approx. 5,000m²

- Activity: Recycling of Waste Wood
- **Recycling Process:** Recycle waste wood to wood fuel pellets. Ferrous metals will be separated by magnets.
- 3.4.1 In this reporting quarter, waste wood was recycled and the tenancy expired on 13th May 2017.

3.5 Li Tong Group

- **Tenancy No. :** EP07-02 (Phase 1)
- Lot Size: Approx. 6,500m²
- Activity: Recycling of WEEE
- Recycling Process: Manually dismantling of WEEE into metals (ferrous materials, aluminium, etc.) and non-metals (fibres, plastics, etc.). Manually dismantling of Cathode Ray Tube (CRT) glass and Liquid Crystal Display (LCD) panels would be carried out upon request.
- 3.5.1 In this reporting quarter, WEEE was recycled.

3.6 Hong Kong Telford Envirotech Group Limited

- **Tenancy No.**: EP08-01 (Phase 1)
- Lot Size: Approx. 5,000m²
- **Activity:** Recycling of Waste Plastics
- Recycling Process: Sorting, shredding and baling of waste plastics
- 3.6.1 In this reporting quarter, waste plastic was recycled.

3.7 WEEE Refurbishment at Lot P5

- **Lot No.:** P5 (Phase 2)
- Lot Size: Approx. 5,000 m²
- **Activity:** Recycling of WEEE
- **Recycling Process:** WEEE will be sorted on site first. WEEE suitable for reuse will be repaired and refurbished, whilst those irreparable / not suitable for repair will be collected by local contractors designated by WMG.
- 3.7.1 In this reporting quarter, WEEE was recycled.

3.8 Chung Yue Steel Group Company Limited

- **Tenancy No.:** EP11-01(1) (Phase 2)
- **Lot Size:** Approx. 100,000 m²

- Activity: Recycling of Waste Metals
- **Recycling Process:** Turn waste metals into non-ferrous scrap, light ferrous scrap and heavy ferrous scrap by sorting, baling and shearing
- 3.8.1 In this reporting quarter, waste metal was recycled.

3.9 K.Wah Construction Products Ltd.

• **Tenancy No.:** EP11-01(3) (Phase 2)

• **Lot Size:** Approx. 10,000 m²

• Activity: Recycling of Waste Construction Materials/Waste Glass

- **Recycling Process:** Waste construction materials and waste glass will be crushed and delivered to the concrete mixing plant for blending and poured into block machine for casting. The blocks will then be cured, washed and packaged.
- 3.9.1 In this reporting quarter, waste construction materials and waste glasses were recycled.

3.10 South China Reborn Resources (Zhongshan) Company Ltd.

• Tenancy No.: EP12-01 (Phase 2)

• Lot Size: Approx. 9,000 m²

• Activity: Recycling of Organic Waste (Food Waste)

- **Recycling Process:** Food waste will be segregated. The recyclable portion will undergo deodorisation, dewatering, shredding, fermentation and drying to produce high protein animal feed for livestock farming and aquaculture.
- 3.10.1 In this reporting quarter, food waste was recycled. Also, the tenant adopted "tankered away" approach for handling of industrial effluent arising from the recycling of food waste instead of discharging into foul sewer.

3.11 Throughput Statistics

- 3.11.1 For the active recyclers, most of the incoming waste materials and outgoing products were delivered by land transportation, except for the metals from Chung Yue were delivered by both marine and land transportation.
- 3.11.2 The throughputs of the eight active tenants and the tenant with tenancy expired in the reporting quarter are summarised in *Table 3.1* below. Please note that product output plus waste disposal does not necessarily equal the waste input, due to material losses during processing and material retained within the lot.

Table 3.1 Throughput Statistics for the Reporting Quarter

Material Type	Waste Input (tonnes)	Product Output (4) (tonnes)	Waste Disposed (4) (tonnes)
Waste Organic Food	1,287	1,595	131

Material Type	Waste Input (tonnes)	Product Output (4) (tonnes)	Waste Disposed (4) (tonnes)
Waste Ferrous Metals	26,751	24,779	148
Waste Wood (5)	112	-	-
Waste Electronics	356	189	55
Waste Plastics	196	82	-
Construction Waste	289	7,366	31
Waste Glass	100	7,300	31

Notes:

- 1) The throughput data presented above is the best available data and has been rounded off to the nearest whole tonne for presentation.
- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.
- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.
- There was only one active tenant in EcoPark that carried out wood recycling and the tenancy was expired on 13th May 2017.
- 3.11.3 Detailed throughput figures of the reporting quarter are provided in *Appendix 3.1*. Updated throughput figures of the previous months are provided in *Appendix 3.2*.

3.12 Process Review

- 3.12.1 Process Review, and maybe Design Audit (DA) where required, had been conducted for each recycling processes to be operated within EcoPark to confirm its compliance with the findings and recommendations of the EIA report and the conditions of the EP.
- 3.12.2 Since 2008, nineteen process reviews and two DAs had been approved. Among those, fifteen process reviews and two DAs are related to the recycling processes of the current tenants in EcoPark as of June 2017. In the reporting period, one process review for South China is approved and three new process reviews or DA are ongoing, namely the process review/DA for Waste Electrical and Electronic Equipment Treatment and Recycling Facility (WEEETRF) of Alba IWS, and the process reviews for Cheong Hing and China Commercial Logistics. Full set of the completed PRCs and DAs are submitted separately to relevant authorities in EPD.

(WEEE)

Figure 3-1 Current Lot Usage within EcoPark Alba Integrated Waste Cheong Hing Refinery Solutions (Hong Kong) Ltd. Works Limited (WEEE) (WEEE) WEEE Refurbishment 0 (WEEE) On Fat Lung Lot P2 Innovative Resources Ltd. (Rubber Tyres) Hong Kong Telford EP16-01 Envirotech Group Ltd. Lot P3 (Plastics) Lot P5 K.Wah Construction Products Ltd. (Construction Materials) ots P6 & P7 Shiu Wing Steel Ltd. Lot P4 (Metals) ~ EP08-01 EP11-01(6) South China Reborn EP11-01(3) EP08-03 Legend 圖例 China Commercial Resources (Zhongshan) Logistics Company Co. Ltd. (Food Wastes) Phase 1 第一期 EP11-01(2) Ltd. (Wood) EP16-04 EP12-01 Chung Yue Steel Champway EP11-01(1) EP11-01(5) Technology Co. Ltd. Group Company Ltd. EP07-03 EP07-02 Lot T7 (Cooking Oil) (Metals) Marine Frontage 海傍碼頭 SSK Metal Ltd. E.Tech Management (Lead-Acid Batteries) Li Tong Group

Issue 1____AEC

(HK) Ltd. (WEEE)

4 IMPLEMENTATION STATUS OF ENVIRONMENTAL PROTECTION MEASURES

- 4.1.1 Environmental mitigation measures applicable to the operation phase EM&A as stated in the implementation schedule are summarised in *Appendix 1*. Environmental requirements specified in tenancy agreements are summarised in *Appendix 2*.
- 4.1.2 By the end of June 2017, ten tenants (Champway, Shiu Wing, Li Tong, Telford, WEEE Refurbishment, China Commercial Logistics, Chung Yue, K.Wah, South China and E.Tech) were under full operation or machinery testing.
- 4.1.3 Appropriate environmental protection measures are in place at all lots.

5 MONITORING RESULTS

5.1 Monitoring Date, Time, Frequency and Duration

5.1.1 As described in *Section 2.1*, operational LFG monitoring is conducted quarterly at five monitoring locations, three in Phase 1 and two in Phase 2. In this reporting quarter, monitoring was undertaken on 19th June 2017. Monitoring details are shown *Table 5.1* below.

Table 5.1 Sampling Schedule for the Quarterly LFG Monitoring

Station ID	Sampling Date	Time	Duration	Ambient Air Temp.	Weather
EP1-1		10:15 – 10:18	3 minutes	27°C	Overcast
EP1-2		09:55 - 09:58	3 minutes	27°C	Overcast
EP1-3	19 th June 2017	09:50 - 09:53	3 minutes	27°C	Overcast
EP2-1		10:00 - 10:03	3 minutes	27°C	Overcast
EP2-2		10:05 - 10:08	3 minutes	27°C	Overcast

5.2 Monitoring Methodology, Parameters and Equipment

5.2.1 The LFG monitoring requirement and methodology are stipulated in *Section 6* of the EM&A Manual. The LFG monitoring parameters and their measurement ranges are detailed in *Table 5.2* below.

Table 5.2 Parameters and Measurement Ranges for LFG Monitoring

Parameters	Measurement Ranges
Methane (CH ₄)	0 – 100% LEL & 0-100% v/v
Oxygen (O ₂)	0 - 25% v/v
Carbon Dioxide (CO ₂)	0 – 100% v/v
Barometric Pressure	mBar (absolute)

- 5.2.2 LFG monitoring shall be carried out using intrinsically-safe, portable multi-gas monitoring instruments. The gas monitoring equipment shall:
 - 1. Where possible, comply with BS 6020 and be approved by BASEEFA as intrinsically safe, suitable for use in a Zone 2 are to BS 5345;
 - 2. Be capable of continuous monitoring of methane, oxygen and carbon dioxide;
 - 3. Be capable of continuous barometric pressure and gas pressure measurements;
 - 4. Normally operate in diffusion mode unless required for spot sampling, when it should be capable of operating by means of an aspirator or pump;

- Have low battery, fault and over range indication incorporated;
- Store monitoring data, and shall be capable of being down-loaded directly to a PC;

mBar (absolute)

Measure in the following ranges:

Methane 0 - 100% LEL & 0 - 100% v/v

Oxygen 0 - 25% v/v0 - 100% v/vCarbon dioxide Barometric pressure

5.3 **Results and Graphical Plots of Monitoring Parameters**

- 5.3.1 One InfraRed Gas Analyser Model GA5000 (serial number G501982) was used for LFG measurements. The gas analyser is calibrated every 6 months. Appendix 4 presents the calibration records of the monitoring equipment.
- 5.3.2 LFG monitoring results are summarised in *Table 5.3* and compared with the Action and Limit Levels tabulated in *Table 2.2*. Graphical plots of the monitoring results are also provided in *Appendix 5*.

Table 5.3 Quarterly LFG Monitoring Results in the Reporting Quarter

			M	Monitoring Results		
Station ID	Sampling Date	Methane (% v/v)	Methane (% LEL)	Oxygen (% v/v)	Carbon Dioxide (% v/v)	Barometric Pressure (mBar)
EP1-1		0.0	0	19.8	0.1	1005
EP1-2		0.0	0	20.1	0.2	1005
EP1-3	19 th June 2017	0.0	0	19.4	0.3	1005
EP2-1		0.0	0	19.9	0.2	1005
EP2-2		0.0	0	16.1	0.5	1005

5.3.3 Exceedances of Action and Limit Levels were recorded at Stations EP2-2 in the reporting quarter. The status of exceedance are summarised as below:

Station ID	Parameter	Recorded Level	Action Level	Limit Level	Status
EP2-2	O ₂ (% v/v)	16.1	< 19%	< 18%	Exceedance of Limit Level

5.3.4 The cover of the underground chamber was opened for investigation. In accordance with the Event Action Plan for LFG specified in Table 2.2, ventilation enhancement was carried out to restore the concentration of O₂. Measurement was conducted immediately

AEC

- after the ventilation enhancement to confirm the restoration of O_2 level to non-exceedance level (i.e. 19.8% v/v).
- 5.3.5 During the investigation, stagnant water was observed accumulating inside the utility chamber, possibly due to the heavy rain over the weekend and in the morning of 19th June 2017. Yet, no apparent source of O₂ depletion was identified. With reference to similar exceedance event occurred in June 2016 with the same meteorological condition, it is believed that organic matters entered and accumulated in the underground chamber by continuous rain, and increased O₂ depletion within the chamber during organic matter decomposition.
- 5.3.6 The utility chamber at Station EP2-2 was closed and rest for around 15 minutes after ventilation enhancement. An additional LFG measurement was carried out inside the underground chamber to review the condition and no exceedance was recorded for any parameter as summarised below:

Station ID	Parameter	Recorded Level	Action Level	Limit Level	Status
	O ₂ (% v/v)	19.1	< 19%	< 18%	No exceedance
EP2-2	CO ₂ (% v/v)	0.1	> 0.5%	> 1.5%	No exceedance
	CH ₄ (% LEL)	0.0	> 10%	> 20%	No exceedance

- 5.3.7 No exceedance of any parameter was recorded at other monitoring stations and no CH₄ was recorded at any monitoring station. There is no indication of the migration of LFG from Siu Lang Shui Landfill.
- As advised by the Operator, no underground work was being carried out within EcoPark. Based on the above findings, the exceedance of O₂ should not impose any adverse impact on staffs/workers/environment in EcoPark. Nonetheless, the tenants shall be reminded to ensure adequate ventilation in indoor environment.
- 5.3.9 With reference to the mitigation measure proposed in June 2016 after the record of the exceedance event, the cleaning programme of underground utilities for wet season will be continued. The Operator had carried out the cleaning activity for the underground chambers and utility pipes on 26th June 2017 as shown in *Figure 5-1*.

Figure 5-1 Cleaning of Underground Chamber and Utility Pipe







5.3.10 The LFG levels will be checked during the next quarterly LFG monitoring in September 2017.

Issue 1_____AEC

6 SUMMARY OF ENVIRONMENTAL AUDIT

6.1 General

- Among the fifteen tenants, only eight active tenants were under full operation, two tenants were under machinery testing, and one tenant had the tenancy expired on 13th May 2017. As such, specific site inspections were only carried out at the lots of these eleven tenants. For the lots of those tenants not currently in operation, general site inspections were conducted
- 6.1.2 Environmental audits based on the approved site inspection checklist were carried out by the Operator and the ET on 20th April, 24th May, and 19th June 2017. IEC random site audits were also carried out on 20th April and 19th June 2017. A quarterly joint site inspection was carried out by the Operator, the IEC and the ET on 24th May 2017. The completed audit checklists for tenants are provided in *Appendix 6*.

6.2 Champway Technology Limited

6.2.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.1* below. The completed checklists for Champway are given in *Appendix 6.1*.

Table 6.1 Environmental Audit Findings for Champway

Date	Item	Comment	Status		
Observati	Observations From Previous Reporting Quarters				
17 Feb 2017	Oil stain was observed on the ground but no sign of leakage from containers was found.	The tenant was requested to clear the oil stain and dispose of as chemical waste. The tenant should check the storage condition to ensure no leakage from any container occurs, and consider the provision of drip trays for non-empty chemical containers in order to prevent any accidental spillage.	As observed during inspection on 24 th May 2017, The tenant had cleared the oil stain and no sign of leakage from containers was observed.		
17 Feb 2017	Oil-water mixture was observed inside the surface drainage channel near the storage area. The remaining mixture is likely caused by the poor condition of the surface drain.	The tenant was suggested to improve the drain condition to maintain the effectiveness of the drainage channel. Meanwhile, the tenant was requested to clear the mixture and ensure no overflow could occur.	As observed during inspection on 15 th Mar 2017, the tenant had cleared the oil-water mixture from the surface drainage channel as observed during inspection on. Nonetheless, the tenant was requested and reminded to improve the drain condition to maintain the effectiveness of the drainage channel. The improvement work will be followed up in the next audit.		

Date	Item	Comment	Status
15 Mar 2017	The concerned area mentioned with abovementioned oil stain was not provided with permeation-proof floor and partition. As advised by the tenant, the area was used as temporary storage and the containers would be gradually removed from the concerned area within the next two months tentatively.	The tenant was reminded to implement sufficient preventive measures to avoid any accidental spillage during material transfer.	As updated by the tenant, most of the containers would be gradually removed in coming three months, and followed by gradual removal of the remaining containers. The containers pending removal should be kept well maintained to avoid potential leakage until the entire removal progress is complete. The removal progress will be monitored in the next audit.
20 Apr 2017	ons From This Repor N/A	The tenant was reminded to ensure no industrial wastewater should be discharged into both stormwater and foul water drainages.	N/A
24 May 2017	Chemical mixture was observed on the floor near the storage area.	The tenant was requested to contain the spillage immediately, and remove the containers to designated area for proper storage in order to avoid any leakage from containers and potential land contamination.	As observed during inspection on 19 th Jun 2017, the tenant had removed chemical spillage on the floor near storage area. The removal progress of containers to designated storage area will be monitored in the follow-up observation initiated since 15 th Mar 2017.
19 Jun 2017	No new critical issu	ne was identified.	

6.3 Shiu Wing Steel Limited

6.3.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.2* below. The completed checklists for Shiu Wing are given in *Appendix 6.2*.

Table 6.2 Environmental Audit Findings for Shiu Wing

Date	Item	Comment	Status
Observations From Previous Reporting Quarters			

Issue 1_____AEC

Date	Item	Comment	Status			
None	None					
Observations I	From This Reporting Qua	arter				
20 Apr 2017	No new critical issue was identified.					
24 May 2017	No new critical issue was identified.					
19 Jun 2017	No new critical issue w	No new critical issue was identified.				

6.4 Hong Kong Hung Wai Wooden Board Company

6.4.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.3* below. The completed checklist for Hung Wai is given in *Appendix 6.3*.

Table 6.3 Environmental Audit Findings for Hung Wai

Date	Item	Comment	Status		
Observations From Previous Reporting Quarters					
None					
Observations From This Reporting Quarter					
20 Apr 2017 No new critical issue was identified.					

6.5 Li Tong Group

6.5.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.4* below. The completed checklists for Li Tong are given in *Appendix 6.4*.

Table 6.4 Environmental Audit Findings for Li Tong

Date	Item	Comment	Status		
Observations I	Observations From Previous Reporting Quarters				
15 Mar 2017	Small portion of WEEE fragments were observed on unpaved ground near the perimeter drain.	The tenant should remove the fragments and be reminded to avoid storage of material on unpaved area.	As observed during inspection on 20 th Apr 2017, the WEEE fragments were removed from the unpaved ground near the perimeter drain.		
Observations I	From This Reporting Qu	arter			
20 Apr 2017	No new critical issue was identified.				
24 May 2017	No new critical issue was identified.				
19 Jun 2017	No new critical issue v	vas identified.	·		

6.6 Hong Kong Telford Envirotech Group Limited

6.6.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.5* below. The completed checklists for Telford are given in *Appendix 6.5*.

Quarterly Environmental Monitoring & Audit Report (April – June 2017)

Table 6.5 Environmental Audit Findings for Telford

Date	Item	Comment	Status			
Observations I	Observations From Previous Reporting Quarters					
None						
Observations I	From This Reporting Q	uarter				
20 Apr 2017	20 Apr 2017 No new critical issue was identified.					
24 May 2017	No new critical issue was identified.					
19 Jun 2017	No new critical issue	No new critical issue was identified.				

6.7 **WEEE Refurbishment at Lot P5**

6.7.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in Table 6.6 below. The completed checklists for WEEE Refurbishment are given in Appendix 6.6.

Table 6.6 Environmental Audit Findings for WEEE Refurbishment at Lot P5

Date	Item Comment Status					
Observations .	Observations From Previous Reporting Quarters					
25 Jan 2017	Vegetation is observed inside and near the perimeter drainage near the entrance of the lot.	The tenant should clear the vegetation to avoid potential blockage of the channel.	While it was noticed that the vegetation removal was in progress as observed during inspection on 15 th Mar 2017, some vegetation was still observed inside the perimeter drainage near the entrance of the lot. The tenant was reminded to clear the vegetation to avoid potential blockage of the channel. The removal progress will be monitored in the next audit.			
Observations I	Observations From This Reporting Quarter					
20 Apr 2017	No new critical issue was identified.					
24 May 2017	No new critical issue was identified.					
19 Jun 2017	No new critical issue	was identified.				

6.8 **Chung Yue Steel Group Company Limited**

Audit observations from previous reporting quarters and this reporting quarter are 6.8.1 summarised in Table 6.7 below. The completed checklists for Chung Yue are given in Appendix 6.7.

Table 6.7 Environmental Audit Findings for Chung Yue

Date	Pate Item Comment		Status	
Observations From Previous Reporting Quarters				
15 Mar 2017	Dusty trail was	As advised by the tenant, steel	As observed during	

AEC

Leoi ai k	Operation				
Quarterly	Environmental	Monitoring &	Audit Report	(April -	June 201'

Date	Item	Comment	Status			
	observed at the lot entrance during inspection.	delivery was being carried out and daily cleaning will be provided after work. According to the photo record provided by the Operator on 17 Mar 2017, the tenant has removed the tyre marks.	inspection on 20 th April 2017, the dusty trail at lot entrance had been cleared.			
Observations I	Observations From This Reporting Quarter					
20 Apr 2017	No new critical issue was identified.					
24 May 2017	No new critical issue was identified.					
19 Jun 2017	No new critical issue	was identified.				

6.9 **K.Wah Construction Products Limited**

6.9.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.8* below. The completed checklists for K.Wah are given in Appendix 6.8.

Table 6.8 Environmental Audit Findings for K.Wah

Date	Item Comment		Status				
Observations I	Observations From Previous Reporting Quarters						
None							
Observations I	From This Reporting Q	uarter					
20 Apr 2017	No new critical issue	No new critical issue was identified.					
24 May 2017	No new critical issue	was identified.					
19 Jun 2017	Dormant stockpile was observed on the floor without cover	The tenant should cover the temporary stockpile with tarpaulin or similar fabrics, or store the stockpile in a covered area to prevent dust generation.	The condition will be followed-up in the next site audit.				

6.10 South China Reborn Resources (Zhongshan) Company Limited.

Audit observations from previous reporting quarters and this reporting quarter are summarised in Table 6.9 below. The completed checklists for South China are given in Appendix 6.9.

Table 6.9 Environmental Audit Findings for South China

Date	Item	Comment	Status
Observations I	From Previous Reporti	ng Quarters	
28 Nov 2016	Storage tank is observed near the perimeter drainage channel along the	Although the tenant has removed the old water tanks and storage containers from the perimeter drainage	As observed during inspection on 20 th Apr 2017, the tenant had removed the storage

Date	Item	Comment	Status		
	eastern boundary of the lot that may cause potential contamination.	channel, the leaked dirty water and the liquid storage container as observed during inspection on February 2017 were still observed. The tenant was requested to clean up the dirty water, and keeping the containers free from the perimeter drainage to ensure no untreated wastewater will be discharged to the drainage.	containers (except clean water containers) from the perimeter drainage channel and the dirty water mark on surface near the drainage channel.		
25 Jan 2017	Dirty water was observed in the stormwater manholes located along the vehicular access between the two building structures, but no sign of discharge was identified (i.e. adjacent ground was clean).	The tenant was requested to remove the muddy material inside the manholes and to ensure no leakage of any objectionable matter into stormwater drain.	As observed during inspection on 24 th May 2017, dirty water and muddy material had been removed from the stormwater manholes. No dirty water is observed in the manholes.		
Observations I	From This Reporting Q	m This Reporting Quarter			
20 Apr 2017	A pit of dirty water was observed inside the perimeter drainage channel along the Eastern lot boundary.	The tenant was requested to clean up the dirty water immediately and to ensure no untreated wastewater will be discharged to the drainage.	As observed during inspection on 24 th May 2017, the tenant had cleaned up the dirty water inside the perimeter drainage channel along the Eastern lot boundary.		
24 May 2017	No new critical issue	was identified.			
19 Jun 2017	Suspected oil stain is observed on the surface of the stormwater inside perimeter drain, and refuse is also found inside the terminal stormwater manhole.	The tenant has been requested to remove the suspected oil stain and refuse to prevent drainage from clogging. At the same time, the tenant has been reminded to ensure no objectionable matter shall enter drains or sewers.	The condition will be followed-up in the next site audit.		

6.11 E.Tech Management (HK) Limited.

6.11.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.10* below. The completed checklists for E.Tech are given in *Appendix 6.10*.

Issue 1_____AEC

Table 6.10 Environmental Audit Findings for E.Tech

Date	Item	Comment	Status			
Observations I	Observations From Previous Reporting Quarters					
None						
Observations I	Observations From This Reporting Quarter					
20 Apr 2017	No new critical issue was identified.					
24 May 2017	No new critical issue was identified.					
19 Jun 2017	No new critical issue was identified	No new critical issue was identified.				

6.12 China Commercial Logistics Company Limited

6.12.1 Audit observations from this reporting quarter are summarised in *Table 6.11* below. The completed checklists for China Commercial Logistics are given in *Appendix 6.11*.

Table 6.11 Environmental Audit Findings for China Commercial Logistics

Date	Item	Comment	Status		
Observations I	Observations From This Reporting Quarter				
24 May 2017	No new critical issue was identified.				
19 Jun 2017	No new critical issue was identified	ed.			

6.13 General Condition of EcoPark

6.13.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.12* below. The completed checklists of general site inspection for EcoPark are given in *Appendix 6.12*.

Table 6.12 General EcoPark Audit Findings

Date	Item	Comment	Status			
Observations I	Observations From Previous Reporting Quarters					
17 Feb 2017	The tenant of SSK was requested to provide hoarding of not less than 2.4m where site boundary adjoins road or service lane according to Clause 13(c) of the Schedule of Air Pollution Control (Construction Dust) Regulation.	(Same as the item)	While the construction work is temporarily suspended as advised by the operator, the tenant was reminded to provide hoarding along the site boundary before resuming the construction work.			
Observations I	From This Reporting Quarter					
20 Apr 2017	No new critical issue was identified.					
24 May 2017	No new critical issue was identified.					
19 Jun 2017	No new critical issue was identified	ed.				

7 ENVIRONMENTAL COMPLAINTS, NOTIFICATION OF SUMMONS AND SUCCESSFUL PROSECUTION

7.1 Follow-up on Previous Environmental Complaint

Wastewater Treatment at South China received on 26th October 2016

- 7.1.1 In addition to the flow meters installed by the tenant at various points of the wastewater treatment system in the last reporting quarter, additional flow meters were installed by the tenant at the wastewater collection pipes for washing area at G/F in June 2017 to monitor the quantity of wastewater generated from the washing area. Prior to the proper functioning of the wastewater treatment plant (WTP) on 3/F of the premise, the wastewater was collected and transported to designated treatment facility by a licenced collector as a temporary measure.
- 7.1.2 As confirmed by the tenant, the cleaning of the WTP on 3/F had completed with installation of new filter sand and activated carbon. The tenant had carried out effluent sampling in mid-June 2017 to determine the effluent quality from the existing WTP and identify the potential gap with the that meeting compliance. Subject to the sampling result, further upgrade of the WTP may be considered by the tenant to introduce additional treatment process.
- 7.1.3 The case will be followed up in the next reporting period to ensure the wastewater treatment system will function properly for handling of the wastewater. The tenant was reminded that the no wastewater shall be discharged until the testing of treatment system is completed with the discharge quality in full compliance with the discharge licence.

7.2 New Environmental Complaint in the Reporting Period

7.2.1 By the end of June 2017, no complaint, notification of summons or successful prosecutions related to recycling activities was received in this reporting quarter.

8 CONCLUSIONS

- 8.1.1 This is the forty-first (41st) quarterly EM&A report prepared for the operation phase of EcoPark and covers the reporting quarter from April to June 2017. The tenants' recycling activities are audited on a monthly basis and the results are summarised in this report. In the reporting quarter, there were fourteen tenants in EcoPark Phase 1 and Phase 2.
- 8.1.2 The ET has conducted monthly site inspections while the IEC has carried out full site inspection on quarterly basis and random site audits on monthly basis, and some general observations have been made. The approved checklist has been used in the monthly site inspections for various tenants.
- 8.1.3 The throughputs of the eight active tenants and the tenant with tenancy expired in the reporting quarter are summarised in *Table 8.1*. Please note that product output plus waste disposal do not necessarily equal the waste input, due to material losses during processing and material retained within the lots.

Table 8.1 Throughput Statistics for the Reporting Quarter

Material Type	Waste Input (tonnes)	Product Output (4) (tonnes)	Waste Disposed (4) (tonnes)	
Waste Organic Food	1,287	1,595	131	
Waste Ferrous Metals	26,751	24,779	148	
Waste Wood (5)	112	-	-	
Waste Electronics	356	189	55	
Waste Plastics	196	82	-	
Construction Waste	289	7 266	21	
Waste Glass	100	7,366	31	

Notes:


- 1) The throughput data presented above is the best available data and has been rounded off to the nearest whole tonne for presentation.
- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.
- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.
- There was only one active tenant in EcoPark that carried out wood recycling and the tenancy was expired on 13th May 2017.
- 8.1.4 LFG monitoring during the reporting quarter was undertaken on 19th June 2017 at five locations (three in Phase 1 and two in Phase 2). Exceedance of Limit Level was recorded at Stations EP2-2 in the reporting quarter and are summarised in the table below.

Station ID	Parameter	Recorded Level	Action Level		Status
EP2-2	Oxygen (% v/v)	16.1	< 19%	< 18%	Exceedance of Limit Level

8.1.5 Ventilation enhancement was carried out in accordance with the Event Action Plan for LFG specified in *Table 2.2* to restore the concentrations of O₂ to non-exceedance level. No apparent source of O₂ depletion was identified within the underground chambers

during investigation. The exceedance was believed to be triggered by the invasion of organic matter into underground chamber or utility pipes via heavy rain and further decomposition inside the underground chambers and pipes. There was no indication of the migration of LFG from Siu Lang Shui Landfill. As confirmed by the Operator, no underground work was being carried out within EcoPark. Based on the above findings, the exceedance of O₂ should not impose any adverse impact on staffs/workers/environment in EcoPark. Nonetheless, the Operator continued to implement the cleaning programme of underground utilities for wet season, and the cleaning activity was carried out on 26th June 2017.

- 8.1.6 Numbers of complaints, summons and successful prosecutions in the reporting quarter are summarised below:
 - Complaints: Zero.
 - Summons: Zero.
 - Successful Prosecutions: Zero.
- 8.1.7 In the next reporting quarter, LFG monitoring in operation phase for Phase 1 and Phase 2 will be continued.



EIA Ref.	EM&A Ref.	Environmental Protection Measures Identified in the Implementation Schedule that are Applicable to the Operation Phase of EcoPark	Location / Duration of Measures / Timing of Completion of Measures	Implementation Agent	Relevant Legislation and Guidelines
General					
5.5.23 to 5.5.25, 10.2.24 & 10.2.37	4.2.5 to 4.2.8	The Operator shall develop and implement an Emergency Response Plan (ERP) that lists the procedures to be followed in case of fire, fuel or chemical spillage or other emergency within the EcoPark.	Throughout the duration of the operation.	Operator	
12.2	7.2	No process shall be allowed to operate within EcoPark without approval from WFBU. Approval will be based on the ten-step Process Review, which may include a Design Audit if deemed to be necessary.	Throughout the duration of the operation.	ET IEC Project Proponent	
	8.1.2	All reports (including Process Review Checklists and any Design Audits) shall be prepared and certified by the ET, verified by the IEC and approved by the Project Proponent.	Throughout the duration of construction works until construction is substantially completed. Throughout the duration of the operation.	ET IEC Project Proponent	
12.3	7.3	The Operator shall prepare and implement an Environmental Management Plan (EMP) to define mechanisms for achieving the environmental requirements specified in the EIA, EP and in statutory regulations.	Throughout the duration of the operation.	Operator	
Air Quality	,				
13.2		The Operator shall ensure that EcoPark "base case" assumptions for air quality shown in Table 13.1 of the Final EIA Report are met by tenants, as a whole.	Throughout the duration of the operation.	Operator	Table 13.1 of the Final EIA Report
Water Qua	lity				
5.4.11 & 5.6.7		To minimise the chance of accidental spillage during loading and unloading, and thereby reduce marine water quality impacts, well established cargo handling guidelines should be followed.	Adjacent to EcoPark marine frontage when loading or unloading goods.	Operator Operators of bulk carriers	Sections 5 & 6 of IMO Code of Practice for the Safe Loading/ Unloading of Bulk Carriers

Issue 1______AEC

EIA Ref.	EM&A Ref.	Environmental Protection Measures Identified in the Implementation Schedule that are Applicable to the Operation Phase of EcoPark	Location / Duration of Measures / Timing of Completion of Measures	Implementation Agent	Relevant Legislation and Guidelines
5.5.19		Contaminated water collected in the surface drainage systems shall be treated at the WTF or other appropriate treatment facility.	Within EcoPark throughout the life of the facility.	Operator	
5.5.23 to 5.5.25	4.2.5 to 4.2.7	An Emergency Response Plan (ERP) will be formulated to address various accident scenarios. The ERP will be certified by the Environmental Team (ET) and verified by the Independent Environmental Checker (IEC) under the operation EM&A programme.	Within EcoPark throughout the life of the facility.	Operator	
5.6.4		For uncovered areas where recovery process identified as causing potentially high level of contamination are located, stop-logs will be installed in the perimeter drainage system to isolate contamination.	Within EcoPark throughout the life of the facility.	Operator	
	4.2.2	The ET should develop an audit checklist, with the agreement of the IEC, to ensure that each mitigation measure is implemented when appropriate and operated correctly when implemented.	Within EcoPark throughout the life of the facility.	ET with IEC	
Waste Man	agement				
6.8.7	5.2.4	The Operator should register with EPD as a chemical waste producer.	Within EcoPark throughout the life of the facility.	Operator	Waste Disposal (Chemical Waste) (General) Regulation
6.8.16		The dust collected by any air pollution control equipment installed by tenants must be tested to ensure compliance for landfill disposal.	Within EcoPark throughout the life of the facility.	Operator	Practice Note for disposal of dusty waste at landfills & Admission Ticket System
6.8.18 & 6.8.22	5.2.4	Sludge will be disposed of at WENT landfill, or at any future dedicated sludge treatment facility. Sludge will be collected by a Licensed collector at regular intervals, as determined by the operation of the WTF.	Within EcoPark throughout the life of the facility.	Operator	


Issue 1______AEC

EIA Ref.	EM&A Ref.	Environmental Protection Measures Identified in the Implementation Schedule that are Applicable to the Operation Phase of EcoPark	Location / Duration of Measures / Timing of Completion of Measures	Implementation Agent	Relevant Legislation and Guidelines
6.8.21	5.2.4	Chemical wastes shall be stored in appropriate containers in a covered area. "No Smoking" signs will be clearly displayed to prevent accidental ignition of flammable materials. Drip trays capable of storing 110% of the volume of the largest container will be used to mitigate possible leakage.	Within EcoPark throughout the life of the facility.	Operator	Code of Practice on the Packaging, Labelling and Storage of Chemical Wastes
	5.2.3 & 5.2.5	The ET should develop an audit checklist, with the agreement of the IEC, to ensure that each mitigation measure is implemented when appropriate and operated correctly when implemented.	Within EcoPark throughout the life of the facility.	ET with IEC	
6.8.7	5.2.4	The Operator should register with EPD as a chemical waste producer.	Within EcoPark throughout the life of the facility.	Operator	Waste Disposal (Chemical Waste) (General) Regulation
Prevention	of Contam	inated Land			
7.3.1	5.3.2	Any spillages of contaminating material shall be cleaned up immediately through the use of an absorbent. Any such used material should then be considered chemical waste and disposed of appropriately.	Within EcoPark throughout the life of the facility.	Operator	
7.3.3		Any areas within the lot to be used for recycling processes shall be concrete paved before recycling activities commence.	Within EcoPark throughout the life of the facility.	Operator	
7.3.5	5.3.2	During operation, the greatest risk of land contamination will come from storage of chemical wastes, therefore the measures should be followed:	Within EcoPark throughout the life of the facility.	Operator	
		 All chemical storage areas shall be provided with locks and be sited on sealed areas. The storage areas shall be surrounded by bunds with a capacity equal to 110% of the storage capacity of the largest tank to prevent spilled oil and chemicals from contaminating the ground. Chemical wastes will be collected, stored and disposed of in 			


Issue 1______AEC

EIA Ref.	EM&A Ref.	Environmental Protection Measures Identified in the Implementation Schedule that are Applicable to the Operation Phase of EcoPark	Location / Duration of Measures / Timing of Completion of Measures	Implementation Agent	Relevant Legislation and Guidelines
		accordance with the Regulation. Disposal of other construction waste will be undertaken by licensed contractors in accordance with applicable statutory requirements in the WDO.			
		Chemical wastes shall be handled according to the relevant code of practice. Spent chemicals shall be stored and collected by an approved operator for disposal at a licensed facility in accordance with the relevant regulation.			
Landfill Ga	ıs			•	
8.7.10 & 8.7.11	6.1.2	 Alert workers and visitors of possible LFG hazards Prohibit smoking and open fires on site Conduct regular (quarterly) LFG monitoring at mobile offices, equipment stores, etc. 	Within EcoPark throughout the life of the facility.	Operator	
	6.4.3	Following construction, routine monthly monitoring may be required at service voids and utility boxes. The monitoring requirement and specific locations of monitoring points shall be established based on the findings of the monitoring carried out during construction (i.e. if no LFG is detected during construction then no routine monitoring is required). The need for continued monitoring shall, however, be reviewed through discussion with EPD.	Within EcoPark throughout the life of the facility.	Operator	
Hazard to I	Life				
10.4.3		Building height limit within EcoPark shall be applied to structures within which people may work at elevated levels.	Within EcoPark throughout the life of the facility.	Operator	EIA Report Table 10.2
Landscape	and Visua	1			
9.4.4		It recommended that this commonality be promoted throughout EcoPark by the Operator and adopted by tenants, if practicable.	Within EcoPark throughout the life of the facility.	Operator	

Issue 1 AEC



Issue 1_____AEC



Issue 1_____AEC

NERAL ENVIRONMENTAL RESPONSIBILITIES

- The Tenant shall at its own cost(s) comply with and shall ensure that the Premises is used, designed, constructed, operated and maintained in accordance with:-
 - (a) All relevant Ordinances, by-laws, regulations, statutory technical memorandums, codes of practice, rules, non-statutory guidance notes, schemes and abatement notices for the time being in force in Hong Kong including those relating to the environment and governing the control of any form of pollution (see specific Ordinances mentioned hereinbelow) and licensing requirements under relevant Ordinances and regulations.
 - (b) All information, mitigation measures, prohibitions, restrictions, recommendations and requirements under the Environmental Impact Assessment Report for Development of an EcoPark in Tuen Mun Area 38 with Appendices, i.e. the EIA Report (Register No.: AEIAR-086/2005) dated April 2005, the Final EM&A Manual dated April 2005, the application documents including all attachments (Application No. AEP-226/2005) and other relevant documents in the Register (or in any other places, any internet websites or by any other means as specified by the Director), including the prohibitions and mitigation measures for processes in Table 14.1 and the material throughputs, processes and remarks in Table B.1 of the EIA Report (in so far as applicable).
 - (c) All information, conditions, submissions, mitigation measures, orders, notices, requirements, prohibitions, restrictions and time limits under the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 (including updated information about the Permit, any amended permit and any further permit) and all mitigation measures recommended and to be recommended in submissions that shall be deposited with or approved by the Director as a result of permit conditions contained in the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 (including updated information about the Permit, any amended permit and any further permit). The Tenant shall refer to, inter alia, Conditions 4.1 to 4.14 (and Annexes A and B) and Conditions 3.7 and 3.8 (and Figures 2 and 3) of the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 regarding measures to mitigate air quality impact, measures to mitigate hazard to life impact, measures to prevent land contamination, measures to mitigate landfill gas hazard, maintenance of landscape and visual measures (see also hereinbelow regarding Condition 5 of the Environmental Permit and specified Ordinances).
 - (d) All information, conditions, submissions, mitigation measures, orders, notices and requirements under on going surveillance and monitoring activities during all stages of the Project and during the tenancy under the Tenancy Agreement (e.g. any additional mitigation measures recommended and to be recommended under the Process Review and Design Audit (carried out and to be carried out in accordance with the EM&A Manual) for various environmental impacts including, but not limited to,

- noise pollution, air quality, hazard to life, landfill gas hazard, landscape and visual measures, waste management and land contamination).
- (e) All recommendations referred to in the documents of the EIAO Register which are not expressly referred to in Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 and any amended Environmental Permit (unless expressly excluded or impliedly amended in the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 and any amended Environmental Permit).
- 9.2 Further to Condition Nos. 6 and 8 hereinabove, the Tenant shall at its own cost provide relevant environmental monitoring data, information, documents and assistance to the Director and/or the Environmental Protection Department and shall permit authorised representatives of the Environmental Protection Department to access, inspect, take samples and monitor the Premises and operations for the Process Review and the Design Audit carried out and/or to be carried out pursuant to Conditions 4.1 and 5 of the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 (and any updated Permit, amended permit and further permit).
- 9.3 If the Tenant's operations (i.e. activities and facilities for recovery and/or recycling and/or reprocessing) are not covered by the EIA Report and/or deviate from the development parameters mentioned in inter alia the EIA Report, the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 (including the parameters at Annex A) and/or any environmental licence (e.g. the Water Treatment Facility ("WTF") Discharge Licence), and if additional mitigation measures are not available or are not effective in the opinion of the Director, to ensure compliance with the EIA Report, the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 (including any updated Permit, amended permit and further permit) and the relevant environmental licence(s), the Tenant shall comply with any modified parameters and/or the Tenant shall immediately modify its operations in such a way that the findings and requirements of the EIA Report, the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 (including any updated Permit, amended permit and further permit) and the environmental licence(s) are complied with and shall immediately cease to continue the offending part of the operations or activity in question.
- 9.4 The Tenant shall at its own cost(s) apply for, obtain, renew, maintain and comply with all the relevant licences related to compliance with all relevant Ordinances, by-laws, regulations, statutory technical memorandums, codes of practice, rules, non-statutory guidance notes, schemes, abatement notices and the environmental permits for the time being in force in Hong Kong (including those relating to the environment and governing the control of any form of pollution). The Tenant shall obtain, renew and comply with all the said licences within the relevant time limits (in any event, within one (1) calendar month of the date of signing and/or execution of the Tenancy Agreement), shall comply with all abatement notices, orders, directions and requests of the relevant authorities and public officers and shall be responsible for paying all relevant fees, costs, fines and penalties.

- 9.5 The Tenant shall not do anything or omit to do anything which would cause, contribute to or involve a breach or potential breach by the Director relating to any of the matters mentioned in Conditions 9.1 to 9.4 hereinabove (and other Conditions hereinbelow).
- The Tenant shall fully indemnify the Government and/or the Director for any fees, costs, damages, expenses, fines, penalties, losses and claims arising (a) out of any breach of any of the matters mentioned in inter alia Conditions 9.1 to 9.4 hereinabove (and other Conditions hereinbelow) or (b) from the use of the Premises or (c) out of any works carried out at any time during the term to or at the Premises or (d) out of anything now or during the term attached to or projecting from the Premises or (e) from any neglect or default by the Tenant or by its respective servants or agents or by any express licensee of the Tenant.

SPECIFIC ENVIRONMENTAL RESPONSIBILITIES

Air Pollution

- Save with an appropriate exemption under the Air Pollution Control Ordinance (Cap. 311 of the Laws of Hong Kong) any regulations made thereunder and any amending legislation, the Tenant shall not install or permit or suffer to be installed upon the Premises or any part thereof or any building(s) or structure(s) or part of any building(s) or structure(s) erected or to be erected thereon any furnace, oven, chimney or flue or any other combustion equipment or use or permit or suffer to be used any fuel or any method or process of manufacture or treatment that might in any circumstance result in, cause or contribute to the discharge or emission of any pollutant or any noxious, harmful or corrosive matter, whether it be in the form of gas, smoke, liquid, solid or otherwise (including but not limited to air pollutant as defined in Section 2 of the Air Pollution Control Ordinance (Cap. 311 of the Laws of Hong Kong)), which exists or which is imminent, without the prior written approval of the Director.
- 11. No alteration to the installation and method of manufacture shall be made without the prior written consent of the Director. In any event, the Tenant shall at its own cost(s) comply with, inter alia, Conditions 4.2 to 4.7 and Annex A of the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 regarding design, installation and operation of chimney, location of fresh air intakes and use of ultra-low sulphur or other cleaner fuel(s) as agreed by the Director (and the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate air quality impact), good practices and relevant provisions of the EIA Report and Final EM&A Manual.

Noise Pollution

12. The Tenant shall take all necessary measures as may be required by and to the satisfaction of the Director to ensure that the operation of all plant and equipment, installed or used on the Premises or in any building(s) or structure(s) erected or to be erected thereon, will not result, not cause and/or will not contribute any noise (which exists or which is imminent) which disturbs or annoys the residents or occupiers of any adjoining or neighbouring lot or lots or premises, or causes and/or contributes to

disturbance to the general public under the Noise Control Ordinance (Cap. 400 of the Laws of Hong Kong) any regulations made thereunder and any amending legislation.

13. The decision of the Director as to whether any such plant and equipment are causing disturbance or annoyance as aforesaid shall be final and binding on the Tenant.

Waste Management

- 14. The Tenant shall not permit, allow or suffer any fuel or chemical and any sewage, waste water or effluent containing sand, cement, silt or any suspended or dissolved material to flow, escape or run from the Premises onto any adjoining land or allow any waste matter which does not form part of the recovery and/or recycling and/or reprocessing operation or is not part of the final product of such operation to be deposited, kept, held or stored anywhere within the Premises and other areas of EcoPark. The Tenant shall at its own cost(s) have all such matters and all waste arising from recycling activities, chemical waste arising from maintenance of plant and equipment, sewage sludge (from WTF) and general daily waste from the operation removed from the Premises or any building(s) or structure(s) or any part of any building(s) or structure(s) erected or to be erected thereon in a proper manner to the satisfaction of the Director.
- In any event, the Tenant shall at its own cost(s) comply with, inter alia, Conditions 4.11 and 4.12 of the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 regarding paving all areas of the Premises with concrete/using concrete hardstanding and siting all fuel tanks and chemical storage areas on the specified sealed areas, respectively (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to prevent land contamination). The Tenant shall at its own cost(s) comply with relevant provisions of the Waste Disposal Ordinance (Cap.354 of the Laws of Hong Kong) good practices and relevant provisions of the EIA Report and Final EM&A Manual.

Water Pollution

In the event that the Tenant produces, generates, permits, causes, allows or suffers any discharge which is subject to control under the Water Pollution Control Ordinance (Cap. 358 of the Laws of Hong Kong) any regulations made thereunder and any amending legislation, and is not covered by a WTF Discharge Licence issued under the Water Pollution Control Ordinance (Cap. 358 of the Laws of Hong Kong) the Tenant shall apply to the Director for a licence and comply with the terms and conditions stipulated in the licence and the WTF Discharge Licence at the Tenant's own cost(s). Otherwise, the Tenant is not allowed to discharge directly or indirectly or to produce, generate, permit, cause, allow or suffer any discharge into any public sewer, stormwater drain, channel, stream-course, sea or any area inside or outside the Premises any trade effluent or foul or contaminated water or cooling or hot water. Subject to the said licence from the Director and WTF Discharge Licence, the Tenant shall at its own cost(s) separate, collect, discharge and send all process or industrial wastewater to the WTF for treatment to the standard required for discharge into a sewer leading to the sewage treatment works at Pillar Point or other treatment works specified in the licence.

- 17. Subject to obtaining advance written approval of the Director, the Tenant shall at its own cost(s) provide, install, operate and maintain its own waste water pre-treatment plants within the Premises if such process or industrial wastewater could not meet the influent limits / exceeds the maximum influent criteria of the WTF (in accordance with paragraph 7.2.9 of the Final E&MA Manual). The Tenant shall at its own cost(s) separate, collect, discharge and send all domestic wastewater (i.e. other than process or industrial wastewater) to the Pillar Point Sewage Treatment Works directly for treatment or other treatment works specified in the licence.
- 18. In any event, the Tenant shall prevent any spilled materials from entering the surface water drainage system and prevent contamination of the sea at its own cost(s) by, inter alia, providing, installing, operating and maintaining stop-logs or interceptors in the surface water drainage system and at the marine frontage area, respectively, or as required by the licence. The Tenant shall at its own cost comply with relevant provisions of the Dumping at Sea Ordinance (Cap 466 of the Laws of Hong Kong) good practices and relevant provisions of the EIA Report and Final EM&A Manual.

Hazard to Life Impact


- 19. To mitigate hazard to life impact, the Tenant shall comply with, inter alia, Conditions 4.8 to 4.10 of the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate hazard to life impact) and shall not:-
 - (a) Bring, keep, store or transport chlorine within the Premises and other areas of EcoPark;
 - (b) Bring, keep, store, locate or transport dangerous goods, substances and fuels supporting combustion including oxygen, acetylene, hydrogen peroxide, rubber tyres and diesel within 10 metres from the boundary of the site of EcoPark; and
 - (c) Exceed the building height restrictions for buildings on the Premises which are on/near the western boundary of the site of EcoPark as mentioned in Annex B to the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 (including any updated Permit, amended permit and further permit).

Landfill Gas Hazard

20. To mitigate landfill gas hazard, the Tenant shall at its own cost(s) comply with, inter alia, Condition 4.13 of the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit – Application No.VEP-221/2006 regarding raising clear of the ground all buildings and enclosed structures as specified in inter alia Condition 3.7 (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate hazard to life impact).

Landscape and Visual Impacts

To mitigate landscape and visual impacts, the Tenant shall at its own cost(s) comply with, inter alia, Condition 4.14 of the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit — Application No.VEP-221/2006 regarding maintaining landscape, planting, treatment and mitigation measures as specified in inter alia Condition 3.8 and Figure 3 (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate landscape and visual impacts).



Issue 1_____AEC

Compliance of Environmental Legislation

5. The Tenant shall comply with and observe all Ordinances, by-laws, regulations and rules for the time being in force in Hong Kong governing the control of any form of pollution, including air, noise, water and waste pollution, and for the protection of the environment.

Air Pollution

6. Save with an appropriate exemption under the Air Pollution Control Ordinance (Cap. 311) any regulations made thereunder and any amending legislation, the Tenant shall not install or permit or suffer to be installed upon the Premises or any part thereof or any building(s) or structure(s) or part of any building(s) or structure(s) erected or to be erected thereon any furnace, oven, chimney or flue or any other combustion equipment or use or permit or suffer to be used any fuel or any method or process of manufacture or treatment that might in any circumstance result in, cause or contribute to the discharge or emission of any pollutant or any noxious, harmful or corrosive matter, whether it be in the form of gas, smoke, liquid, solid or otherwise (including but not limited to air pollutant as defined in Section 2 of the Air Pollution Control Ordinance

(Cap. 311), which exists or which is imminent, without the prior written approval of the Director.

Water Pollution

- 7. (a) In the event that the Tenant produces, generates, permits, causes, allows or suffers any discharge which is subject to control under the Water Pollution Control Ordinance (Cap. 358) any regulations made thereunder and any amending legislation, the Tenant shall apply to the Director for a licence and comply with the terms and conditions stipulated in the licence at the Tenant's own cost(s). Otherwise, the Tenant is not allowed to discharge directly or indirectly or to produce, generate, permit, cause, allow or suffer any discharge into any public sewer, storm-water drain, channel, stream-course, sea or any area inside or outside the Premises any trade effluent or foul or contaminated water or cooling or hot water. Subject to the said licence from the Director, the Tenant shall at its own cost(s) separate, collect, and discharge all process or industrial wastewater which comply with the standard required for discharge into a sewer leading to the sewage treatment works at Pillar Point or other treatment works specified in the licence.
 - (b) Subject to obtaining advance written approval of the Director, the Tenant shall at its own cost(s) provide, install, operate and maintain its own waste water pretreatment plants within the Premises if such process or industrial wastewater could not meet the standard required for discharge into a sewer leading to the sewage treatment works at Pillar Point or other treatment works specified in the licence. The Tenant shall at its own cost(s) separate, collect, discharge and send all domestic wastewater (i.e. other than process or industrial wastewater) to the Pillar Point Sewage Treatment Works directly for treatment or other treatment works specified in the licence.
 - (c) In any event, the Tenant shall prevent any spilled materials from entering the surface water drainage system and prevent contamination of the sea at its own cost(s) by, inter alia, providing, installing, operating and maintaining stop-logs or interceptors in the surface water drainage system and at the marine frontage area, respectively, or as required by the licence. The Tenant shall at its own cost comply with relevant provisions of the Dumping at Sea Ordinance (Cap. 466) good practices and relevant provisions of the EIA Report and Final EM&A Manual.

Waste Management

- 8. (a) The Tenant shall at its own cost(s) comply with relevant provisions of the Waste Disposal Ordinance (Cap. 354).
 - (b) The Tenant shall not permit, allow or suffer any fuel or chemical and any sewage, waste water or effluent containing sand, cement, silt or any suspended or dissolved material to flow, escape or run from the Premises onto any adjoining land or allow any waste matter which does not form part of the recovery and/or recycling and/or reprocessing operation or is not part of the final product of such operation to be deposited, kept, held or stored anywhere within the Premises and other areas of EcoPark. The Tenant shall at its own cost(s) have all such matters and all materials arising from recycling activities, chemical materials arising from maintenance of plant and equipment, sewage sludge (from wastewater treatment facilities, if any) and general daily waste from the operation removed from the Premises or any building(s) or structure(s) or any part of any building(s) or structure(s) erected or to be erected thereon in a proper manner to the satisfaction of the Landlord and/or the Director.

Noise Pollution

- 9. (a) The Tenant shall take all necessary measures as may be required by and to the satisfaction of the Landlord and/or the Director to ensure that the operation of all plant and equipment, installed or used on the Premises or in any building(s) or structure(s) or any part of any building(s) or structure(s) erected or to be erected thereon, will not result, not cause and/or will not contribute any noise (which exists or which is imminent) which disturbs or annoys the residents or occupiers of any adjoining or neighbouring lot or lots or premises, or causes and/or contributes to disturbance to the general public under the Noise Control Ordinance (Cap. 400) any regulations made thereunder and any amending legislation.
 - (b) The decision of the Landlord or the Director as to whether any such plant and equipment are causing disturbance or annoyance as aforesaid shall be final and binding on the Tenant.

Landfill Gas Hazard

To mitigate landfill gas hazard, the Tenant shall at its own cost(s) comply with, inter alia, Condition 4.13 of the Environmental Permit No. EP-226/2005/A regarding raising clear of the ground all buildings and enclosed structures as specified in inter alia

Condition 3.7 (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate hazard to life impact).

EcoPark Being Within the 250m Consultation Zone of Siu Lang Shui Landfill

- 11. (a) The Tenant acknowledges that the EcoPark is within the 250m Consultation Zone of the Siu Lang Shui Landfill and that the Premises may be affected by problems associated with migrating landfill gas and undertakes to provide suitable precautionary or protection measures at his own expense to control these potential hazards.
 - (b) The Tenant shall ensure all personnel entering the Premises and all visitors to the Premises are aware of the potential hazards of the landfill gas by posting suitable warning notices of the potential hazards at his own expense.
 - (c) All buildings and enclosed structures, including temporary offices, temporary stores and the administration building, within the 250m Consultation Zone of the Siu Lang Shui Landfill shall be provided with the following measure(s):
 - (i) buildings shall be raised clear of the ground with a clear separation distance (as measured from the highest point on the ground surface to the underside of the lowest floor joist) of at least 500mm; or
 - (ii) a low-gas permeability membrane shall be applied to the surface of any wall or floor slab that rests on or is below ground. A gravel-fill vent system shall be provided such that passive venting is achieved around the perimeter of the structure. In addition, other building materials, such as dense well-compacted concrete or steel shuttering which provide a measure of resistance to gas permeation, shall be used to achieve gas protection.
 - (d) The Tenant shall ensure that the electrical equipment used on the Premises shall be intrinsically safe. Welding, flame-cutting or other hot works shall be confined to the open areas of the Premises and shall be at least 15m away from any ground-level confined space.
 - (e) No drilling, trenching and excavation shall be allowed on the Premises. During any construction work, the Tenant shall observe the guidelines recommended in Chapter 8 of the "Landfill Gas Hazard Assessment Guidance Note" published by the Department of Environmental Protection. In particular, no smoking, naked

flames and all other sources of ignition shall be allowed within 15m of any ground-level confined space.

Hazard to Life Impact

- 12. To mitigate hazard to life impact, the Tenant shall comply with, inter alia, Conditions 4.8 to 4.10 of the Environmental Permit No. EP-226/2005/A (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate hazard to life impact) and shall not:-
 - (a) bring, keep, store or transport chlorine within the Premises and other areas of EcoPark;
 - (b) bring, keep, store, locate or transport dangerous goods, substances and fuels supporting combustion including oxygen, acetylene, hydrogen peroxide, rubber tyres and diesel within 10 metres from the boundary of the site of EcoPark; and
 - (c) exceed the building height restrictions for buildings on the Premises which are on/near the western boundary of the site of EcoPark as mentioned in Annex B to the Environmental Permit No. EP-226/2005/A (including any updated Permit, amended permit and further permit).


Landscape and Visual Impacts

13. To mitigate landscape and visual impacts, the Tenant shall at its own cost(s) comply with, inter alia, Condition 4.14 of the Environmental Permit No. EP-226/2005/A regarding maintaining landscape, planting, treatment and mitigation measures as specified in inter alia Condition 3.8 and Figure 3 (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate landscape and visual impacts).

Environmental Permits Relating to EcoPark

14. The Tenant hereby declares, confirms and acknowledges that it is fully aware that, pursuant to the Environmental Impact Assessment Ordinance (Cap.499), the Director has the right to grant, amend or revoke environmental permit(s) or to grant further or amended environmental permit(s) relating to the lots comprising the EcoPark and any other lots but that such right may be challenged by third parties on justifiable grounds. The Tenant hereby undertakes to waive all its rights and remedies for any loss, damages, cost and expenses whatsoever which it may sustain and/or incur directly or

indirectly as a result of the grant, amendment or revocation of the environmental permit(s) or the consequential grant of further or amended environmental permit(s), including but not limited to any right to terminate this Lease and/or to make any claim against the Landlord and/or the Director for any compensation whatsoever.






Table A3.1-1 Recycling of Waste Organic Food

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
April 2017	395 ⁽⁵⁾	478 ⁽⁵⁾	40 ⁽⁵⁾
May 2017	471 ⁽⁵⁾	592 ⁽⁵⁾	48 ⁽⁵⁾
June 2017	421 ⁽⁵⁾	525 ⁽⁵⁾	43 ⁽⁵⁾

Table A3.1-2 Recycling of Waste Ferrous Metal

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
April 2017	13,981	9,681	67
May 2017	8,943	11,271	81
June 2017	3,827 ⁽⁵⁾	3,827 ⁽⁵⁾	n/a

Table A3.1-3 Recycling of Waste Wood

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
April 2017	80	-	-
May 2017	32	-	-
June 2017 (6)	-	-	-

Table A3.1-4 Recycling of Waste Electronics

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
April 2017	87 ⁽⁵⁾	4 ⁽⁵⁾	$2^{(5)}$
May 2017	120 ⁽⁵⁾	112 ⁽⁵⁾	18 ⁽⁵⁾
June 2017	149 ⁽⁵⁾	73 ⁽⁵⁾	35 ⁽⁵⁾

Table A3.1-5 Recycling of Waste Plastic

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
April 2017	75	69	-
May 2017	121	13	-
June 2017	n/a	n/a	n/a

Issue 1_____AEC

Table A3.1-6 Recycling of Waste Glass and Construction Waste

	Waste Input (tonnes)		Product	Waste
Date	Construction Waste	Glass	Output ⁽⁴⁾ (tonnes)	Disposal ⁽⁴⁾ (tonnes)
April 2017	289	100	7,366	31
May 2017	n/a	n/a	n/a	n/a
June 2017	n/a	n/a	n/a	n/a

Notes:

- 1) The throughput data presented in Tables A3.1-1 to A3.1-6 has been rounded off to the nearest whole tonne for presentation.
- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.
- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.
- 5) The presented throughput is the best available data.
- 6) There was only one active tenant in EcoPark that carried out wood recycling and the tenancy was expired on 13th May 2017.

Issue 1 AEC




Table A3.2-1 Recycling of Waste Organic Food

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)	
None				

Table A3.2-2 Recycling of Waste Ferrous Metal

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
March 2017	10,928	13,688	76

Table A3.2-3 Recycling of Waste Wood

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
March 2017	92	-	-

Table A3.2-4 Recycling of Waste Electronics

Date	Date Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
None			

Table A3.2-5 Recycling of Waste Plastic

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
None			

Table A3.2-6 Recycling of Waste Glass and Construction Waste

	Waste Inp	ut (tonnes)	Product	Waste
Date	Construction Waste	Glass	Output ⁽⁴⁾ (tonnes)	Disposal ⁽⁴⁾ (tonnes)
March 2017	596	125	9,558	41

Notes:

- 1) The throughput data in Tables A3.2-1 to A3.2-6 supersede the same batch of the throughput data in previous Quarterly Environmental Monitoring & Audit Reports. The presented data has been rounded off to the nearest whole tonne for presentation.
- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.
- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.

Issue 1 AEC



FUGRO TECHNICAL SERVICES

Fugro Development Centre. 5 Lok Yi Street, Tai Lam. Tuen Mun, N.T., Hong Kong.

: +852 2450 8233 : +852 2450 6138

E-mail

: matlab@fugro.com Website : www.fugro.com



REPORT ON CALIBRATION OF INFRA RED GAS ANALYSER

Client

Fugro Technical Services Limited – MateriaLab Division

Sample description

One sample of Infra Red Gas Analyser (GA5000)

Sample identification

E / 084 / 2

Serial number

G501982

Test required

Calibration

Date of calibration

01/06/2017

Next calibration date

30/11/2017

Method used

In-house method (Comparison with Standard Gas)

Results:

Parameters	Standard Gas Concentration, % volume	Infra Red Gas Analyser Reading, % volume	Deviation, % volume
Methane (CH₄)	1.00	1.0	0.00
Carbon dioxide (CO ₂)	1.00	1.5	0.50
Oxygen (O₂)	1.00	1.4	0.40

Calibrated by : _____

C. F. Leung


Certified by:

Approved Signatory : Raymond K. F. Won Manager/ Chemical & Environment

Date ** End of Report *

Note: This report refers only to the sample(s) tested.

The copyright of this document is owned by Fugro Technical Services Limited. It may not be reproduced except with prior written approval from the Company.



Issue 1 AEC

Quarterly Landfill Gas Monitoring Results

								М	easurement l	Results			Action Leve	el		Limit Leve	I	
Monitoring Station ID	Monitoring Locations	Date	Weather Conditions	Temperature (°C)	Start Time	End Time	Met	hane	Oxygen	Carbon Dioxide	Barometric Pressure	Methane	Oxygen	Carbon Dioxide	Methane	Oxygen	Carbon Dioxide	Remarks
							% v/v	% LEL	% v/v	% v/v	mBar (absolute)	% LEL	% v/v	% v/v	% LEL	% v/v	% v/v	
EP1-1	Inside the landscaping area of Administration Building			27	10:15	10:18	0.0	0	19.8	0.1	1008							Nil
EP1-2	PCCW below-ground chamber outside Lot EP08-01			27	09:55	09:58	0.0	0	20.1	0.2	1008							Nil
EP1-3	HGC Broadband below-ground chamber outside Lot EP08-03			27	09:50	09:53	0.0	0	19.4	0.3	1008							Nil
EP2-1	HGC Broadband below-ground chamber outside Lot P1			27	10:00	10:03	0.0	0	19.9	0.2	1008							Nil
EP2-2	HGC Broadband below-ground chamber outside Lot P3	19 Jun 2017	Overcast	27	10:05	10:08	0.0	0	16.1	0.5	1008	>10	<19	>0.5	>20	<18	>1.5	Nil
EP2-2	HGC Broadband below-ground chamber outside Lot P3			27	10:20	10:23	0.0	0	19.1	0.1	1008							Re-measurement after the initial measurement to confirm the rectification of O ₂ exceedance to non-exceedance level after ventilation enhancement.

Notes:

(1) Underlined figure indicates an exceedance of Action Level

(2) Shaded area indicates an exceedance of Limit Level

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre, 5 Lok Yi Street, Tai Lam. Tuen Mun, N.T., Hong Kong.

: +852 2450 8233 Fax : +852 2450 6138 E-mail: matlab@fugro.com Website: www.fugro.com



Report No.

144799EN171473



Page 1 of 1

Test Report on Landfill Monitoring

Information Supplied by Client

Client

Allied Environmental Consultants Ltd.

Client's address

19/F, Kwan Chart Tower, 6 Tonnochy Road,

Wan Chai, Hong Kong

Project

Landfill Gas Monitoring at Eco Park, Tuen Mun

Sample description

Six samples of gas

Sampling location

EP1-1 Inside the Landscaping area of Administration Building

EP1-2 PCCW below-ground chamber outside Lot EP08-01

EP1-3 HGC Broadband below-ground chamber outside Lot EP08-03 EP2-1 HGC Broadband below-ground chamber outside Lot P1 EP2-2 HGC Broadband below-ground chamber outside Lot P3

Test required

For all locations -

In-situ measurement of methane, carbon dioxide, oxygen and

barometric pressure

Laboratory Information

Date of in-situ testing

19/06/2017

Test method used

Measured by Infra Red Gas Analyser GA5000

Results:

Sampling	Sampling	Barometric pressure,	Met	hane	Carbon dioxide,	Oxygen,
location	time	mbar	%v/v	%LEL	%v/v	%v/v
EP1-1	10:15	1008	0.0	0	0.1	19.8
EP1-2	09:55	1008	0.0	0	0.2	20.1
EP1-3	09:50	1008	0.0	0	0.3	19.4
EP2-1	10:00	1008	0.0	0	0.2	19.9
EP2-2	10:05	1008	0.0	0	0.5	16.1
EP2-2	10:20	1008	0.0	0	0.1	19.1

Remarks: 1. A calibration certificate of the monitoring equipment is attached for reference. 2. A layout plan showing the sampling location is also attached for reference.

Supervised by : _

K.F. Wong

Certified by

Manager -

Approved Signatory: WONG Kwok Fung, Raymond Chemical &

Date

** End of Report

Note: This report refers only to the sample(s) tested.

The copyright of this document is owned by Fugro Technical Services Limited. It may not be reproduced except with prior written approval from the Company.

EP1-1

Date	Methan	e (% LEI	L)	Oxyge	n (% v/v)		Carbon Di	v/v)	Barometric Pressure (mBar)	
	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement
21 Sep 2016	0	10	20	20.2	19	18	0.3	0.5	1.5	1015
22 Dec 2016	0	10	20	20.8	19	18	0.0	0.5	1.5	1021
15 Mar 2017	0	10	20	20.2	19	18	0.5	0.5	1.5	1022
19 Jun 2017	0	10	20	19.8	19	18	0.1	0.5	1.5	1008

EP1-2

Date	Methan	e (% LEI	(₁)	Oxyge	n (% v/v)		Carbon Di	v/v)	Barometric Pressure (mBar)	
	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement
21 Sep 2016	0	10	20	20.2	19	18	0.1	0.5	1.5	1015
22 Dec 2016	0	10	20	20.8	19	18	0.1	0.5	1.5	1021
15 Mar 2017	0	10	20	20.6	19	18	0.0	0.5	1.5	1022
19 Jun 2017	0	10	20	20.1	19	18	0.2	0.5	1.5	1008

EP1-3

Date	Methan	e (% LEI	<u>(</u> .)	Oxyge	n (% v/v)		Carbon Di	Barometric Pressure (mBar)		
	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement
21 Sep 2016	0	10	20	20.2	19	18	0.1	0.5	1.5	1016
22 Dec 2016	0	10	20	20.8	19	18	0.1	0.5	1.5	1021
15 Mar 2017	0	10	20	20.7	19	18	0.0	0.5	1.5	1022
19 Jun 2017	0	10	20	19.4	19	18	0.3	0.5	1.5	1008


EP2-1


Date	Methan	e (% LEI	(-)	Oxyge	n (% v/v)		Carbon Di	Barometric Pressure (mBar)		
	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement
21 Sep 2016	0	10	20	20.0	19	18	0.5	0.5	1.5	1016
22 Dec 2016	0	10	20	20.6	19	18	0.1	0.5	1.5	1021
15 Mar 2017	0	10	20	20.5	19	18	0.0	0.5	1.5	1022
19 Jun 2017	0	10	20	19.9	19	18	0.2	0.5	1.5	1008


EP2-2


Date	Methan	e (% LEI	٦)	Oxyge	n (% v/v)		Carbon Di	Barometric Pressure (mBar)		
	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement
21 Sep 2016	0	10	20	20.1	19	18	0.3	0.5	1.5	1016
22 Dec 2016	0	10	20	20.5	19	18	0.2	0.5	1.5	1021
15 Mar 2017	0	10	20	20.3	19	18	0.2	0.5	1.5	1022
19 Jun 2017	0	10	20	16.1	19	18	0.5	0.5	1.5	1008
19 Jun 2017*	0	10	20	19.1	19	18	0.1	0.5	1.5	1008


^{*} Re-measurement was carried out 15 minutes after the initial measurement to confirm the rectification of O2 exceedance after ventilation enhancement.
















^{*} Re-measurement was carried out 15 minutes after the initial measurement to confirm the rectification of O₂ exceedance after ventilation enhancement.
















^{*} Re-measurement was carried out 15 minutes after the initial measurement to confirm the rectification of O_2 exceedance after ventilation enhancement.
















^{*} Re-measurement was carried out 15 minutes after the initial measurement to confirm the rectification of O_2 exceedance after ventilation enhancement.













^{*} Re-measurement was carried out 15 minutes after the initial measurement to confirm the rectification of O2 exceedance after ventilation enhancement.




Issue 1_____AEC




Issue 1_____AEC



	Inspection Date: 2017/04/20 Time: 10:15 Lot Number: EP07-03 Tenant: Champway	Inspected by:	Ronan	n CHAN, David TSANG
<u>Wea</u>	Condition: Sunny Fine Vovercast Drizzle Temperature: 26 °C Humidity: V High Wind: Calm V Light Breeze Strong	Rain Moderate		Storm Hazy Low
1. G	eneral_	N/A Yes	No	Remarks
	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented?	✓		EP for tenant is not required UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?			UPML's ERP is followed
1.5	(a) Drill or training records available? All recycling processes in operation have been approved by WFBU?			Subject to tenant's provision
1.6	Any record of complaint or prosecution?		√	
2. W	ater Quality	N/A Yes	No	Remarks Prohibition of discharging wastewater
2.1	Valid Effluent Discharge Licence available?			to communal sewer by the enforcement unit of EPD
	a) Sampling record available?	✓		Self-monitoring; no sampling was requested by the authority
	b) Monitoring frequency met the licence requirement?	✓		Self-monitoring when required
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	✓		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?		√	Wastewater is tanked away
	a) Adequate capacity?	✓		For temporary storage tank
	b) Properly maintained and function normally?	✓		Outlet is blocked.
2.3	Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?			
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	✓		Reminder (1)
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?			No discharge is made
2.9	Processes or activities with high risk of contamination located under covered area?			
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	V		Stop-logs are available for use by tenant if needed
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	√		Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?		Follow-up Observation (2)
2.13	Drainage from maintenance area discharged via oil interceptor?	$\overline{}$	Not observed during inspection
	a) Oil and grease removed regularly?		Not observed during inspection
	b) Collected by licensed collector?		Not observed during inspection
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?		Not required
2 15	Bulk cargo and materials packed properly?		I
			No dusty stockpile is
	Temporary stockpiles covered during rainstorms?		No sand/silt is generated from
2.17	Measures to prevent the washing away of sand/silt to drains?	<u> </u>	the recycling process
3. Ai	r Quality	N/A Yes No	Remarks Expired in Dec 2016. Renewal
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓	application was submitted to the Authority.
	a) SP Licence conditions / monitoring requirements comply?		Quarterly reporting on quantity of raw material and product (up to Jan 2017)
3.2	Operate without generation of noticeable odour?		No operation is observed during inspection
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?		
	c) If odour control system is installed, is it operating normally?		The system is switched off as there is no operation
3.3	Dusty materials dampened prior to loading/unloading?		No loading/unloading of dusty materials is observed
3 4	Dust monitoring record available?		Not required
5.1	a) Monitoring frequency met the licence requirement?		rvot required
	b) Any exceedance?		l
	c) If exceedance is recorded, follow-up action taken?		No dust-generating activity is
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		observed
3.6	Open burning prohibited?	✓	No operation is observed
3.7	Emission from chimney or powered plant free of black smoke?	√	during inspection
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	V	Not required
3.11	Air pollution control system properly maintained and function normally?		The system is switched off as there is no operation
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	/	
	a) Obtained approval for the use of controlled refrigerant?	✓	
	b) If yes, record of refrigeration equipment service available?		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		No operation is observed during inspection
	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ Not observed			
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed			
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed			
3.18 Major dust source(s): Wind erosion Ve	hicle/equipment movement			
Loading/unloading of materials	hers: n/a			
4. Waste / Chemical Management				
<u>General</u>	N/A Yes No Remarks			
4.1 Registered as chemical waste producer?				
4.2 Sufficient receptacles (e.g. rubbish bins) available?				
4.3 Disposed of regularly and properly?				
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?				
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report			
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not observed			
Packaging of Chemical Waste				
4.7 Stored in suitable container?	No chemical waste is observed			
4.8 Container properly closed or sealed?	✓ □ □ □			
4.9 Spillage cleaned up immediately through the use of absorbent?	✓ □ □ □			
4.10 Obtained approval for the use of chemical waste container >450L?	✓ □ □ □			
Labelling of Chemical Waste				
4.11 Provision of chemical waste label?				
a) Label is securely attached and visible?				
b) Label is bilingual and in proper dimension?				
c) Information is accurate and sufficient?				
Storage of Chemical Waste				
4.12 Proper "Chemical Waste" sign displayed?				
4.13 Incompatible wastes separated by impermeable partition?				
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?				
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?				
4.16 Properly stored and locked in designated area with adequate ventilation?	✓ □ □ □			
4.17 Storage area paved with concrete and kept clean and dry?				
4.18 Cover provided for outdoor storage area?	✓			
4.19 Chemical waste collected by licensed collector?				
iquid Chemical Storage				
4.20 Storage area provided with permeation-proof floor or surface?	Follow-up Observation (3)			

EcoPark Operation

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?		Follow-up Observation (1)
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?		Follow-up Observation (3)
5. La	andfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?		Outside LFG consultation zone
5.2	Smoking and open fires prohibited?		
<u>6. O</u> 1	<u>hers</u>	N/A Yes No	Remarks
6.1	Works confined within lot boundaries?		
6.2	Damage to surrounding areas avoided?		
6.3	Site lighting designed to avoid glare to surrounding receivers?	✓ <u> </u>	
6.4	Materials and machinery stored in an orderly manner?		
6.5	Areas within lot for recycling activities paved with concrete?		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		
6.7	Valid calibration certificate for any monitoring equipment?	✓ <u> </u>	For source sampling; Not provided
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?		
	a) Storage area in compliance with the approved plan?		Subject to tenant's information provision
	b) Storage area is securely locked?		
	c) Total storage capacity in compliance with relevant statutory requirement?		
	d) Proper labelling provided?		
	e) Dangerous goods properly packaged?		

Remarks:

Follow-up from Previous Audits

1) The oil stain on the ground had been partially removed while no sign of leakage from containers was observed The tenant was requested to clear the remaining stain and dispose of as chemical waste.



(Observed on 17 February 2017)



(Observed on 20 April 2017)

SITE INSPECTION CHECKLIST



Although the tenant had cleared the oil-water mixture from the surface drainage channel, the improvement work of drain condition was still pending. The tenant was requested to improve the drain condition to maintain the effectiveness of the drainage channel. The improvement work will be followed up in the next audit.



(Observed on 17 February 2017)



(Observed on 20 April 2017)

The temporary storage area for containers was not provided with permeation-proof floor and partition. As advised by the tenant, the containers would be gradually removed in the next 2 months tentatively. The tenant was reminded to implement sufficient preventive measures to avoid any accidental spillage during material transfer. The removal progress will be monitored in the next audit.



(Observed on 15 March 2017)



(Observed on 20 April 2017)

New Observations

No major environmental deficiency was observed.

Reminders

1) The tenant was reminded to ensure no industrial wastewater should be discharged into both stormwater and foul water drainages.

Signatures:

ET Representative:

Name: Ronan CHAN

Date: 2017/04/20

Operator Representative:

May Wu Name 7.1 MAY 2017 Tenant Representative:

Date: 5th Jun 2017

IEC Representative:


Name:

Date:


Date:



	Inspection Date: 2017/05/24 Time: 11:00 Lot Number: EP07-03 Tenant: Champway	Inspected by:		HO, Ronan CHAN, TSANG
	Est Number. Enampway			
Wea	<u>ther</u>			
	Condition: Sunny Fine Overcast Drizzle	Rain		Storm* Hazy
	Temperature: 25 ℃ Humidity: ✓ High	Moderate		Low
	Wind: Calm ✓ Light Breeze Strong * Red rainstorm warning signals was hoisted accordingly within the inspection period.			
1. G	eneral eneral	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	√		EP for tenant is not required
1.2	Environmental Policy documented?	✓		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?			
1.6	Any record of complaint or prosecution?		√	
2. W	ater Quality	N/A Yes	No	Remarks Prohibition of discharging wastewater
2.1	Valid Effluent Discharge Licence available?			to communal sewer by the enforcement unit of EPD
	a) Sampling record available?			Self-monitoring; no sampling was requested by the authority
	b) Monitoring frequency met the licence requirement?	—		Self-monitoring when required
	c) Monitoring result comply with the licence requirement?			
	d) If exceedance is recorded, any follow-up action taken?	V		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?		✓	Wastewater is tanked away
	a) Adequate capacity?			For temporary storage tank
	b) Properly maintained and function normally?			Outlet is blocked.
2.3	Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?			
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?			No discharge is made
2.9	Processes or activities with high risk of contamination located under covered area?			
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	V		Stop-logs are available for use by tenant if needed
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?		Follow-up Observation (2)
2.13	Drainage from maintenance area discharged via oil interceptor?	/	Not observed during inspection
	a) Oil and grease removed regularly?		Not observed during inspection
	b) Collected by licensed collector?		Not observed during inspection
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓	Not required
2.15	Bulk cargo and materials packed properly?]
2.16	Temporary stockpiles covered during rainstorms?		No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓	No sand/silt is generated from the recycling process
3. Ai	ir Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		Expired in Dec 2016. Renewal application was submitted to the Authority.
	a) SP Licence conditions / monitoring requirements comply?		Quarterly reporting on quantity of raw material and product (up to Apr 2017)
3.2	Operate without generation of noticeable odour?		No operation is observed during inspection
	a) If odour is detected, can the source be identified?]
	b) Odourous materials covered?]
	c) If odour control system is installed, is it operating normally?		The system is switched off as there is no operation
3.3	Dusty materials dampened prior to loading/unloading?		No loading/unloading of dusty materials is observed
3.4			Not required
J	a) Monitoring frequency met the licence requirement?		roctioquilou
	b) Any exceedance?		/]
	c) If exceedance is recorded, follow-up action taken?		J 1
2.5	Dust-suppression measures provided where main dust-generating activities take place (i.e.		No dust-generating activity is
3.3	enclosures or regular dampening)?		observed
3.6	Open burning prohibited?]
3.7	Emission from chimney or powered plant free of black smoke?	✓	No operation is observed during inspection
3.8	Vehicles and equipment switched off while not in use?]
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	V	Not required
3.11	Air pollution control system properly maintained and function normally?		The system is switched off as there is no operation
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	V	
	a) Obtained approval for the use of controlled refrigerant?]
	b) If yes, record of refrigeration equipment service available?]
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		No operation is observed during inspection
3.14	Public road around site entrance kept clean and free from dust?]



3.15 Materials transported on trucks covered?		Not observed
3.16 Truck loads to a level within the side and tail boards?		Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?		No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion Vel	hicle/equipment movem	ent
Loading/unloading of materials	ners: <u>n/a</u>	
4. Waste / Chemical Management		
General	N/A Yes No	Remarks
4.1 Registered as chemical waste producer?		
4.2 Sufficient receptacles (e.g. rubbish bins) available?		
4.3 Disposed of regularly and properly?		
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?		
4.5 Records of quantities of waste generated, recycled and disposed properly kept?		Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	/	Not observed
Packaging of Chemical Waste		
4.7 Stored in suitable container?	/	No chemical waste is observed
4.8 Container properly closed or sealed?	V	
4.9 Spillage cleaned up immediately through the use of absorbent?	/	
4.10 Obtained approval for the use of chemical waste container >450L?	/	
Labelling of Chemical Waste		
4.11 Provision of chemical waste label?	/	
a) Label is securely attached and visible?	/	
b) Label is bilingual and in proper dimension?	/	
c) Information is accurate and sufficient?	/	
Storage of Chemical Waste		
4.12 Proper "Chemical Waste" sign displayed?		-
4.13 Incompatible wastes separated by impermeable partition?	/	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	<u> </u>	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	/	
4.16 Properly stored and locked in designated area with adequate ventilation?	/	
4.17 Storage area paved with concrete and kept clean and dry?		
4.18 Cover provided for outdoor storage area?		
4.19 Chemical waste collected by licensed collector?		
Liquid Chemical Storage		
4.20 Storage area provided with permeation-proof floor or surface?		Follow-up Observation (3) Follow-up Observation (1)

EcoPark Operation

SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest conta 20% volume of the material in storage?	iner or New Observation (1) New Observation (1)
4.22 Walls or partitions of stacked container storage area constructed of impermeable mater	erial? Follow-up Observation (3)
5. Landfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Remarks
5.1 Alert workers and visitors of possible LFG hazards?	Outside LFG consultation zone
5.2 Smoking and open fires prohibited?	
6. Others	N/A Yes No Remarks
6.1 Works confined within lot boundaries?	
6.2 Damage to surrounding areas avoided?	
6.3 Site lighting designed to avoid glare to surrounding receivers?	
6.4 Materials and machinery stored in an orderly manner?	
6.5 Areas within lot for recycling activities paved with concrete?	
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	
6.7 Valid calibration certificate for any monitoring equipment?	For source sampling; Not provided
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	
a) Storage area in compliance with the approved plan?	Subject to tenant's information provision
b) Storage area is securely locked?	
c) Total storage capacity in compliance with relevant statutory requirement?	
d) Proper labelling provided?	
e) Dangerous goods properly packaged?	

Remarks:

Follow-up from Previous Audits

1) The tenant had cleared the oil stain and no sign of leakage from containers was observed.



(Observed on 17 February 2017)



(Observed on 24 May 2017)

SITE INSPECTION CHECKLIST



2) Although the tenant had cleared the oil-water mixture from the surface drainage channel, the improvement work of drain condition was still pending. The tenant was requested to improve the drain condition to maintain the effectiveness of the drainage channel. The improvement work will be followed up in the next audit.



(Observed on 17 February 2017)



(Observed on 24 May 2017)

3) The temporary storage area for containers was not provided with permeation-proof floor and partition. As advised by the tenant, the containers would be gradually removed in coming months. The tenant was reminded to implement sufficient preventive measures to avoid any accidental spillage during material transfer. The removal progress will be monitored in the next audit.



(Observed on 15 March 2017)




(Observed on 24 May 2017)

New Observations

1) Chemical mixture was observed on the floor near the storage area. The tenant was requested to contain the spillage immediately, and remove the containers to designated area for proper storage in order to avoid any leakage from containers and potential land contamination.



(Observed on 24 May 2017)



Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name: T. K. HO

Date: 2017/05/24

Name

May Wu

13 JUN 2017


Date:

Name Kenji Wong

Date: 23 Jun 2017

Name: Taurus Kwan


Date: 2017/05/24



Inspection Date: Lot Number:	2017/06/19 Time: 10:30 EP07-03 Tenant: Champway	Inspected by:	T. K. HO, Ronan CHAN, David TSANG
Weather Condition: Temperature: Wind:	Sunny Fine ✓ Overcast Drizzle 26 ℃ Humidity: ✓ High ✓ Calm Light Breeze Strong	Rain Moderate	Storm Hazy Low
1. General		N/A Yes	No Remarks
1.2 Environmental Poli1.3 Environmental Man1.4 Emergency Respon(a) Drill or training	nagement Plan (EMP) kept up-to-date? se Plan (ERP) documented? records available? sses in operation have been approved by WFBU?		EP for tenant is not required UPML's Environmental Policy is followed UPML's EMP is followed UPML's ERP is followed Subject to tenant's provision
 a) Sampling record b) Monitoring frequency Monitoring result d) If exceedance is 2.2 Provision of waster a) Adequate capacit 	the comply with the licence requirement? It comply with the licence requirement?	N/A Yes	No Remarks Prohibition of discharging wastewater to communal sewer by the enforcement unit of EPD Self-monitoring; no sampling was requested by the authority Self-monitoring when required ✓ Wastewater is tanked away For temporary storage tank
2.3 Surface run-off con2.4 Surface run-off disc2.5 All manholes cover			Outlet is blocked.
entering nearby dra 2.7 Storage of materials 2.8 Drainage system we	lebris, rubbish and other objectionable matters prevented from ins or sewer? s and equipment located away from water bodies? ell maintained to prevent flooding or overflow? ies with high risk of contamination located under covered area?		No discharge is made
2.10 Installation of stop- process with potent	logs in perimeter drainage system for uncovered areas where recovery itally high level of contamination is carried out? lubrication replacements performed only in bunded maintenance area?		Stop-logs are available for use by tenant if needed Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?		Follow-up Observation (1)
2.13	Drainage from maintenance area discharged via oil interceptor?	/	Not observed during inspection
	a) Oil and grease removed regularly?		Not observed during inspection
	b) Collected by licensed collector?		Not observed during inspection
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?		Not required
2.15	Bulk cargo and materials packed properly?]
2.16	Temporary stockpiles covered during rainstorms?		No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		Expired in Dec 2016. Renewal application was submitted to the Authority.
	a) SP Licence conditions/monitoring requirements comply?		Quarterly reporting on quantity of raw material and product (up to Apr 2017)
3.2	Operate without generation of noticeable odour?		No operation is observed during inspection
	a) If odour is detected, can the source be identified?]
	b) Odourous materials covered?]
	c) If odour control system is installed, is it operating normally?		The system is switched off as there is no operation
3.3	Dusty materials dampened prior to loading/unloading?		No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?		Not required
J	a) Monitoring frequency met the licence requirement?		rocerequinou
	b) Any exceedance?)]
	c) If exceedance is recorded, follow-up action taken?		J 1
2.5	Dust-suppression measures provided where main dust-generating activities take place (i.e.		No dust-generating activity is
3.3	enclosures or regular dampening)?		observed
3.6	Open burning prohibited?]
3.7	Emission from chimney or powered plant free of black smoke?	✓	No operation is observed during inspection
3.8	Vehicles and equipment switched off while not in use?]
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	V	Not required
3.11	Air pollution control system properly maintained and function normally?	✓ <u> </u>	The system is switched off as there is no operation
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	/	
	a) Obtained approval for the use of controlled refrigerant?	/]
	b) If yes, record of refrigeration equipment service available?]
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	/	No operation is observed during inspection
3.14	Public road around site entrance kept clean and free from dust?]



3.15 Materials transported on trucks covered?	✓	Not observed
3.16 Truck loads to a level within the side and tail boards?	✓	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	/	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion Ve	ehicle/equipment movem	ent
Loading/unloading of materials	hers: n/a	
4. Waste / Chemical Management		
<u>General</u>	N/A Yes No	Remarks
4.1 Registered as chemical waste producer?		
4.2 Sufficient receptacles (e.g. rubbish bins) available?		
4.3 Disposed of regularly and properly?		
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?		
4.5 Records of quantities of waste generated, recycled and disposed properly kept?		Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?		Not observed
Packaging of Chemical Waste		
4.7 Stored in suitable container?		No chemical waste is observed
4.8 Container properly closed or sealed?		
4.9 Spillage cleaned up immediately through the use of absorbent?		
4.10 Obtained approval for the use of chemical waste container >450L?		
Labelling of Chemical Waste		
4.11 Provision of chemical waste label?		
a) Label is securely attached and visible?		
b) Label is bilingual and in proper dimension?		
c) Information is accurate and sufficient?	✓ □ □	
Storage of Chemical Waste		
4.12 Proper "Chemical Waste" sign displayed?		
4.13 Incompatible wastes separated by impermeable partition?	✓ □ □	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?		
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	✓ □ □	
4.16 Properly stored and locked in designated area with adequate ventilation?		
4.17 Storage area paved with concrete and kept clean and dry?		
4.18 Cover provided for outdoor storage area?		
4.19 Chemical waste collected by licensed collector?		
Liquid Chemical Storage		
4.20 Storage area provided with permeation-proof floor or surface?		Follow-up Observation (2)

EcoPark Operation

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?		Follow-up Observation (3)
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?		Follow-up Observation (2)
5. La	ndfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?	✓ <u> </u>	Outside LFG consultation zone
5.2	Smoking and open fires prohibited?		l
<u>6. Ot</u>	<u>hers</u>	N/A Yes No	Remarks
6.1	Works confined within lot boundaries?		l
6.2	Damage to surrounding areas avoided?		l
6.3	Site lighting designed to avoid glare to surrounding receivers?	✓	
6.4	Materials and machinery stored in an orderly manner?		
6.5	Areas within lot for recycling activities paved with concrete?		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		
6.7	Valid calibration certificate for any monitoring equipment?	✓ <u> </u>	For source sampling; Not provided
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?		
	a) Storage area in compliance with the approved plan?	✓ <u> </u>	Subject to tenant's information provision
	b) Storage area is securely locked?		
	c) Total storage capacity in compliance with relevant statutory requirement?		
	d) Proper labelling provided?		
	e) Dangerous goods properly packaged?		

Remarks:

Follow-up from Previous Audits

1) Although the tenant had cleared the oil-water mixture from the surface drainage channel, the improvement work of drain condition was still pending. The tenant was requested and reminded to improve the drain condition to maintain the effectiveness of the drainage channel. The improvement work will be followed up in the next audit.



(Observed on 17 February 2017)



(Observed on 19 June 2017)

SITE INSPECTION CHECKLIST



The temporary storage area for containers was not provided with permeation-proof floor and partition. As updated by the tenant, most of the containers would be gradually removed in coming three months, and followed by gradual removal of the tremaining containers. The tenant was reminded to implement sufficient preventive measures to avoid any accidental spillage during material transfer. The containers pending removal should be kept well maintained to avoid potential leakage until the entire removal progress is complete. The removal progress will be monitored in the next audit.





(Observed on 15 March 2017)

(Observed on 19 June 2017)

Chemical spillage on the floor near storage area had been removed, and the damaged chemical containers had been crushed and will be disposed of as chemical waste. The removal progress of containers to designated storage area will be monitored in the follow-up observation (2) in the next audit.



(Observed on 24 May 2017)



(Observed on 19 June 2017)

New Observations

No major environmental deficiency was observed.

Signatures:

ET Representative:

Name: T. K. HO

Date: 2017/06/19

Operator Representative:


May Wu Name 2 6 JUN 2017

Name Kenji Wong Date: 27 Jun 2017


Tenant Representative:

IEC Representative:

Name:




Issue 1_____AEC



	Inspection Date: 2017/04/20 Time: 09:30 Lot Number: EP08-03 Tenant: Shiu Wing	Inspected by:	Ronan	n CHAN, David TSANG
<u>Wea</u>	Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 26 ℃ Humidity: ✓ High Wind: Calm ✓ Light Breeze Strong	Rain Moderate	=	Storm Hazy Low
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.1 1.2	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented?			EP for tenant is not required. UPML's Environmental Policy is followed
1.3 1.4	Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented?			UPML's EMP is followed UPML's ERP is followed
1.5	(a) Drill or training records available? All recycling processes in operation have been approved by WFBU?	✓ □ ✓		Subject to tenant's provision
1.6	Any record of complaint or prosecution?		√	
<u>2. W</u>	ater Quality	N/A Yes	No	Remarks No wastewater is generated
2.1	Valid Effluent Discharge Licence available?			from recycling process
	a) Sampling record available?b) Monitoring frequency met the licence requirement?		Ш	
	c) Monitoring result comply with the licence requirement?			
	d) If exceedance is recorded, any follow-up action taken?			
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓		
	a) Adequate capacity?	✓		
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?	✓		
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?			
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?	✓		
2.8	Drainage system well maintained to prevent flooding or overflow?			Recycling process has low
2.9	Processes or activities with high risk of contamination located under covered area?	√		risk of contamination Stop-logs are available for use
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	√		by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	√	No contaminated water was observed
2.13	Drainage from maintenance area discharged via oil interceptor?		Not required
	a) Oil and grease removed regularly?		
	b) Collected by licensed collector?		
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?		
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?		No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	√ □ □	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		Not required
	a) SP Licence conditions/monitoring requirements comply?		-
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?		-
	b) Odourous materials covered?	✓	
	c) If odour control system is installed, is it operating normally?	✓	
3.3	Dusty materials dampened prior to loading/unloading?		
3.4	Dust monitoring record available?	✓	Not required
	a) Monitoring frequency met the licence requirement?	✓	
	b) Any exceedance?	✓ □ □	
	c) If exceedance is recorded, follow-up action taken?	✓	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		
3.8	Vehicles and equipment switched off while not in use?		-
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓ □ □	Not required
3.11	Air pollution control system properly maintained and function normally?	✓	Not required
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	V	
	a) Obtained approval for the use of controlled refrigerant?		
	b) If yes, record of refrigeration equipment service available?		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No dusty material is observed
3.18 Major dust source(s): Wind erosion Vel	hicle/equipment movement
✓ Loading/unloading of materials Oth	ners: <u>n/a</u>
4. Waste / Chemical Management	
<u>General</u>	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	✓ □ □ □
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
<u>Liquid Waste Storage</u>	
4.20 Storage area provided with permeation-proof floor or surface?	

EcoPark Operation


SITE INSPECTION CHECKLIST




4.21	Capacity of retention structure sufficient to accommodate contents of the la 20% volume of the material in storage?	rgest container or		
4.22	Walls or partitions of stacked container storage area constructed of imperm	eable material?		
	ndfill Gas (LFG) (within LFG Consultation Zone)	N/A	Yes No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?			
5.2	Smoking and open fires prohibited?		✓	
<u>6. Ot</u>	<u>hers</u>	N/A	Yes No	Remarks
6.1	Works confined within lot boundaries?		✓	
6.2	Damage to surrounding areas avoided?		√	
6.3	Site lighting designed to avoid glare to surrounding receivers?	✓		
6.4	Materials and machinery stored in an orderly manner?		✓	
6.5	Areas within lot for recycling activities paved with concrete?			Covered by metal plates
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		✓	
6.7	Valid calibration certificate for any monitoring equipment?	✓		Not required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓		Not required
	a) Storage area in compliance with the approved plan?	✓		
	b) Storage area is securely locked?	✓		
	c) Total storage capacity in compliance with relevant statutory requirement	?	$\overline{\Box}$	
	d) Proper labelling provided?	<u> </u>		
	e) Dangerous goods properly packaged?	<u> </u>		
Rem	arks:			
New	Observations			
٠	No major environmental deficiency was observed.			
	epresentative: Operator Representative:	Tenant Representative:	IEC Re	presentative:
_		X		
Name	Ronan CHAN Name: May Wu	Name: Wex We!	Name:	
Date:	2017/04/20 Date: 1 1 MAY 2017	Date: 12.5.201)	Date:	



	Inspection Date: 2017/05/24 Time: 10:50 Lot Number: EP08-03 Tenant: Shiu Wing	Inspected by:		HO, Ronan CHAN, TSANG
	Est Humber. En volume Hing			
Wea	the <u>r</u>			
	Condition: Sunny Fine Overcast Drizzle	Rain	✓	Storm* Hazy
	Temperature: 25 ℃ Humidity: ✓ High	Moderate		Low
	Wind: Calm Light Breeze Strong * Red rainstorm warning signals was hoisted accordingly within the inspection period.			
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	V		EP for tenant is not required.
1.2	Environmental Policy documented?	✓		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?			-
1.6	Any record of complaint or prosecution?		√	
2. W	ater Quality	N/A Yes	No	Remarks
2.1	Valid Effluent Discharge Licence available?	✓		No wastewater is generated from recycling process
	a) Sampling record available?	✓		
	b) Monitoring frequency met the licence requirement?	✓		
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	✓		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓		
	a) Adequate capacity?	✓		-
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?			-
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?	✓		7
2.9	Processes or activities with high risk of contamination located under covered area?	V		Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	V		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓	No contaminated water was observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ <u> </u>	Not required
	a) Oil and grease removed regularly?	/	
	b) Collected by licensed collector?	✓ <u> </u>	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?		
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?	/	No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓ <u> </u>	Not required
	a) SP Licence conditions / monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?	✓ □ □	No operation is observed during inspection
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?	/	
	c) If odour control system is installed, is it operating normally?	/	
3.3	Dusty materials dampened prior to loading/unloading?	/	No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	/	Not required
	a) Monitoring frequency met the licence requirement?	/	
	b) Any exceedance?	✓	
	c) If exceedance is recorded, follow-up action taken?	/	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	V	Dust-generating activity is not observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓	Not required
3.11	Air pollution control system properly maintained and function normally?	/	Not required
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓	
	a) Obtained approval for the use of controlled refrigerant?		
	b) If yes, record of refrigeration equipment service available?		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	/	
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No dusty material is observed
3.18 Major dust source(s): Wind erosion Ve	chicle/equipment movement
✓ Loading/unloading of materials Oth	hers: n/a
4. Waste / Chemical Management	
<u>General</u>	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity $<50L$), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity $>50L$)?	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	✓
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	

EcoPark Operation

SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	
4.22 Walls or partitions of stacked container storage area constructed of impermeable material?	
5. Landfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Remarks
5.1 Alert workers and visitors of possible LFG hazards?	
5.2 Smoking and open fires prohibited?	
6. Others	N/A Yes No Remarks
6.1 Works confined within lot boundaries?	
6.2 Damage to surrounding areas avoided?	
6.3 Site lighting designed to avoid glare to surrounding receivers?	
6.4 Materials and machinery stored in an orderly manner?	
6.5 Areas within lot for recycling activities paved with concrete?	Covered by metal plates
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	
6.7 Valid calibration certificate for any monitoring equipment?	✓ Not required
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓ Not required
a) Storage area in compliance with the approved plan?	
b) Storage area is securely locked?	
c) Total storage capacity in compliance with relevant statutory requirement?	
d) Proper labelling provided?	
e) Dangerous goods properly packaged?	
Remarks:	
New Observations	
No major environmental deficiency was observed.	
Signatures:	
ET Representative: Operator Representative: Tenant Representat	ive: IEC Representative:
85EE why	- Charles

Name: Taurus Kwan

2017/05/24


Date:

Name: T. K. HO

Date: 2017/05/24

May Wu

Date: 13 JUN 2017



	Inspection Date: 2017/06/19 Time: 09:30 Lot Number: EP08-03 Tenant: Shiu Wing	Inspected by:		HO, Ronan CHAN, TSANG
<u>Wea</u>	Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 26 ℃ Humidity: ✓ High Wind: ✓ Calm Light Breeze Strong	Rain Moderate		Storm Hazy Low
1. G	eneral eneral	N/A Yes	No	Remarks
1.2	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date?			EP for tenant is not required. UPML's Environmental Policy is followed
	Emergency Response Plan (ERP) documented? (a) Drill or training records available?			UPML's ERP is followed UPML's ERP is followed Subject to tenant's provision
	All recycling processes in operation have been approved by WFBU? Any record of complaint or prosecution?		✓	
2. W	ater Quality	N/A Yes	No	Remarks No wastewater is generated
2.1	Valid Effluent Discharge Licence available? a) Sampling record available?			from recycling process
	b) Monitoring frequency met the licence requirement?	✓		
	c) Monitoring result comply with the licence requirement?			
2.2	d) If exceedance is recorded, any follow-up action taken? Provision of wastewater treatment facility (WTF) prior to discharge?			
	a) Adequate capacity?	✓		
2.3	b) Properly maintained and function normally? Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?			
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?			Recycling process has low
2.9 2.10	Processes or activities with high risk of contamination located under covered area? Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓ <u></u>		risk of contamination Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	V		Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	/	No contaminated water was observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ <u> </u>	Not required
	a) Oil and grease removed regularly?	✓	
	b) Collected by licensed collector?	✓	l
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?		
2.15	Bulk cargo and materials packed properly?	✓	<u> </u>
2.16	Temporary stockpiles covered during rainstorms?	✓ □ □	No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?		No sand/silt is generated from the recycling process
3. Ai	ir Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓ <u> </u>	Not required
	a) SP Licence conditions/monitoring requirements comply?		l
3.2	Operate without generation of noticeable odour?	✓ <u> </u>	No operation is observed during inspection
	a) If odour is detected, can the source be identified?		<u> </u>
	b) Odourous materials covered?	✓ <u> </u>	
	c) If odour control system is installed, is it operating normally?	✓ <u> </u>	
3.3	Dusty materials dampened prior to loading/unloading?	✓	No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	✓	Not required
	a) Monitoring frequency met the licence requirement?	✓	<u> </u>
	b) Any exceedance?	✓	
	c) If exceedance is recorded, follow-up action taken?	✓	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	V	Dust-generating activity is not observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	V	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	V	Not required
3.11	Air pollution control system properly maintained and function normally?	✓ <u> </u>	Not required
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	V	
	a) Obtained approval for the use of controlled refrigerant?	✓	
	b) If yes, record of refrigeration equipment service available?	✓ <u> </u>	
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓	
3.14	Public road around site entrance kept clean and free from dust?		




3.15 Materials transported on trucks covered?	✓ Not observed				
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed				
3.17 Stockpiles of dusty materials covered or regularly watered?	✓ No dusty material is observed				
3.18 Major dust source(s): Wind erosion Ve	hicle/equipment movement				
✓ Loading/unloading of materials Oth	ners: n/a				
4. Waste / Chemical Management					
General	N/A Yes No Remarks				
4.1 Registered as chemical waste producer?	No chemical waste is observed				
4.2 Sufficient receptacles (e.g. rubbish bins) available?					
4.3 Disposed of regularly and properly?					
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?					
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	Verified via quarterly report				
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required				
Packaging of Chemical Waste					
4.7 Stored in suitable container?					
4.8 Container properly closed or sealed?					
4.9 Spillage cleaned up immediately through the use of absorbent?					
4.10 Obtained approval for the use of chemical waste container >450L?					
Labelling of Chemical Waste	Labelling of Chemical Waste				
4.11 Provision of chemical waste label?					
a) Label is securely attached and visible?					
b) Label is bilingual and in proper dimension?					
c) Information is accurate and sufficient?					
Storage of Chemical Waste					
4.12 Proper "Chemical Waste" sign displayed?					
4.13 Incompatible wastes separated by impermeable partition?					
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?					
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?					
4.16 Properly stored and locked in designated area with adequate ventilation?					
4.17 Storage area paved with concrete and kept clean and dry?					
4.18 Cover provided for outdoor storage area?					
4.19 Chemical waste collected by licensed collector?					
Liquid Waste Storage					
4.20 Storage area provided with permeation-proof floor or surface?					

EcoPark Operation


SITE INSPECTION CHECKLIST




4.21	Capacity of retention structure sufficient to accommodate contents of the larg 20% volume of the material in storage?	est container or	√		
4.22	Walls or partitions of stacked container storage area constructed of impermea	ble material?	√		
5. La	andfill Gas (LFG) (within LFG Consultation Zone)		N/A	Yes No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?			√	
5.2	Smoking and open fires prohibited?			√ □	
<u>6. Ot</u>	<u>hers</u>		N/A	Yes No	Remarks
6.1	Works confined within lot boundaries?			✓	
6.2	Damage to surrounding areas avoided?			√	
6.3	Site lighting designed to avoid glare to surrounding receivers?		✓		
6.4	Materials and machinery stored in an orderly manner?			√	
6.5	Areas within lot for recycling activities paved with concrete?			√	Covered by metal plates
6.6	Potential stagnant pools cleared and mosquito breeding prevented?			√	
6.7	Valid calibration certificate for any monitoring equipment?		✓		Not required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?		√		Not required
	a) Storage area in compliance with the approved plan?		✓		
	b) Storage area is securely locked?		√		
	c) Total storage capacity in compliance with relevant statutory requirement?		√		
	d) Proper labelling provided?		✓		
	e) Dangerous goods properly packaged?		✓		
Rem	arks:				
New	<u>Observations</u>				
٠	No major environmental deficiency was observed.				
	atures:				
ET R	epresentative: Operator Representative: T	enant Representative:		IEC Rep	oresentative:
	2.6 IIIN 2017	nance: Alex War	201)	Name: Date:	




Issue 1_____AEC



	Inspection Date: 2017/04/20 Time: 10:45 Lot Number: EP06-34 Tenant: Hung Wai	Inspected by:	Ronan	n CHAN, David TSANG
<u>Wea</u>	Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 26 ℃ Humidity: ✓ High Wind: Calm ✓ Light Breeze Strong	Rain Moderate	=	Storm Hazy Low
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	V		EP for tenant is not required UPML's Environmental
1.2	Environmental Policy documented?	✓		Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?			
1.6	Any record of complaint or prosecution?		✓	
	Valid Effluent Discharge Licence available?	N/A Yes	No	Remarks No wastewater is generated from the recycling process
2.1	a) Sampling record available?		H	non the recycling process
	b) Monitoring frequency met the licence requirement?			
	c) Monitoring regular comply with the licence requirement?		\square	
2.2	d) If exceedance is recorded, any follow-up action taken? Provision of prostoryator treatment facility (WTE) prior to discharge?			
2.2	Provision of wastewater treatment facility (WTF) prior to discharge? a) Adequate capacity?			
2.2	b) Properly maintained and function normally?Surface run-off control measures in place and adequately maintained?			
2.3	Surface run-off discharging into drainage system?			
2.4	All manholes covered?			
2.5	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from			
2.0	entering nearby drains or sewer?	ن ب		
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?	✓		D. F.
2.9	Processes or activities with high risk of contamination located under covered area?	V		Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	V		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	√	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ <u> </u>	Not required
	a) Oil and grease removed regularly?	✓	
	b) Collected by licensed collector?	/	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	V	Not required
2.15	Bulk cargo and materials packed properly?	✓	
2.16	Temporary stockpiles covered during rainstorms?	✓	No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	√	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	/	Not required
	a) SP Licence conditions/monitoring requirements comply?	/	
3.2	Operate without generation of noticeable odour?	✓	No operation is observed during inspection
	a) If odour is detected, can the source be identified?	/	
	b) Odourous materials covered?	✓ <u> </u>	
	c) If odour control system is installed, is it operating normally?	/	
3.3	Dusty materials dampened prior to loading/unloading?	/	No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	✓	Not required
	a) Monitoring frequency met the licence requirement?	✓ <u> </u>	
	b) Any exceedance?	✓ <u> </u>	
	c) If exceedance is recorded, follow-up action taken?	✓	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		Via enclosure
3.6	Open burning prohibited?	✓	
3.7	Emission from chimney or powered plant free of black smoke?	✓	No operation is observed during inspection
3.8	Vehicles and equipment switched off while not in use?	✓	
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	V	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	V	Not required
3.11	Air pollution control system properly maintained and function normally?		Not in operation due to no recycling process conducted
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	V	
	a) Obtained approval for the use of controlled refrigerant?	✓ <u> </u>	
	b) If yes, record of refrigeration equipment service available?	✓ <u> </u>	
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓ <u> </u>	
3.14	Public road around site entrance kept clean and free from dust?		




3.15 Materials transported on trucks covered?	/	Not observed
3.16 Truck loads to a level within the side and tail boards?	V	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?		No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion V	Vehicle/equipment moveme	nt
Loading/unloading of materials	Others: n/a	
4. Waste / Chemical Management		
General	N/A Yes No	Remarks
4.1 Registered as chemical waste producer?	✓ □ □	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?		
4.3 Disposed of regularly and properly?		
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?		
4.5 Records of quantities of waste generated, recycled and disposed properly kept?		Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ □	Not required
Packaging of Chemical Waste		
4.7 Stored in suitable container?	✓	
4.8 Container properly closed or sealed?	✓	
4.9 Spillage cleaned up immediately through the use of absorbent?	✓	
4.10 Obtained approval for the use of chemical waste container >450L?	/	
<u>Labelling of Chemical Waste</u>		
4.11 Provision of chemical waste label?	/	
a) Label is securely attached and visible?		
b) Label is bilingual and in proper dimension?	✓	
c) Information is accurate and sufficient?	/	
Storage of Chemical Waste		
4.12 Proper "Chemical Waste" sign displayed?	/	
4.13 Incompatible wastes separated by impermeable partition?	/	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?		
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	/	
4.16 Properly stored and locked in designated area with adequate ventilation?	/	
4.17 Storage area paved with concrete and kept clean and dry?	✓	
4.18 Cover provided for outdoor storage area?		
4.19 Chemical waste collected by licensed collector?	✓	
Liquid Waste Storage	_	
4.20 Storage area provided with permeation-proof floor or surface?		

SITE INSPECTION CHECKLIST




4.21	Capacity of retention structure 20% volume of the material in	sufficient to accommodate contents of storage?	f the largest container or	/]
4.22		container storage area constructed of in	mpermeable material?	/]
5. La	ndfill Gas (LFG) (within LFG	Consultation Zone)		N/A Yes No	o Remarks
5.1	Alert workers and visitors of p	ossible LFG hazards?			<u> </u>
5.2	Smoking and open fires prohib	ited?]
6. Ot	<u>hers</u>			N/A Yes No	Remarks
6.1	Works confined within lot bou	ndaries?]
6.2	Damage to surrounding areas a	avoided?]
6.3	Site lighting designed to avoid	glare to surrounding receivers?		/]
6.4	Materials and machinery stored	d in an orderly manner?			
6.5	Areas within lot for recycling a	activities paved with concrete?]
6.6	Potential stagnant pools cleare	d and mosquito breeding prevented?			J
6.7	Valid calibration certificate for	any monitoring equipment?		√	No monitoring is required
6.8	Valid licence(s) obtained for n	nanufacture or storage of dangerous go	oods?	√	Not required
	a) Storage area in compliance	with the approved plan?		V]
	b) Storage area is securely lock	xed?		√	
	c) Total storage capacity in con	mpliance with relevant statutory requir	rement?	/	
	d) Proper labelling provided?			√	<u> </u>
	e) Dangerous goods properly p	packaged?		✓ <u> </u>]
Rem	arks:				
	Observations Observations				
•	No major environmental defici	ency was observed.			
Sign	atures:				
ET R	epresentative:	Operator Representative:	Tenant Representativ	ve: IEC I	Representative:
_	(A)	July	ままり		
Name	Ronan CHAN	Name May Wu	Name Li 2h	ong hor Name:	
Date:	2017/04/20	Date: 1 1 MAY 2017	Name Li 2h	Date:	




Issue 1_____AEC



	Inspection Date: 2017/04/20 Time: 10:00 Lot Number: EP07-02 Tenant: Li Tong	Inspected by:	Ronar	n CHAN, David TSANG
<u>Wea</u>	Condition: Sunny Fine V Overcast Drizzle Temperature: 26 °C Humidity: V High Wind: Calm V Light Breeze Strong	Rain Moderate		Storm Hazy Low
1. G	<u>eneral</u>	N/A Yes	No	Remarks
	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented?	✓✓		EP for tenant is not required. UPML's Environmental Policy is followed
	Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented?			UPML's EMP is followed UPML's ERP is followed
	(a) Drill or training records available? All recycling processes in operation have been approved by WFBU? Any record of complaint or prosecution?		✓	Subject to tenant's provision
2. W	ater Quality	N/A Yes	No	Remarks No wastewater is generated
2.1	Valid Effluent Discharge Licence available?			from recycling process
	a) Sampling record available?b) Monitoring frequency met the licence requirement?			
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	✓		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?			
	a) Adequate capacity?		Щ	
2.3	b) Properly maintained and function normally?Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?			
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?	✓		
2.8	Drainage system well maintained to prevent flooding or overflow?			
2.9	Processes or activities with high risk of contamination located under covered area?	✓		Stop-logs are available for use
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	√		by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	/	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓	Not required
	a) Oil and grease removed regularly?	✓ □ □	
	b) Collected by licensed collector?	✓ <u> </u>	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	V	Not required
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?	✓ <u> </u>	No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	√	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓ <u> </u>	Not required
	a) SP Licence conditions/monitoring requirements comply?	/	
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?	/	
	b) Odourous materials covered?	V	
	c) If odour control system is installed, is it operating normally?	√	
3.3	Dusty materials dampened prior to loading/unloading?	✓ □ □	Dusty material is not observed
3.4	Dust monitoring record available?	✓ <u> </u>	Not required
	a) Monitoring frequency met the licence requirement?	✓ <u> </u>	
	b) Any exceedance?	✓ <u> </u>	
	c) If exceedance is recorded, follow-up action taken?	✓	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		Dust-generating activity is not observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?	✓ <u> </u>	No chimney/powered plant is being used
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/	
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	/	
3.11	Air pollution control system properly maintained and function normally?	✓ <u> </u>	
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	/	
	a) Obtained approval for the use of controlled refrigerant?	✓ <u> </u>	
	b) If yes, record of refrigeration equipment service available?		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓	
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion Veh	nicle/equipment movement
Loading/unloading of materials	ners: n/a
4. Waste / Chemical Management	
<u>General</u>	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ No sludge is produced
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	Waste drums were provided
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	✓ No outdoor storage
4.19 Chemical waste collected by licensed collector?	✓
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	✓ Not observed

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	✓	
4 22	· ·		
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?		
5. La	andfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?	/	Outside LFG consultation zone
5.2	Smoking and open fires prohibited?		
6. Ot	<u>hers</u>	N/A Yes No	Remarks
6.1	Works confined within lot boundaries?		
6.2	Damage to surrounding areas avoided?		
6.3	Site lighting designed to avoid glare to surrounding receivers?	✓ <u> </u>	
6.4	Materials and machinery stored in an orderly manner?		Follow-up Observation (1)
6.5	Areas within lot for recycling activities paved with concrete?		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		
6.7	Valid calibration certificate for any monitoring equipment?	/	No monitoring is required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	/	Not required
	a) Storage area in compliance with the approved plan?		
	b) Storage area is securely locked?	/	
	c) Total storage capacity in compliance with relevant statutory requirement?	/	
	d) Proper labelling provided?	/	
	e) Dangerous goods properly packaged?		

Remarks:

Follow-up from Previous Audits

1) The tenant had removed the WEEE fragments from the unpaved ground near the perimeter drain.




(Observed on 15 March 2017)



(Observed on 20 April 2017)

SITE INSPECTION CHECKLIST



New Observations

- No major environmental deficiency was observed.

Signatures:

ET Representative:

Name: Ronan CHAN

Date: 2017/04/20

Operator Representative:

Name:

May Wu

Date:

1 1 MAY 2017

Tenant Representative:

Name: Takesar H.

Date: 27 May 2017

IEC Representative:

Name:


Date:



	Inspection Date: 2017/05/24 Time: 11:15 Lot Number: EP07-02 Tenant: Li Tong	Inspected by:		HO, Ronan CHAN, I TSANG
Wea	ther			
	Condition: Sunny Fine Overcast Drizzle	Rain	√	Storm* Hazy
	Temperature: 25 ℃ Humidity: ✓ High	Moderate		Low
	Wind: Calm ✓ Light Breeze Strong * Red rainstorm warning signals was hoisted accordingly within the inspection period.			
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓		EP for tenant is not required.
1.2	Environmental Policy documented?	√		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	√		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?			
1.6	Any record of complaint or prosecution?		√	
2. W	ater Quality	N/A Yes	No	Remarks
2.1	Valid Effluent Discharge Licence available?			No wastewater is generated from recycling process
	a) Sampling record available?	✓		
	b) Monitoring frequency met the licence requirement?	\checkmark		
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	✓		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	\checkmark		
	a) Adequate capacity?	✓		
	b) Properly maintained and function normally?	\checkmark		
2.3	Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?			
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?	✓		
2.8	Drainage system well maintained to prevent flooding or overflow?			
2.9	Processes or activities with high risk of contamination located under covered area?			
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?		Not required
	a) Oil and grease removed regularly?		
	b) Collected by licensed collector?		
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	/	Not required
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?	✓	No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	/	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓	Not required
	a) SP Licence conditions / monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?		No operation is observed during inspection
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?		
	c) If odour control system is installed, is it operating normally?		
3.3	Dusty materials dampened prior to loading/unloading?		Dusty material is not observed
3.4	Dust monitoring record available?		Not required
	a) Monitoring frequency met the licence requirement?		
	b) Any exceedance?		
	c) If exceedance is recorded, follow-up action taken?	✓ □ □	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		Dust-generating activity is not observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?	✓ □ □	No chimney/powered plant is being used
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<u> </u>	
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<u> </u>	
3.11	Air pollution control system properly maintained and function normally?	✓ □ □	-
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	/	
	a) Obtained approval for the use of controlled refrigerant?	✓ □ □	
	b) If yes, record of refrigeration equipment service available?	✓ □ □	
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓ □ □	
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion Veh	nicle/equipment movement
Loading/unloading of materials	ners: n/a
4. Waste / Chemical Management	
<u>General</u>	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ No sludge is produced
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	Waste drums were provided
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	✓ No outdoor storage
4.19 Chemical waste collected by licensed collector?	✓
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	✓ Not observed

SITE INSPECTION CHECKLIST



4.22 Walls or partitions of stacked container storage area constructed of impermeable material?		
5. Landfill Gas (LFG) (within LFG Consultation Zone) 5.1 Alert workers and visitors of possible LFG hazards? 5.2 Smoking and open fires prohibited?	N/A Yes No	Remarks Outside LFG consultation zone
6. Others 6.1 Works confined within lot boundaries? 6.2 Damage to surrounding areas avoided? 6.3 Site lighting designed to avoid glare to surrounding receivers? 6.4 Materials and machinery stored in an orderly manner? 6.5 Areas within lot for recycling activities paved with concrete? 6.6 Potential stagnant pools cleared and mosquito breeding prevented? 6.7 Valid calibration certificate for any monitoring equipment? 6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods? a) Storage area in compliance with the approved plan? b) Storage area is securely locked? c) Total storage capacity in compliance with relevant statutory requirement?	N/A Yes No	No monitoring is required Not required
d) Proper labelling provided? e) Dangerous goods properly packaged?		

Remarks:

New Observations

No major environmental deficiency was observed.

Signatures:

ET Representative:

Name: T. K. HO

Date: 2017/05/24

Operator Representative:

May Wu Name

13 JUN 2017 Date:

Tenant Representative:

IEC Representative:

Name: Taurus Kwan


2017/05/24



	Inspection Date: 2017/06/19 Time: 10:15 Lot Number: EP07-02 Tenant: Li Tong	Inspected by:	T. K. HO, Ronan CHAN, David TSANG
<u>Wea</u>	ther Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 26 ℃ Humidity: ✓ High Wind: ✓ Calm Light Breeze Strong	Rain Moderate	Storm Hazy Low
1. G	<u>eneral</u>	N/A Yes	No Remarks
1.1 1.2	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented?		EP for tenant is not required. UPML's Environmental Policy is followed
1.3 1.4	Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented?	7 7 7 7	UPML's EMP is followed UPML's ERP is followed
1.5 1.6	(a) Drill or training records available? All recycling processes in operation have been approved by WFBU? Any record of complaint or prosecution?		Subject to tenant's provision
2. W	ater Quality	N/A Yes	No Remarks No wastewater is generated
2.1	Valid Effluent Discharge Licence available? a) Sampling record available?		from recycling process
	b) Monitoring frequency met the licence requirement?		
	c) Monitoring result comply with the licence requirement?d) If exceedance is recorded, any follow-up action taken?	✓	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?		
	a) Adequate capacity?b) Properly maintained and function normally?	✓	
2.3	Surface run-off control measures in place and adequately maintained? Surface run-off discharging into drainage system?		
2.4	All manholes covered?		
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		
2.7	Storage of materials and equipment located away from water bodies?		□
2.8	Drainage system well maintained to prevent flooding or overflow? Processes or activities with high risk of contamination located under covered area?		
	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	V	Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓	Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓ <u> </u>	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?		Not required
	a) Oil and grease removed regularly?		
	b) Collected by licensed collector?	✓ <u> </u>	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	/	Not required
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?	✓ <u> </u>	No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	/	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓ <u> </u>	Not required
	a) SP Licence conditions / monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?		No operation is observed during inspection
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?		[<u> </u>
	c) If odour control system is installed, is it operating normally?		
3.3	Dusty materials dampened prior to loading/unloading?		Dusty material is not observed
3.4	Dust monitoring record available?		Not required
	a) Monitoring frequency met the licence requirement?		
	b) Any exceedance?		
	c) If exceedance is recorded, follow-up action taken?		
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	/	Dust-generating activity is not observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		No chimney/powered plant is being used
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	V	
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	V	
3.11	Air pollution control system properly maintained and function normally?	✓	
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	V	
	a) Obtained approval for the use of controlled refrigerant?	✓	
	b) If yes, record of refrigeration equipment service available?	✓ <u> </u>	
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓	
3.14	Public road around site entrance kept clean and free from dust?		




3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion Veh	nicle/equipment movement
Loading/unloading of materials	ers: n/a
4. Waste / Chemical Management	
<u>General</u>	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ No sludge is produced
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	Waste drums were provided
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	✓ No outdoor storage
4.19 Chemical waste collected by licensed collector?	✓
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	Liquid chemical waste is not observed

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure s 20% volume of the material in s	sufficient to accommodate contents of the storage?	ne largest container or	/	
4.22	Walls or partitions of stacked co	ontainer storage area constructed of imp	permeable material?	/	⊐
5. La	andfill Gas (LFG) (within LFG	Consultation Zone)		N/A Yes	No Remarks
5.1	Alert workers and visitors of po	ssible LFG hazards?		✓ □	Outside LFG consultation zone
5.2	Smoking and open fires prohibi	ted?			□
<u>6. O</u> 1	thers			N/A Yes	No Remarks
6.1	Works confined within lot bour	ndaries?			
6.2	Damage to surrounding areas av	voided?			⊐
6.3	Site lighting designed to avoid	glare to surrounding receivers?		✓	□
6.4	Materials and machinery stored	in an orderly manner?			
6.5	Areas within lot for recycling ac	ctivities paved with concrete?			
6.6	Potential stagnant pools cleared	and mosquito breeding prevented?		✓	
6.7	Valid calibration certificate for	any monitoring equipment?		✓	No monitoring is required
6.8	Valid licence(s) obtained for ma	anufacture or storage of dangerous good	ls?	✓	Not required
	a) Storage area in compliance w	vith the approved plan?		✓	
	b) Storage area is securely locked	ed?			<u> </u>
	c) Total storage capacity in com	npliance with relevant statutory requiren	nent?		<u> </u>
	d) Proper labelling provided?				<u> </u>
	e) Dangerous goods properly pa	ackaged?]
Rem	arks:				
New	Observations				
-	No major environmental deficie	ency was observed.			
	atures:				
ET R	Representative:	Operator Representative:	Tenant Representativ	/e: IE	C Representative:
	: T. K. HO 2017/06/19	Name May Wu 2 6 JUN 2017	Name: HO WIN		me:
_ a.v.			- Out	Dai	




Issue 1_____AEC



	Inspection Date: 2017/04/20 Time: 09:45 Lot Number: EP08-01 Tenant: Telford	Inspected by:	Ronan	CHAN, David TSANG
<u>Wea</u>	ther Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 26 ℃ Humidity: ✓ High Wind: Calm ✓ Light Breeze Strong	Rain Moderate		Storm Hazy Low
<u>1. G</u>	<u>eneral</u>	N/A Yes	No	Remarks
	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented?	✓		EP for tenant is not required. UPML's Environmental Policy is followed
	Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented?			UPML's EMP is followed UPML's ERP is followed
1.4	(a) Drill or training records available?			Subject to tenant's provision
1.5 1.6	All recycling processes in operation have been approved by WFBU? Any record of complaint or prosecution?		√	
2. W	ater Quality	N/A Yes	No	Remarks No wastewater is generated
2.1	Valid Effluent Discharge Licence available?	<u> </u>		from recycling process
	a) Sampling record available?	<u> </u>		
	b) Monitoring frequency met the licence requirement?	_		
	c) Monitoring result comply with the licence requirement?	<u> </u>		
	d) If exceedance is recorded, any follow-up action taken?	✓ □		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	_		
	a) Adequate capacity?	/ [
	b) Properly maintained and function normally?	_		
2.3	Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?			_
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	✓		
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?			Populing process has lar-
2.9	Processes or activities with high risk of contamination located under covered area?	_		Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	/ [Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓ □		Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	/	No contaminated water was observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ <u> </u>	Not required
	a) Oil and grease removed regularly?	✓	
	b) Collected by licensed collector?	✓ <u> </u>	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓ <u> </u>	Not required
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?		No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓ <u> </u>	No sand/silt is generated from the recycling process
3. Ai	ir Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓ <u> </u>	Not required
	a) SP Licence conditions/monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?	✓ <u> </u>	No operation is observed during inspection
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?	✓ <u> </u>	
	c) If odour control system is installed, is it operating normally?	✓ <u> </u>	
3.3	Dusty materials dampened prior to loading/unloading?	✓	No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	✓	Not required
	a) Monitoring frequency met the licence requirement?	✓ <u> </u>	
	b) Any exceedance?	✓ <u> </u>	
	c) If exceedance is recorded, follow-up action taken?	✓ <u> </u>	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	✓	Dust-generating activity is not observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?	✓ <u> </u>	No operation is observed during inspection
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓ <u> </u>	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓ <u> </u>	Not required
3.11	Air pollution control system properly maintained and function normally?	✓ <u> </u>	
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	V	
	a) Obtained approval for the use of controlled refrigerant?	✓ <u> </u>	
	b) If yes, record of refrigeration equipment service available?	✓	
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓ <u> </u>	
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion Vel	hicle/equipment movement
Loading/unloading of materials	ners: n/a
4. Waste/Chemical Management	
<u>General</u>	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	✓ □ □ □
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	

SITE INSPECTION CHECKLIST




4.21	Capacity of retention structure sufficient to accommodate contents of 20% volume of the material in storage?	the largest container or	✓	
4.22	Walls or partitions of stacked container storage area constructed of im-	npermeable material?	Y	
5. La	andfill Gas (LFG) (within LFG Consultation Zone)		N/A Yes	No Remarks
5.1	Alert workers and visitors of possible LFG hazards?		✓	
5.2	Smoking and open fires prohibited?		✓	
6. Ot	<u>thers</u>		N/A Yes	No Remarks
6.1	Works confined within lot boundaries?			
6.2	Damage to surrounding areas avoided?		✓	
6.3	Site lighting designed to avoid glare to surrounding receivers?		√	
6.4	Materials and machinery stored in an orderly manner?		✓	
6.5	Areas within lot for recycling activities paved with concrete?		✓	
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		✓	
6.7	Valid calibration certificate for any monitoring equipment?		✓	Not required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goo	ods?		Not required
	a) Storage area in compliance with the approved plan?		✓	
	b) Storage area is securely locked?			
	c) Total storage capacity in compliance with relevant statutory require	ement?		
	d) Proper labelling provided?			
	e) Dangerous goods properly packaged?			
Rem	arks:			
New	Observations			
	No major environmental deficiency was observed.			
Signa	atures:			
ET R	epresentative: Operator Representative:	Tenant Representati	ve: I	IEC Representative:
_	A M	1000 ENVIR 香港(松福県 科技集員 1000 海 (18)	A DOOR	
Name	Ronan CHAN Name: May Wu	Name: MRS.	Lee. N	Name:
Date:	2017/04/20 Date: 11 MAY 2017	Date: 17-	lee. 17 5	Date:

Page 4 of 4



	Inspection Date: 2017/05/24 Time: 10:30 Lot Number: EP08-01 Tenant: Telford	Inspected by:		HO, Ronan CHAN, TSANG
Wea	<u>ther</u>			
	Condition: Sunny Fine Overcast Drizzle	Rain	√	Storm* Hazy
	Temperature: 25 °C Humidity: \checkmark High	Moderate		Low
	Wind: Calm ✓ Light Breeze Strong * Red rainstorm warning signals was hoisted accordingly within the inspection period.			
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓		EP for tenant is not required.
1.2	Environmental Policy documented?	✓		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	V		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?			
1.6	Any record of complaint or prosecution?		✓	
2. W	ater Quality	N/A Yes	No	Remarks
2.1	Valid Effluent Discharge Licence available?	V		No wastewater is generated from recycling process
	a) Sampling record available?	V		
	b) Monitoring frequency met the licence requirement?	✓		
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	✓		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓		
	a) Adequate capacity?	V		
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?			
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?	✓		7
2.9	Processes or activities with high risk of contamination located under covered area?	V		Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	V		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓ □ □	No contaminated water was observed
2.13	Drainage from maintenance area discharged via oil interceptor?		Not required
	a) Oil and grease removed regularly?		
	b) Collected by licensed collector?		
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?		Not required
2.15	Bulk cargo and materials packed properly?		
	Temporary stockpiles covered during rainstorms?		No dusty stockpile is observed
			No sand/silt is generated from
2.17	Measures to prevent the washing away of sand/silt to drains?		the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓	Not required
	a) SP Licence conditions / monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?		No operation is observed during inspection
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?		
	c) If odour control system is installed, is it operating normally?		
3.3	Dusty materials dampened prior to loading/unloading?		No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?		Not required
	a) Monitoring frequency met the licence requirement?		
	b) Any exceedance?		
	c) If exceedance is recorded, follow-up action taken?		
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		Dust-generating activity is not observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		No operation is observed during inspection
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?		Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?		Not required
3.11	Air pollution control system properly maintained and function normally?		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓ □ □	
	a) Obtained approval for the use of controlled refrigerant?	/	
	b) If yes, record of refrigeration equipment service available?		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	/	Not observed
3.16 Truck loads to a level within the side and tail boards?		Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?		No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movem	ent
Loading/unloading of materials	Others: n/a	
4. Waste / Chemical Management		
General	N/A Yes No	Remarks
4.1 Registered as chemical waste producer?	✓	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?		
4.3 Disposed of regularly and properly?		
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?		
4.5 Records of quantities of waste generated, recycled and disposed properly kept?		Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓	
Packaging of Chemical Waste		
4.7 Stored in suitable container?	✓	
4.8 Container properly closed or sealed?		
4.9 Spillage cleaned up immediately through the use of absorbent?		
4.10 Obtained approval for the use of chemical waste container >450L?		
Labelling of Chemical Waste		
4.11 Provision of chemical waste label?		
a) Label is securely attached and visible?		
b) Label is bilingual and in proper dimension?		
c) Information is accurate and sufficient?		
Storage of Chemical Waste		
4.12 Proper "Chemical Waste" sign displayed?		
4.13 Incompatible wastes separated by impermeable partition?		
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	1 🗸	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	/	
4.16 Properly stored and locked in designated area with adequate ventilation?	✓ <u> </u>	
4.17 Storage area paved with concrete and kept clean and dry?	✓	
4.18 Cover provided for outdoor storage area?	V	
4.19 Chemical waste collected by licensed collector?	✓ <u> </u>	
Liquid Waste Storage		
4.20 Storage area provided with permeation-proof floor or surface?		

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure sufficient to accommodate contents of the lar 20% volume of the material in storage?	gest container or]
4.22	Walls or partitions of stacked container storage area constructed of imperme	eable material?]
<u>5. La</u>	andfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?]
5.2	Smoking and open fires prohibited?		l
6. Ot	<u>hers</u>	N/A Yes No	Remarks
6.1	Works confined within lot boundaries?]
6.2	Damage to surrounding areas avoided?]
6.3	Site lighting designed to avoid glare to surrounding receivers?	V]
6.4	Materials and machinery stored in an orderly manner?]
6.5	Areas within lot for recycling activities paved with concrete?]
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		
6.7	Valid calibration certificate for any monitoring equipment?	V	Not required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓	Not required
	a) Storage area in compliance with the approved plan?	V	
	b) Storage area is securely locked?]
	c) Total storage capacity in compliance with relevant statutory requirement?]
	d) Proper labelling provided?		
	e) Dangerous goods properly packaged?]
Rem	arks:		
New	Observations		
	No major environmental deficiency was observed.		
Signa	atures:		
ET R	epresentative: Operator Representative:	Tenant Representative: IEC Re	epresentative:
{	STE WAS	stay (Just
Name	T. K. HO Name May Wu	Name Mas LBB Name:	Taurus Kwan
Date:	2017/05/24 Date: 1 3 JUN 2017	Date: 15/6/17 Date:	2017/05/24



	Inspection Date: 2017/06/19 Time: 09:45 Lot Number: EP08-01 Tenant: Telford	Inspected by:		HO, Ronan CHAN, TSANG
<u>Wea</u>	Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 26 ℃ Humidity: ✓ High Wind: ✓ Calm Light Breeze Strong	Rain Moderate	=	Storm Hazy Low
1. G	eneral eneral	N/A Yes	No	Remarks
1.2	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date?			EP for tenant is not required. UPML's Environmental Policy is followed UPML's EMP is followed
	Emergency Response Plan (ERP) documented? (a) Drill or training records available?			UPML's ERP is followed Subject to tenant's provision
	All recycling processes in operation have been approved by WFBU? Any record of complaint or prosecution?		✓	
2. W	ater Quality	N/A Yes	No	Remarks No wastewater is generated
2.1	Valid Effluent Discharge Licence available? a) Sampling record available?			from recycling process
	b) Monitoring frequency met the licence requirement?	✓		
	c) Monitoring result comply with the licence requirement?d) If exceedance is recorded, any follow-up action taken?			
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓		
	a) Adequate capacity?	V		
2.3	b) Properly maintained and function normally?Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered? Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?			Recycling process has low
2.9 2.10	Processes or activities with high risk of contamination located under covered area? Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓ <u> </u>		risk of contamination Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	V		Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	/	No contaminated water was observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ <u> </u>	Not required
	a) Oil and grease removed regularly?	✓ □ □	
	b) Collected by licensed collector?	✓ <u> </u>	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓ <u> </u>	Not required
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?		No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?		No sand/silt is generated from the recycling process
3. Ai	ir Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓ □ □	Not required
	a) SP Licence conditions/monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?	✓ <u> </u>	No operation is observed during inspection
	a) If odour is detected, can the source be identified?		l
	b) Odourous materials covered?	✓ <u> </u>	
	c) If odour control system is installed, is it operating normally?		
3.3	Dusty materials dampened prior to loading/unloading?	✓	No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?		Not required
	a) Monitoring frequency met the licence requirement?	/	
	b) Any exceedance?	✓	
	c) If exceedance is recorded, follow-up action taken?	/	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	/	Dust-generating activity is not observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?	/	No operation is observed during inspection
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	/	Not required
3.11	Air pollution control system properly maintained and function normally?	✓ <u> </u>	
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	V	
	a) Obtained approval for the use of controlled refrigerant?	✓ □ □	
	b) If yes, record of refrigeration equipment service available?	✓ □ □	Ī
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14	Public road around site entrance kept clean and free from dust?		




3.15 Materials transported on trucks covered?	/	Not observed	
3.16 Truck loads to a level within the side and tail boards?		Not observed	
3.17 Stockpiles of dusty materials covered or regularly watered?		No stockpile of dusty material is observed	
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movem	ent	
Loading/unloading of materials	Others: n/a		
4. Waste / Chemical Management			
General	N/A Yes No	Remarks	
4.1 Registered as chemical waste producer?	✓	No chemical waste is observed	
4.2 Sufficient receptacles (e.g. rubbish bins) available?			
4.3 Disposed of regularly and properly?			
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?			
4.5 Records of quantities of waste generated, recycled and disposed properly kept?		Verified via quarterly report	
4.6 Collection of sludge by licensed collector at regular intervals?	✓		
Packaging of Chemical Waste			
4.7 Stored in suitable container?	✓		
4.8 Container properly closed or sealed?			
4.9 Spillage cleaned up immediately through the use of absorbent?			
4.10 Obtained approval for the use of chemical waste container >450L?			
Labelling of Chemical Waste			
4.11 Provision of chemical waste label?			
a) Label is securely attached and visible?			
b) Label is bilingual and in proper dimension?			
c) Information is accurate and sufficient?			
Storage of Chemical Waste			
4.12 Proper "Chemical Waste" sign displayed?			
4.13 Incompatible wastes separated by impermeable partition?			
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	1 🗸		
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	/		
4.16 Properly stored and locked in designated area with adequate ventilation?	✓ <u> </u>		
4.17 Storage area paved with concrete and kept clean and dry?	✓		
4.18 Cover provided for outdoor storage area?	V		
4.19 Chemical waste collected by licensed collector?	✓ <u> </u>		
Liquid Waste Storage			
4.20 Storage area provided with permeation-proof floor or surface?			


SITE INSPECTION CHECKLIST




4.21	Capacity of retention structure sufficient to accommodate conte 20% volume of the material in storage?	ents of the largest container or	/	
4.22	Walls or partitions of stacked container storage area constructed	d of impermeable material?	/	
<u>5. La</u>	andfill Gas (LFG) (within LFG Consultation Zone)		N/A Yes No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?			
5.2	Smoking and open fires prohibited?			
<u>6. Ot</u>	thers		N/A Yes No	Remarks
6.1	Works confined within lot boundaries?		✓	
6.2	Damage to surrounding areas avoided?			
6.3	Site lighting designed to avoid glare to surrounding receivers?		/	
6.4	Materials and machinery stored in an orderly manner?			
6.5	Areas within lot for recycling activities paved with concrete?			
6.6	Potential stagnant pools cleared and mosquito breeding prevent	ted?		
6.7	Valid calibration certificate for any monitoring equipment?			Not required
6.8	Valid licence(s) obtained for manufacture or storage of dangere	ous goods?		Not required
	a) Storage area in compliance with the approved plan?			
	b) Storage area is securely locked?			
	c) Total storage capacity in compliance with relevant statutory	requirement?		
	d) Proper labelling provided?			
	e) Dangerous goods properly packaged?			
Rem	arks:			
New	Observations			
	No major environmental deficiency was observed.			
Signa	atures:			
ET R	Representative: Operator Representative:	Tenant Representati	ive: IEC Re	presentative:
{	STEE	of.		
Name	T. K. HO Name: May Wu	Name: Ur. Lee	Name:	
Date:	ame: T. K. HO Name: 1			



Issue 1_____AEC



	Inspection Date: 2017/04/20 Time: 11:00 Lot Number: P5 Tenant: Alba IWS	Inspected by:	Ronan CHAN, David TSANG
<u>Wea</u>	Condition: Sunny Fine V Overcast Drizzle Temperature: 26 °C Humidity: V High Wind: Calm V Light Breeze Strong	Rain Moderate	Storm Hazy Low
1. G	eneral eneral	N/A Yes	No Remarks
	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented?		EP for tenant is not required. UPML's Environmental Policy is followed
	Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented?		UPML's EMP is followed UPML's ERP is followed
	(a) Drill or training records available? All recycling processes in operation have been approved by WFBU?		Subject to tenant's provision
	Any record of complaint or prosecution? ater Quality	N/A Yes	No Remarks
	Valid Effluent Discharge Licence available?		No generation of industrial wastewater
	a) Sampling record available?b) Monitoring frequency met the licence requirement?	<u> </u>	
	c) Monitoring result comply with the licence requirement?d) If exceedance is recorded, any follow-up action taken?	✓	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge? a) Adequate capacity?		
2.3	b) Properly maintained and function normally? Surface run-off control measures in place and adequately maintained?	Y Y I	
2.42.5	Surface run-off discharging into drainage system? All manholes covered?		
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		Follow-up Observation (1)
2.72.8	Storage of materials and equipment located away from water bodies? Drainage system well maintained to prevent flooding or overflow?	✓	
2.9 2.10	Processes or activities with high risk of contamination located under covered area? Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓	Stop-logs are available for use by tenant if needed.
2.11	process with potentially high level of contamination is carried out? Equipment oil and lubrication replacements performed only in bunded maintenance area?	/	Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?		Not required
	a) Oil and grease removed regularly?		
	b) Collected by licensed collector?		
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓	Not required
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?		No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	/	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		Not required
	a) SP Licence conditions / monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?	/	
	c) If odour control system is installed, is it operating normally?		
3.3	Dusty materials dampened prior to loading/unloading?		Dusty material is not observed
3.4	Dust monitoring record available?		Not required
	a) Monitoring frequency met the licence requirement?		
	b) Any exceedance?		
	c) If exceedance is recorded, follow-up action taken?	/	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	V	Dust-generating activity is not observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		No chimney or powered plant is used
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	V	
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	V	
3.11	Air pollution control system properly maintained and function normally?		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	V	
	a) Obtained approval for the use of controlled refrigerant?		
	b) If yes, record of refrigeration equipment service available?	✓ <u> </u>	
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓	
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	Not observed		
3.16 Truck loads to a level within the side and tail boards?	Not observed		
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed		
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement		
Loading/unloading of materials	✓ Others: n/a		
4. Waste/Chemical Management			
<u>General</u>	N/A Yes No Remarks		
4.1 Registered as chemical waste producer?	No lubrication/chemical will be used as advised by tenant		
4.2 Sufficient receptacles (e.g. rubbish bins) available?			
4.3 Disposed of regularly and properly?			
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?			
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	Verified via quarterly report		
4.6 Collection of sludge by licensed collector at regular intervals?	Not required		
Packaging of Chemical Waste			
4.7 Stored in suitable container?	No chemical waste will be generated as advised by tenant		
4.8 Container properly closed or sealed?			
4.9 Spillage cleaned up immediately through the use of absorbent?			
4.10 Obtained approval for the use of chemical waste container >450L?			
Labelling of Chemical Waste			
4.11 Provision of chemical waste label?			
a) Label is securely attached and visible?			
b) Label is bilingual and in proper dimension?			
c) Information is accurate and sufficient?			
Storage of Chemical Waste			
4.12 Proper "Chemical Waste" sign displayed?			
4.13 Incompatible wastes separated by impermeable partition?			
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)			
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?			
4.16 Properly stored and locked in designated area with adequate ventilation?			
4.17 Storage area paved with concrete and kept clean and dry?			
4.18 Cover provided for outdoor storage area?	✓ No outdoor storage		
4.19 Chemical waste collected by licensed collector?			
Liquid Waste Storage			
4.20 Storage area provided with permeation-proof floor or surface?	✓ Not observed		

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	
5. La	andfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Remarks
5.1	Alert workers and visitors of possible LFG hazards?	
5.2	Smoking and open fires prohibited?	
6. Ot	<u>thers</u>	N/A Yes No Remarks
6.1	Works confined within lot boundaries?	
6.2	Damage to surrounding areas avoided?	
6.3	Site lighting designed to avoid glare to surrounding receivers?	
6.4	Materials and machinery stored in an orderly manner?	
6.5	Areas within lot for recycling activities paved with concrete?	
6.6	Potential stagnant pools cleared and mosquito breeding prevented?	
6.7	Valid calibration certificate for any monitoring equipment?	No monitoring is required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	Not required
	a) Storage area in compliance with the approved plan?	
	b) Storage area is securely locked?	
	c) Total storage capacity in compliance with relevant statutory requirement?	
	d) Proper labelling provided?	
	e) Dangerous goods properly packaged?	

Remarks:

Follow-up from Previous Audits

1) While it was noticed that the vegetation removal was in progress, some vegetation was still observed inside the perimeter drainage near the entrance of the lot. The tenant was reminded to clear the vegetation to avoid potential blockage of the channel.




(Observed on 25 January 2017)



(Observed on 20 April 2017)

SITE INSPECTION CHECKLIST



New Observations

· No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name: Ronan CHAN

Date: 2017/04/20

Name:

Date:


May Wu

HIV one


Name: TSTo TUNGSHOW Date: 15 May 20,7

Name:


Date:



	Inspection Date: 2017/05/24 Time: 11:25 Lot Number: P5 Tenant: Alba IWS	Inspected by:		HO, Ronan CHAN, I TSANG
Wea	ther			
	Condition: Sunny Fine Overcast Drizzle	Rain	✓	Storm* Hazy
	Temperature: 25 °C Humidity: \checkmark High	Moderate		Low
	Wind: Calm ✓ Light Breeze Strong * Red rainstorm warning signals was hoisted accordingly within the inspection period.			
1. Ge	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓		EP for tenant is not required.
1.2	Environmental Policy documented?	✓		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?			
1.6	Any record of complaint or prosecution?		✓	
2. W	ater Quality	N/A Yes	No	Remarks
2.1	Valid Effluent Discharge Licence available?			No generation of industrial wastewater
	a) Sampling record available?	✓		
	b) Monitoring frequency met the licence requirement?	✓		
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	V		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓		
	a) Adequate capacity?	V		
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?	✓		
2.4	Surface run-off discharging into drainage system?	✓		
2.5	All manholes covered?			
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		√	Follow-up Observation (1)
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?			
2.9	Processes or activities with high risk of contamination located under covered area?			-
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	V		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	V		Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ <u> </u>	Not required
	a) Oil and grease removed regularly?	/	
	b) Collected by licensed collector?	/	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓	Not required
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?	/	No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	/	Not required
	a) SP Licence conditions/monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?	✓	
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?	/	
	c) If odour control system is installed, is it operating normally?	/	
3.3	Dusty materials dampened prior to loading/unloading?	/	Dusty material is not observed
3.4	Dust monitoring record available?	/	Not required
	a) Monitoring frequency met the licence requirement?	/	
	b) Any exceedance?	/	
	c) If exceedance is recorded, follow-up action taken?	/	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	V	Dust-generating activity is not observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?	/	No chimney or powered plant is used
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓	
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?		
3.11	Air pollution control system properly maintained and function normally?	/	
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	V	
	a) Obtained approval for the use of controlled refrigerant?	✓	
	b) If yes, record of refrigeration equipment service available?	✓ <u> </u>	
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓ □ □	
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓	Not observed
3.16 Truck loads to a level within the side and tail boards?		Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?		No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion Ve	ehicle/equipment movem	ent
Loading/unloading of materials	hers: n/a	
4. Waste / Chemical Management		
General	N/A Yes No	Remarks
4.1 Registered as chemical waste producer?		No lubrication/chemical will be used as advised by tenant
4.2 Sufficient receptacles (e.g. rubbish bins) available?		
4.3 Disposed of regularly and properly?		
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?		
4.5 Records of quantities of waste generated, recycled and disposed properly kept?		Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?		Not required
Packaging of Chemical Waste		
4.7 Stored in suitable container?		No chemical waste will be generated as advised by tenant
4.8 Container properly closed or sealed?		
4.9 Spillage cleaned up immediately through the use of absorbent?		
4.10 Obtained approval for the use of chemical waste container >450L?		
<u>Labelling of Chemical Waste</u>		
4.11 Provision of chemical waste label?		
a) Label is securely attached and visible?		
b) Label is bilingual and in proper dimension?		
c) Information is accurate and sufficient?		
Storage of Chemical Waste		
4.12 Proper "Chemical Waste" sign displayed?		
4.13 Incompatible wastes separated by impermeable partition?	✓	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	V	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	/	
4.16 Properly stored and locked in designated area with adequate ventilation?	✓	
4.17 Storage area paved with concrete and kept clean and dry?	✓	
4.18 Cover provided for outdoor storage area?	✓	No outdoor storage
4.19 Chemical waste collected by licensed collector?		
<u>Liquid Waste Storage</u>		
4.20 Storage area provided with permeation-proof floor or surface?		Not observed

SITE INSPECTION CHECKLIST

	6	工程顧問
AEC	6	有限公司

4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	✓ <u> </u>	
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?		
<u>5. La</u>	andfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?		
5.2	Smoking and open fires prohibited?		
6. Ot	her <u>s</u>	N/A Yes No	Remarks
	Works confined within lot boundaries?		
6.2	Damage to surrounding areas avoided?		
6.3	Site lighting designed to avoid glare to surrounding receivers?	/	
6.4	Materials and machinery stored in an orderly manner?		
6.5	Areas within lot for recycling activities paved with concrete?		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		
6.7	Valid calibration certificate for any monitoring equipment?	/	No monitoring is required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	/	Not required
	a) Storage area in compliance with the approved plan?		-
	b) Storage area is securely locked?	/	
	c) Total storage capacity in compliance with relevant statutory requirement?		
	d) Proper labelling provided?	/	
	e) Dangerous goods properly packaged?	/	


Remarks:

Follow-up from Previous Audits

1) The tenant was reminded to clear the vegetation inside the perimeter drainage near the entrance to avoid potential blockage of the channel. The removal progress will be monitored in the next audit.




(Observed on 25 January 2017)



(Observed on 24 May 2017)

SITE INSPECTION CHECKLIST



New Observations

· No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name: T. K. HO

Date: 2017/05/24

Name

May Wu

Date: 1 3 JUN 2017

same TSB WWW HTV


201

Name: Taurus Kwan


Date: 2017/05/24



	Inspection Date: 2017/06/19 Time: 11:00 Lot Number: P5 Tenant: Alba IWS	Inspected by:	T. K. HO, Ronan CHAN, David TSANG
<u>Wea</u>	Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 26 ℃ Humidity: ✓ High Wind: ✓ Calm Light Breeze Strong	Rain Moderate	Storm Hazy Low
1. G	eneral eneral	N/A Yes	No Remarks
1.2	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kent up to date?		EP for tenant is not required. UPML's Environmental Policy is followed
	Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented? (a) Drill or training records available?	✓	UPML's EMP is followed UPML's ERP is followed Subject to tenant's provision
	All recycling processes in operation have been approved by WFBU? Any record of complaint or prosecution?		✓
2. W	ater Quality	N/A Yes	No Remarks
2.1	Valid Effluent Discharge Licence available?		No generation of industrial wastewater
	a) Sampling record available?	✓	
	b) Monitoring frequency met the licence requirement?	✓	
	c) Monitoring result comply with the licence requirement?	✓	
	d) If exceedance is recorded, any follow-up action taken?	✓	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓	
	a) Adequate capacity?	✓	
	b) Properly maintained and function normally?	✓	
2.3	Surface run-off control measures in place and adequately maintained?		
2.4	Surface run-off discharging into drainage system?		
2.5	All manholes covered?		
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		Follow-up Observation (1)
2.7	Storage of materials and equipment located away from water bodies?		
2.8	Drainage system well maintained to prevent flooding or overflow?		
2.9	Processes or activities with high risk of contamination located under covered area?	 ✓	
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	V	Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓	Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ <u> </u>	Not required
	a) Oil and grease removed regularly?	/	
	b) Collected by licensed collector?	/	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓	Not required
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?	/	No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	/	Not required
	a) SP Licence conditions / monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?	✓	
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?	/	
	c) If odour control system is installed, is it operating normally?	/	
3.3	Dusty materials dampened prior to loading/unloading?	/	Dusty material is not observed
3.4	Dust monitoring record available?	/	Not required
	a) Monitoring frequency met the licence requirement?	/	
	b) Any exceedance?	/	
	c) If exceedance is recorded, follow-up action taken?	/	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	V	Dust-generating activity is not observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?	/	No chimney or powered plant is used
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓	
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?		
3.11	Air pollution control system properly maintained and function normally?	/	
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	V	
	a) Obtained approval for the use of controlled refrigerant?	✓	
	b) If yes, record of refrigeration equipment service available?	✓ <u> </u>	
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓ □ □	
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?		Not observed
3.16 Truck loads to a level within the side and tail boards?		Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?		No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion Veh	hicle/equipment movem	ent
Loading/unloading of materials	ners: n/a	
4. Waste / Chemical Management		
<u>General</u>	N/A Yes No	Remarks No lubrication/chemical will
4.1 Registered as chemical waste producer?	✓	be used as advised by tenant
4.2 Sufficient receptacles (e.g. rubbish bins) available?		
4.3 Disposed of regularly and properly?		
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?		
4.5 Records of quantities of waste generated, recycled and disposed properly kept?		Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ □ □	Not required
Packaging of Chemical Waste		
4.7 Stored in suitable container?	✓ □ □	No chemical waste will be generated as advised by tenant
4.8 Container properly closed or sealed?	✓	
4.9 Spillage cleaned up immediately through the use of absorbent?	✓	
4.10 Obtained approval for the use of chemical waste container >450L?	✓ □ □	
<u>Labelling of Chemical Waste</u>		
4.11 Provision of chemical waste label?	/	
a) Label is securely attached and visible?	/	
b) Label is bilingual and in proper dimension?		
c) Information is accurate and sufficient?		
Storage of Chemical Waste		
4.12 Proper "Chemical Waste" sign displayed?	/	
4.13 Incompatible wastes separated by impermeable partition?	/	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	/	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	/	
4.16 Properly stored and locked in designated area with adequate ventilation?		
4.17 Storage area paved with concrete and kept clean and dry?		
4.18 Cover provided for outdoor storage area?		No outdoor storage
4.19 Chemical waste collected by licensed collector?		
Liquid Waste Storage		
4.20 Storage area provided with permeation-proof floor or surface?		Not observed
4.21 Capacity of retention structure sufficient to accommodate contents of the largest container or		

SITE INSPECTION CHECKLIST



	20% volume of the material in storage?		
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	V	
5. La	andfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?		
5.2	Smoking and open fires prohibited?		
<u>6. Ot</u>	<u>hers</u>	N/A Yes No	Remarks
6.1	Works confined within lot boundaries?		
6.2	Damage to surrounding areas avoided?		
6.3	Site lighting designed to avoid glare to surrounding receivers?		
6.4	Materials and machinery stored in an orderly manner?		
6.5	Areas within lot for recycling activities paved with concrete?		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		
6.7	Valid calibration certificate for any monitoring equipment?	/	No monitoring is required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	/	Not required
	a) Storage area in compliance with the approved plan?	/	
	b) Storage area is securely locked?	✓ □ □	
	c) Total storage capacity in compliance with relevant statutory requirement?	✓ □ □	
	d) Proper labelling provided?		
	e) Dangerous goods properly packaged?	✓	

Remarks:

Follow-up from Previous Audits

1) The tenant was reminded to clear the vegetation inside the perimeter drainage near the entrance to avoid potential blockage of the channel. The removal progress will be monitored in the next audit.




(Observed on 25 January 2017)



(Observed on 19 June 2017)

SITE INSPECTION CHECKLIST



New Observations

· No major environmental deficiency was observed.

Signatures:

ET Representative:

//-

Name: T. K. HO

Date: 2017/06/19

Operator Representative:

Name:

May Wu

Date:

26 JUN 2017

Tenant Representative:


Name:

Date:


IEC Representative:

Name: Taurus Kwan


Date: 2017/06/19



Issue 1_____AEC



	Inspection Date: 2017/04/20 Time: 11:45 Lot Number: EP11-01(1) Tenant: Chung Yue	Inspected by:	Ronan CHAN, David TSANG
Wea	ther Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 26 ℃ Humidity: ✓ High Wind: Calm ✓ Light Breeze Strong	Rain Moderate	Storm Hazy Low
1. G	<u>eneral</u>	N/A Yes	No Remarks
	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented?	✓✓✓	EP for tenant is not required UPML's Environmental Policy is followed
	Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented?		UPML's ERP is followed UPML's ERP is followed
	(a) Drill or training records available? All recycling processes in operation have been approved by WFBU? Any record of complaint or prosecution?		Subject to tenant's provision
	ater Quality	N/A Yes	No Remarks No wastewater is generated
2.1	Valid Effluent Discharge Licence available? a) Sampling record available?	✓ []	from recycling process
	b) Monitoring frequency met the licence requirement?c) Monitoring result comply with the licence requirement?		
	d) If exceedance is recorded, any follow-up action taken?		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge? a) Adequate capacity?		
2.2	b) Properly maintained and function normally?		
2.3	Surface run-off control measures in place and adequately maintained? Surface run-off discharging into drainage system?		
2.52.6	All manholes covered? Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		
2.7	Storage of materials and equipment located away from water bodies?]
2.82.9	Drainage system well maintained to prevent flooding or overflow? Processes or activities with high risk of contamination located under covered area?	<u> </u>	Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	V	Stop-logs are available for use by tenant if needed
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓	Lub/oil replacement is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	√	No contaminated water was observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ <u> </u>	No oily wastewater is generated from recycling
	a) Oil and grease removed regularly?		Not required
	b) Collected by licensed collector?	✓ <u> </u>	Not required
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?		
2.15	Bulk cargo and materials packed properly?	✓	
2.16	Temporary stockpiles covered during rainstorms?		No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?		No sand/silt is generated from the recycling process
3. Ai	ir Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓ <u> </u>	Not required
	a) SP Licence conditions/monitoring requirements comply?	✓ <u> </u>	<u> </u>
3.2	Operate without generation of noticeable odour?	✓	
	a) If odour is detected, can the source be identified?		l
	b) Odourous materials covered?		
	c) If odour control system is installed, is it operating normally?		
3.3	Dusty materials dampened prior to loading/unloading?		
3.4	Dust monitoring record available?		Not required
	a) Monitoring frequency met the licence requirement?]
	b) Any exceedance?		
	c) If exceedance is recorded, follow-up action taken?		
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		
3.8	Vehicles and equipment switched off while not in use?		<u> </u>
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	V	Not required
3.11	Air pollution control system properly maintained and function normally?	✓ <u> </u>	Not required
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	V	
	a) Obtained approval for the use of controlled refrigerant?		l
	b) If yes, record of refrigeration equipment service available?	✓ □ □	l
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?]
3.14	Public road around site entrance kept clean and free from dust?		Follow-up Observation (1)



3.15 Materials transported on trucks covered?		
3.16 Truck loads to a level within the side and tail boards?		
3.17 Stockpiles of dusty materials covered or regularly watered?		No dusty material is observed
3.18 Major dust source(s): Wind erosion Ve	ehicle/equipment movem	ent
✓ Loading/unloading of materials Oth	hers: n/a	
4. Waste / Chemical Management		
<u>General</u>	N/A Yes No	Remarks
4.1 Registered as chemical waste producer?		No chemical waste is generated during recycling
4.2 Sufficient receptacles (e.g. rubbish bins) available?		
4.3 Disposed of regularly and properly?		
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?		
4.5 Records of quantities of waste generated, recycled and disposed properly kept?		Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ <u> </u>	Not required
Packaging of Chemical Waste		
4.7 Stored in suitable container?	✓ <u> </u>	
4.8 Container properly closed or sealed?	✓ <u> </u>	
4.9 Spillage cleaned up immediately through the use of absorbent?		
4.10 Obtained approval for the use of chemical waste container >450L?	✓ □	
<u>Labelling of Chemical Waste</u>		
4.11 Provision of chemical waste label?		
a) Label is securely attached and visible?		
b) Label is bilingual and in proper dimension?		
c) Information is accurate and sufficient?		
Storage of Chemical Waste		
4.12 Proper "Chemical Waste" sign displayed?	/	
4.13 Incompatible wastes separated by impermeable partition?	✓ <u> </u>	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	V	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	/	
4.16 Properly stored and locked in designated area with adequate ventilation?	✓ <u> </u>	
4.17 Storage area paved with concrete and kept clean and dry?	✓ <u> </u>	
4.18 Cover provided for outdoor storage area?	✓ <u> </u>	
4.19 Chemical waste collected by licensed collector?	✓ <u> </u>	
Liquid Waste Storage		
4.20 Storage area provided with permeation-proof floor or surface?	√	

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	✓ <u> </u>	
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?		
<u>5. La</u>	andfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?	✓ □ □	Outside LFG consultation zone
5.2	Smoking and open fires prohibited?		
6. Ot	her <u>s</u>	N/A Yes No	Remarks
6.1	Works confined within lot boundaries?		
6.2	Damage to surrounding areas avoided?		
6.3	Site lighting designed to avoid glare to surrounding receivers?		-
6.4	Materials and machinery stored in an orderly manner?		
6.5	Areas within lot for recycling activities paved with concrete?	✓	
6.6	Potential stagnant pools cleared and mosquito breeding prevented?	✓	
6.7	Valid calibration certificate for any monitoring equipment?	/	Not required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	/	Not required
	a) Storage area in compliance with the approved plan?		
	b) Storage area is securely locked?	/	
	c) Total storage capacity in compliance with relevant statutory requirement?		
	d) Proper labelling provided?	/	
	e) Dangerous goods properly packaged?		

Remarks:

Follow-up from Previous Audits

1) The dusty trail at lot entrance had been cleared.




(Observed on 15 March 2017)



(Observed on 20 April 2017)

SITE INSPECTION CHECKLIST



New Observations

No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name: Ronan CHAN

Date: 2017/04/20

Name:

Date:

May Wu


11 MAY 2017

Name:

Date:

Name: DULCIE CHAN


Date:



	Inspection Date: 2017/05/24 Time: 12:30 Lot Number: EP11-01(1) Tenant: Chung Yue	Inspected by:		HO, Ronan CHAN, TSANG
Wea	the <u>r</u>			
	Condition: Sunny Fine Overcast Drizzle	Rain	√	Storm* Hazy
	Temperature: 25 ℃ Humidity: ✓ High	Moderate		Low
	Wind: Calm ✓ Light Breeze Strong * Amber rainstorm warning signals was hoisted accordingly within the inspection period.			
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓		EP for tenant is not required
1.2	Environmental Policy documented?	✓		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?			-
1.6	Any record of complaint or prosecution?		√	
2. W	ater Quality	N/A Yes	No	Remarks
2.1	Valid Effluent Discharge Licence available?	✓		No wastewater is generated from recycling process
	a) Sampling record available?	✓		
	b) Monitoring frequency met the licence requirement?	✓		
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	✓		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓		
	a) Adequate capacity?	✓		-
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?	✓		-
2.4	Surface run-off discharging into drainage system?	✓		
2.5	All manholes covered?			-
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	/		
2.7	Storage of materials and equipment located away from water bodies?			-
2.8	Drainage system well maintained to prevent flooding or overflow?			
2.9	Processes or activities with high risk of contamination located under covered area?	✓		Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	V		Stop-logs are available for use by tenant if needed
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Lub/oil replacement is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	/	No contaminated water was observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ <u> </u>	No oily wastewater is generated from recycling
	a) Oil and grease removed regularly?		Not required
	b) Collected by licensed collector?	✓ □ □	Not required
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?]
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?		No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓ <u> </u>	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓	Not required
	a) SP Licence conditions / monitoring requirements comply?	✓]
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?	✓ <u> </u>]
	b) Odourous materials covered?	✓ <u> </u>	
	c) If odour control system is installed, is it operating normally?	✓ <u> </u>]
3.3	Dusty materials dampened prior to loading/unloading?]
3.4	Dust monitoring record available?		Not required
	a) Monitoring frequency met the licence requirement?	✓ <u> </u>	
	b) Any exceedance?	✓ <u> </u>]
	c) If exceedance is recorded, follow-up action taken?	✓	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?]
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	V	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	V	Not required
3.11	Air pollution control system properly maintained and function normally?		Not required
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	/	
	a) Obtained approval for the use of controlled refrigerant?		
	b) If yes, record of refrigeration equipment service available?		l
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		l
3.14	Public road around site entrance kept clean and free from dust?]



3.15 Materials transported on trucks covered?	
3.16 Truck loads to a level within the side and tail boards?	
3.17 Stockpiles of dusty materials covered or regularly watered?	✓ No dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
✓ Loading/unloading of materials	Others: n/a
4. Waste/Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is generated during recycling
4.2 Sufficient receptacles (e.g. rubbish bins) available?	generated during recycing
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept	t? Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	Not required
Packaging of Chemical Waste	Not required
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L) drip trays capable of storing 110% of the volume of the largest container (if q	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest contain of containers?	<u> </u>
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	<u> </u>
4.20 Storage area provided with permeation-proof floor or surface?	

SITE INSPECTION CHECKLIST



	ention structure sufficient to accommodate contents of the largest container or f the material in storage?		
	ions of stacked container storage area constructed of impermeable material?	/	
5. Landfill Gas (LF)	G) (within LFG Consultation Zone)	N/A Yes No	Remarks
5.1 Alert workers a	and visitors of possible LFG hazards?	/	Outside LFG consultation zone
5.2 Smoking and o	open fires prohibited?	✓	
6. Others		N/A Yes No	Remarks
6.1 Works confine	d within lot boundaries?		
6.2 Damage to sur	rounding areas avoided?		
6.3 Site lighting de	esigned to avoid glare to surrounding receivers?	V	
6.4 Materials and r	machinery stored in an orderly manner?		
6.5 Areas within lo	ot for recycling activities paved with concrete?		
6.6 Potential stagn	ant pools cleared and mosquito breeding prevented?		
6.7 Valid calibration	on certificate for any monitoring equipment?		Not required
6.8 Valid licence(s	s) obtained for manufacture or storage of dangerous goods?	V	Not required
a) Storage area	in compliance with the approved plan?		
b) Storage area	a is securely locked?	✓	
c) Total storage	e capacity in compliance with relevant statutory requirement?	V	
d) Proper label	lling provided?	✓	
e) Dangerous g	goods properly packaged?		
Remarks:			
New Observations			
No major envii	ronmental deficiency was observed.		
Signatures:			

ET Representative:

Name: T. K. HO

Date: 2017/05/24

Operator Representative:

May Wu Name

13 JUN 2017

Tenant Representative:

Name


IEC Representative:

Name: Taurus Kwan

2017/05/24 Date:



	Inspection Date: 2017/06/19 Time: 11:45 Lot Number: EP11-01(1) Tenant: Chung Yue		C. K. HO, Ronan CHAN, David TSANG
<u>Wea</u>	Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 26 °C Humidity: ✓ High Wind: ✓ Calm Light Breeze Strong	Rain Moderate	Storm Hazy
1. G	eneral_	N/A Yes	No Remarks
	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented?	Y	EP for tenant is not required UPML's Environmental Policy is followed
	Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented?		UPML's EMP is followed UPML's ERP is followed
	(a) Drill or training records available?		Subject to tenant's provision
	Any record of complaint or prosecution?		<u> </u>
2. W	ater Quality	N/A Yes	No Remarks
2.1	Valid Effluent Discharge Licence available?		No wastewater is generated from recycling process
	a) Sampling record available?	/	
	b) Monitoring frequency met the licence requirement?	/	
	c) Monitoring result comply with the licence requirement?	/	
	d) If exceedance is recorded, any follow-up action taken?	/	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	/	
	a) Adequate capacity?	/	
	b) Properly maintained and function normally?	/	
2.3	Surface run-off control measures in place and adequately maintained?		
2.4	Surface run-off discharging into drainage system?		<u> </u>
2.5	All manholes covered?		
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		
2.7	Storage of materials and equipment located away from water bodies?		
2.8	Drainage system well maintained to prevent flooding or overflow?		
2.9	Processes or activities with high risk of contamination located under covered area?	_	Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	V	Stop-logs are available for use by tenant if needed
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	/	Lub/oil replacement is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓	No contaminated water was observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓	No oily wastewater is generated from recycling
	a) Oil and grease removed regularly?	/	Not required
	b) Collected by licensed collector?	✓	Not required
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?]
2.15	Bulk cargo and materials packed properly?]
2.16	Temporary stockpiles covered during rainstorms?	✓ <u> </u>	No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	/	No sand/silt is generated from the recycling process
3. Ai	ir Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	/	Not required
	a) SP Licence conditions / monitoring requirements comply?	/]
3.2	Operate without generation of noticeable odour?]
	a) If odour is detected, can the source be identified?	/]
	b) Odourous materials covered?	/	
	c) If odour control system is installed, is it operating normally?	/]
3.3	Dusty materials dampened prior to loading/unloading?]
3.4	Dust monitoring record available?	/	Not required
	a) Monitoring frequency met the licence requirement?	✓]
	b) Any exceedance?	/	
	c) If exceedance is recorded, follow-up action taken?	/	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?]
3.6	Open burning prohibited?]
3.7	Emission from chimney or powered plant free of black smoke?		
3.8	Vehicles and equipment switched off while not in use?]
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	V	Not required
3.11	Air pollution control system properly maintained and function normally?	/	Not required
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	/]
	a) Obtained approval for the use of controlled refrigerant?	/]
	b) If yes, record of refrigeration equipment service available?	/]
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	/]
3.14	Public road around site entrance kept clean and free from dust?]



3.15 Materials transported on trucks covered?	
3.16 Truck loads to a level within the side and tail boards?	
3.17 Stockpiles of dusty materials covered or regularly watered?	✓ No dusty material is observed
3.18 Major dust source(s): Wind erosion V	ehicle/equipment movement
✓ Loading/unloading of materials O	thers: n/a
4. Waste / Chemical Management	
<u>General</u>	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is generated during recycling
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	✓ □ □ □
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	

SITE INSPECTION CHECKLIST




4.21 Capacity of retention so 20% volume of the materials.	ructure sufficient to accommodate contents of the laterial in storage?	argest container or	/]
	tacked container storage area constructed of imperm	neable material?	/]
5. Landfill Gas (LFG) (with	in LFG Consultation Zone)		N/A Yes No	Remarks
5.1 Alert workers and visit	ors of possible LFG hazards?		/	Outside LFG consultation zone
5.2 Smoking and open fire	s prohibited?]
6. Others			N/A Yes No	Remarks
6.1 Works confined within	lot boundaries?]
6.2 Damage to surrounding	g areas avoided?]
6.3 Site lighting designed t	o avoid glare to surrounding receivers?		/]
6.4 Materials and machine	ry stored in an orderly manner?]
6.5 Areas within lot for rec	ycling activities paved with concrete?]
6.6 Potential stagnant pool	s cleared and mosquito breeding prevented?]
6.7 Valid calibration certif	icate for any monitoring equipment?		/	Not required
6.8 Valid licence(s) obtain	ed for manufacture or storage of dangerous goods?		/	Not required
a) Storage area in comp	pliance with the approved plan?		/]
b) Storage area is secur	ely locked?		/]
c) Total storage capacit	y in compliance with relevant statutory requirement	?	/]
d) Proper labelling pro	vided?		/]
e) Dangerous goods pro	operly packaged?		/]
Remarks:				
New Observations				
No major environmental deficiency was observed.				
Signatures:				
ET Representative:	Operator Representative:	Tenant Representativ	e: IEC R	epresentative:
8575	July -	X	(Joseph
Name: T. K. HO	Name: May Wu	Name: Jahale	Name:	Taurus Kwan

Date: 2017/06/19

Date: 2017/06/19

Date:

2 6 JUN 2017



Issue 1_____AEC



	Inspection Date: 2017/04/20 Time: 11:30 Lot Number: EP11-01(3) Tenant: K. Wah	Inspected by:	Ronan	CHAN, David TSANG
Wea				
	Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 26 °C Humidity: ✓ High Wind: Calm ✓ Light Breeze Strong	Rain Moderate	=	Storm Hazy Low
1. Ge	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓		EP for tenant is not required.
1.2	Environmental Policy documented?	√		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?			
1.6	Any record of complaint or prosecution?		√	
	ater Quality	N/A Yes	No	Remarks
2.1	Valid Effluent Discharge Licence available?		Щ	Wastewater is reused
	a) Sampling record available?		Щ	
	b) Monitoring frequency met the licence requirement?			
	c) Monitoring result comply with the licence requirement?			
	d) If exceedance is recorded, any follow-up action taken?		Щ	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?			-
	a) Adequate capacity?		Ш	
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?			
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?			
2.9	Processes or activities with high risk of contamination located under covered area?			Stop logg org available for
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	√		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	√	
2.13	Drainage from maintenance area discharged via oil interceptor?	/	Not required
	a) Oil and grease removed regularly?	✓ <u> </u>	
	b) Collected by licensed collector?	/	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	/	Not required
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?		
2.17	Measures to prevent the washing away of sand/silt to drains?	✓	
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		
	a) SP Licence conditions / monitoring requirements comply?		24-hr RSP monitoring record and quarterly reporting up to Jan 2017
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?		
	c) If odour control system is installed, is it operating normally?		
3.3	Dusty materials dampened prior to loading/unloading?		
3.4	Dust monitoring record available?		Test report of 24-hr RSP up to Jan 2017 is available
	a) Monitoring frequency met the licence requirement?		
	b) Any exceedance?		Against AQO
	c) If exceedance is recorded, follow-up action taken?		
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		Enclousures and sprinkler system are provided
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/	
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	/	
3.11	Air pollution control system properly maintained and function normally?		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	/	
	a) Obtained approval for the use of controlled refrigerant?		
	b) If yes, record of refrigeration equipment service available?		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14	Public road around site entrance kept clean and free from dust?		




3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	
3.18 Major dust source(s): Wind erosion Vel	hicle/equipment movement
Loading/unloading of materials Oth	hers:
4. Waste / Chemical Management	
<u>General</u>	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	
4 22	Walls or partitions of stacked container storage area constructed of impermeable material?	
4.22	wans of partitions of stacked container storage area constructed of impermeable material?	
<u>5. La</u>	andfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Remarks Outside LFG consultation
5.1	Alert workers and visitors of possible LFG hazards?	zone
5.2	Smoking and open fires prohibited?	
<u>6. O</u>	her <u>s</u>	N/A Yes No Remarks
6.1	Works confined within lot boundaries?	
6.2	Damage to surrounding areas avoided?	
6.3	Site lighting designed to avoid glare to surrounding receivers?	
6.4	Materials and machinery stored in an orderly manner?	
6.5	Areas within lot for recycling activities paved with concrete?	
6.6	Potential stagnant pools cleared and mosquito breeding prevented?	
6.7	Valid calibration certificate for any monitoring equipment?	✓ Not provided
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓ Not required
	a) Storage area in compliance with the approved plan?	
	b) Storage area is securely locked?	
	c) Total storage capacity in compliance with relevant statutory requirement?	
	d) Proper labelling provided?	
	e) Dangerous goods properly packaged?	
11		
Rem	arks:	
New	Observations	
INCW		
•	No major environmental deficiency was observed.	
	atures:	The P
ETR	epresentative: Operator Representative: Tenant Representati	ive: IEC Representative:
	(150) WY 3H	M
	U Contraction of the contraction	2 1
	Ronan CHAN Name: May Wu Name: Steffler	Name: DULCIE CHAN
Date:	2017/04/20 Date: 11 MAY 2017 Date: 12 11/20	1,76/ Date: 9/5/17
	U	



	Inspection Date: 2017/05/24 Time: 12:50 Lot Number: EP11-01(3) Tenant: K. Wah	Inspected by:		IO, Ronan CHAN, TSANG
Wea	<u>ther</u>			
	Condition: Sunny Fine Overcast Drizzle	Rain	✓ S	Storm* Hazy
	Temperature: 25 $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	Moderate		Low
	Wind: Calm ✓ Light Breeze Strong * Amber rainstorm warning signals was hoisted accordingly within the inspection period.			
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓		EP for tenant is not required.
1.2	Environmental Policy documented?	✓		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?			
1.6	Any record of complaint or prosecution?		✓	
2. W	ater Quality	N/A Yes	No	Remarks
2.1	Valid Effluent Discharge Licence available?	V		Wastewater is reused
	a) Sampling record available?	✓		
	b) Monitoring frequency met the licence requirement?	✓		
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	V		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓		
	a) Adequate capacity?	V		
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?			
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?	✓		
2.9	Processes or activities with high risk of contamination located under covered area?			-
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	V		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?		No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?		Not required
	a) Oil and grease removed regularly?		
	b) Collected by licensed collector?		
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	/	Not required
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?		
2.17	Measures to prevent the washing away of sand/silt to drains?	_ / _	
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		
	a) SP Licence conditions / monitoring requirements comply?		Quarterly reporting on quantity of raw material and product (up to Jan 2017)
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?		
	c) If odour control system is installed, is it operating normally?		
3.3	Dusty materials dampened prior to loading/unloading?		
3.4	Dust monitoring record available?		Test report of 24-hr RSP up to Mar 2017 is available
	a) Monitoring frequency met the licence requirement?		
	b) Any exceedance?		Against AQO
	c) If exceedance is recorded, follow-up action taken?		
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		Enclousures and sprinkler system are provided
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/	
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	/	
3.11	Air pollution control system properly maintained and function normally?		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<u> </u>	
	a) Obtained approval for the use of controlled refrigerant?		
	b) If yes, record of refrigeration equipment service available?		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14	Public road around site entrance kept clean and free from dust?		




3.15 Materials transported on trucks covered?	✓ Not observed			
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed			
3.17 Stockpiles of dusty materials covered or regularly watered?				
3.18 Major dust source(s): Wind erosion Vel	hicle/equipment movement			
Loading/unloading of materials Oth	hers:			
4. Waste / Chemical Management				
<u>General</u>	N/A Yes No Remarks			
4.1 Registered as chemical waste producer?	No chemical waste is observed			
4.2 Sufficient receptacles (e.g. rubbish bins) available?				
4.3 Disposed of regularly and properly?				
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?				
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report			
4.6 Collection of sludge by licensed collector at regular intervals?				
Packaging of Chemical Waste				
4.7 Stored in suitable container?				
4.8 Container properly closed or sealed?				
4.9 Spillage cleaned up immediately through the use of absorbent?				
4.10 Obtained approval for the use of chemical waste container >450L?				
Labelling of Chemical Waste				
4.11 Provision of chemical waste label?				
a) Label is securely attached and visible?				
b) Label is bilingual and in proper dimension?				
c) Information is accurate and sufficient?				
Storage of Chemical Waste				
4.12 Proper "Chemical Waste" sign displayed?				
4.13 Incompatible wastes separated by impermeable partition?				
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?				
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?				
4.16 Properly stored and locked in designated area with adequate ventilation?				
4.17 Storage area paved with concrete and kept clean and dry?				
4.18 Cover provided for outdoor storage area?				
4.19 Chemical waste collected by licensed collector?				
Liquid Waste Storage				
4.20 Storage area provided with permeation-proof floor or surface?				

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure 20% volume of the material in	sufficient to accommodate contents of storage?	the largest container or	/	
4.22	Walls or partitions of stacked of	container storage area constructed of in	npermeable material?	/ [
	ndfill Gas (LFG) (within LFG	<u> </u>		N/A Yes	No Remarks Outside LFG consultation
	Alert workers and visitors of p				zone
5.2	Smoking and open fires prohib	ited?			
<u>6. Ot</u>	<u>hers</u>			N/A Yes	No Remarks
6.1	Works confined within lot bou	ndaries?			
6.2	Damage to surrounding areas a	voided?			
6.3	Site lighting designed to avoid	glare to surrounding receivers?		✓	
6.4	Materials and machinery stored	l in an orderly manner?		 	
6.5	Areas within lot for recycling a	activities paved with concrete?			
6.6	Potential stagnant pools cleared	d and mosquito breeding prevented?			
6.7	Valid calibration certificate for	any monitoring equipment?		V	Not provided
6.8	Valid licence(s) obtained for m	nanufacture or storage of dangerous go	ods?	✓	Not required
	a) Storage area in compliance v	with the approved plan?		✓	
	b) Storage area is securely lock	red?		✓	
	c) Total storage capacity in cor	mpliance with relevant statutory require	ement?	✓	
	d) Proper labelling provided?			✓	
	e) Dangerous goods properly p	ackaged?			
Rem	arks:				
New	<u>Observations</u>				
•	No major environmental defici	ency was observed.			
Signa	ntures:				
ET R	epresentative:	Operator Representative:	Tenant Representativ	ve: IE	C Representative:
Name	85 F.S. T. K. HO	Name May Wu	Name Stephen	n Leung N	une: Taurus Kwan
	2017/05/24	Date: 13 JUN 2017	Date: 16 Tu		ite: 2017/05/24
			10 000	7 10 1	2.1101110



	Inspection Date: 2017/06/19 Time: 11:30 Lot Number: EP11-01(3) Tenant: K. Wah	Inspected by:		HO, Ronan CHAN, TSANG
<u>Wea</u>	Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 26 ℃ Humidity: ✓ High Wind: ✓ Calm Light Breeze Strong	Rain Moderate		Storm Hazy Low
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	√		EP for tenant is not required.
1.2	Environmental Policy documented?	V		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	V		UPML's ERP is followed
	(a) Drill or training records available?	V		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?			
1.6	Any record of complaint or prosecution?		√	
<u>2. W</u>	ater Quality	N/A Yes	No	Remarks
2.1	Valid Effluent Discharge Licence available?	✓		Wastewater is reused
	a) Sampling record available?	√		
	b) Monitoring frequency met the licence requirement?	✓		
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	√		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓		
	a) Adequate capacity?	✓		
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?	✓		
2.5	All manholes covered?			
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?			
2.9	Processes or activities with high risk of contamination located under covered area?			Stan logg are cyclichle for
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	√		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed




facility or other appropriate treatment facility? 2.13 Drainage from maintenance area discharged via oil interceptor? a) Oil and grease removed regularly? b) Collected by licensed collector? 2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage? 2.15 Bulk cargo and materials packed properly? 2.16 Temporary stockpiles covered during rainstorms? 2.17 Measures to prevent the washing away of sand/silt to drains? 3. Air Quality 3.1 Valid Specified Process (SP) Licence available for all specified process? a) SP Licence conditions/monitoring requirements comply? 3.2 Operate without generation of noticeable odour? a) If odour is detected, can the source be identified? b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? Enclosus Enclosus Enclosus Enclosus Finctionsus	
a) Oil and grease removed regularly? b) Collected by licensed collector? 2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage? 2.15 Bulk cargo and materials packed properly? 2.16 Temporary stockpiles covered during rainstorms? 2.17 Measures to prevent the washing away of sand/silt to drains? 3.1 Valid Specified Process (SP) Licence available for all specified process? a) SP Licence conditions/monitoring requirements comply? 3.2 Operate without generation of noticeable odour? a) If odour is detected, can the source be identified? b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3.1 Dusty materials dampened prior to loading/unloading? 3.2 Dusty materials dampened prior to loading/unloading? 3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring requiremy met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off While not in use? 3.9 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.10 Air pollution control system properly maintained and function normally? 3.11 Air pollution control equipment installed by treants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment errice available?	ntaminated water is ved
b) Collected by licensed collector? 2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjucent to marine frontage? 2.15 Bulk cargo and materials packed property? 2.16 Temporary stockpiles covered during rainstorms? 2.17 Measures to prevent the washing away of sand/silt to drains? 3.18 Valid Specified Process (SP) Licence available for all specified process? a) SP Licence conditions/monitoring requirements comply? 3.2 Operate without generation of noticeable odour? a) If odour is detected, can the source be identified? b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3.10 Dusts monitoring requirement prior to loading/unloading? 3.2 Dust mentioring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning problitice? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 ecentistoks or an equivalent viscosity? 3.10 Air pollution control system properly maintained and function normally? 3.11 Air pollution control system properly maintained and function normally? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment isratiled by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available?	quired
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage? 2.15 Bulk cargo and materials packed property? 2.16 Temporary stockplies covered during rainstorms? 2.17 Measures to prevent the washing away of sand/silt to drains? 3. Air Quality 3.1 Valid Specified Process (SP) Licence available for all specified process? 3.2 Operate without generation of noticeable odour? 3.1 Indoor is detected, can the source be identified? 4. Distribution of the object of the door control system is installed, is it operating normally? 3.1 Dust monitoring requirements comply? 3.2 Dust monitoring record available? 3.3 Dust monitoring frequency met the licence requirement? 4. Dust monitoring frequency met the licence requirement? 5. Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampering)? 3.3 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampering)? 3.4 Distribution of the time of black smoke? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampering)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? 3.10 Obtained approval for the use of controlled refrigerant? 4. Distribution control system properly maintained and function normally?	
loading and unloading adjacent to marine frontage? 2.15 Bulk cargo and materials packed properly? 2.16 Temporary stockpiles covered during rainstorms? 2.17 Measures to prevent the washing away of sand/silt to drains? 3. Air Quality 3. Air Quality 3. Air Quality 3. Valid Specified Process (SP) Licence available for all specified process? a) SP Licence conditions / monitoring requirements comply? 3.10 Operate without generation of noticeable odour? a) If odour is detected, can the source be identified? b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3.10 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning problibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25. liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Dust control system properly maintained and function normally? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available?	
2.16 Temporary stockpiles covered during rainstorms? 2.17 Measures to prevent the washing away of sand/silt to drains? N/A Yes No Remark 3.1 Valid Specified Process (SP) Licence available for all specified process? a) SP Licence conditions / monitoring requirements comply? 3.2 Operate without generation of noticeable odour? a) If odour is detected, can the source be identified? b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance? c) If exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25.1 liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of Controlled refrigerant? b) If yes, record of refrigeration equipment service available?	quired
2.17 Measures to prevent the washing away of sand/silt to drains?	
3. Air Quality 3.1 Valid Specified Process (SP) Licence available for all specified process? a) SP Licence conditions/monitoring requirements comply? 3.2 Operate without generation of noticeable odour? a) If odour is detected, can the source be identified? b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fruel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available?	
3.1 Valid Specified Process (SP) Licence available for all specified process? a) SP Licence conditions / monitoring requirements comply? 3.2 Operate without generation of noticeable odour? a) If odour is detected, can the source be identified? b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. or loading record ampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available?	
a) SP Licence conditions / monitoring requirements comply? 3.2 Operate without generation of noticeable odour? a) If odour is detected, can the source be identified? b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available?	arks
a) SP Licence conditions / monitoring requirements comply? a) If odour is detected, can the source be identified? b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? a) Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? a) Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available?	
a) If odour is detected, can the source be identified? b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available?	y reporting on quantity of raw and product (up to Jan 2017)
b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/wint, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available?	
c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available?	
3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available?	
3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available?	
a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available?	
b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available?	eport of 24-hr RSP up r 2017 is available
c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available?	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available?	st AQO
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available?	
3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available?	usures and sprinkler n are provided
3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available?	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available?	
25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available?	
centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available?	
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available?	
compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available?	
b) If yes, record of refrigeration equipment service available?	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	
3.14 Public road around site entrance kept clean and free from dust?	



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	New Observation (1)
3.18 Major dust source(s): Wind erosion Ve	hicle/equipment movement
✓ Loading/unloading of materials Oth	ners:
4. Waste/Chemical Management	
<u>General</u>	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	✓	
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	/	
5. La	andfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?		Outside LFG consultation zone
5.2	Smoking and open fires prohibited?		
6. O	<u>hers</u>	N/A Yes No	Remarks
6.1	Works confined within lot boundaries?		
6.2	Damage to surrounding areas avoided?		
6.3	Site lighting designed to avoid glare to surrounding receivers?		,
6.4	Materials and machinery stored in an orderly manner?		
6.5	Areas within lot for recycling activities paved with concrete?		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		
6.7	Valid calibration certificate for any monitoring equipment?		Not provided
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓ <u> </u>	Not required
	a) Storage area in compliance with the approved plan?		
	b) Storage area is securely locked?		
	c) Total storage capacity in compliance with relevant statutory requirement?		
	d) Proper labelling provided?		
	e) Dangerous goods properly packaged?		

Remarks:

New Observations

1) Dormant stockpile was observed on the floor without cover. The tenant should cover the temporary stockpile with tarpaulin or similar fabrics, or store the stockpile in a covered area to prevent dust generation.



(Observed on 19 June 2017)

SITE INSPECTION CHECKLIST



Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name: T. K. HO

Date: 2017/06/19

Name: May Wu


26 JUN 2017

Date:


Name;

Name: Taurus Kwan

Date: 2017/06/19



Issue 1_____AEC



	Inspection Date: 2017/04/20 Time: 12:15 Lot Number: EP12-01 Tenant: South China	Inspected by:	Ronan	n CHAN, David TSANG
<u>Wea</u>	Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 26 ℃ Humidity: ✓ High Wind: Calm ✓ Light Breeze Strong	Rain Moderate		Storm Hazy Low
1. G	eneral_	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented?			EP for tenant is not required. UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?			UPML's ERP is followed
1.5	(a) Drill or training records available? All recycling processes in operation have been approved by WFBU?			Subject to tenant's provision
1.6	Any record of complaint or prosecution?		√	
	ater Quality	N/A Yes	No	Remarks Prohibition of discharging wastewater to communal sewer by the
2.1	Valid Effluent Discharge Licence available?		Щ	enforcement unit of EPD WTF is being checked. Discharge is
	a) Sampling record available?		✓	suspended temporarily.
	b) Monitoring frequency met the licence requirement?	✓		
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	✓		WTF is being checked.
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?		✓	Wastewater is tanked away for the temporary storage at
	a) Adequate capacity?	✓		the underground storage tank
	b) Properly maintained and function normally?		✓	Wastewater is tanked away
2.3	Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?	✓		
2.5	All manholes covered?			Manholes near the cleaning area are sealed
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		√	Follow-up Observation (2); New Observation (1)
2.7	Storage of materials and equipment located away from water bodies?	✓		Follow-up Observation (1)
2.8	Drainage system well maintained to prevent flooding or overflow?	✓		
2.9	Processes or activities with high risk of contamination located under covered area?			
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?		Wastewater is tanked away
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ □ □	Wastewater is tanked away
	a) Oil and grease removed regularly?	✓ □ □	
	b) Collected by licensed collector?	✓ □ □	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	/	Not required
2.15	Bulk cargo and materials packed properly?	✓ <u> </u>	Not required
2.16	Temporary stockpiles covered during rainstorms?		
2.17	Measures to prevent the washing away of sand/silt to drains?	✓	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓ <u> </u>	
	a) SP Licence conditions / monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?		
	c) If odour control system is installed, is it operating normally?		Air curtain is operating and roller shutter is lowered
3.3	Dusty materials dampened prior to loading/unloading?	/	Dusty material is not observed
3.4	Dust monitoring record available?	/	Not required
	a) Monitoring frequency met the licence requirement?	/	
	b) Any exceedance?	✓ <u> </u>	
	c) If exceedance is recorded, follow-up action taken?	✓ □ □	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	V	Dust-generating activity is not observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/	
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	V	
3.11	Air pollution control system properly maintained and function normally?		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	/	
	a) Obtained approval for the use of controlled refrigerant?		
	b) If yes, record of refrigeration equipment service available?	/	
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	/	Not observed
3.16 Truck loads to a level within the side and tail boards?		Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?		No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movem	ent
Loading/unloading of materials	Others: n/a	
4. Waste / Chemical Management		
General	N/A Yes No	Remarks
4.1 Registered as chemical waste producer?	✓	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?		
4.3 Disposed of regularly and properly?		
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?		
4.5 Records of quantities of waste generated, recycled and disposed properly kept?		Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓	
Packaging of Chemical Waste		
4.7 Stored in suitable container?	✓	
4.8 Container properly closed or sealed?		
4.9 Spillage cleaned up immediately through the use of absorbent?		
4.10 Obtained approval for the use of chemical waste container >450L?		
Labelling of Chemical Waste		
4.11 Provision of chemical waste label?		
a) Label is securely attached and visible?		
b) Label is bilingual and in proper dimension?		
c) Information is accurate and sufficient?		
Storage of Chemical Waste		
4.12 Proper "Chemical Waste" sign displayed?		
4.13 Incompatible wastes separated by impermeable partition?		
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	1 🗸	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	/	
4.16 Properly stored and locked in designated area with adequate ventilation?	✓ <u> </u>	
4.17 Storage area paved with concrete and kept clean and dry?	V	
4.18 Cover provided for outdoor storage area?	V	
4.19 Chemical waste collected by licensed collector?	✓ <u> </u>	
Liquid Waste Storage		
4.20 Storage area provided with permeation-proof floor or surface?		

SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage?	r or 🗸 📗
4.22 Walls or partitions of stacked container storage area constructed of impermeable material?	?
5. Landfill Gas (LFG) (within LFG Consultation Zone)5.1 Alert workers and visitors of possible LFG hazards?5.2 Smoking and open fires prohibited?	N/A Yes No Remarks Outside LFG consultation zone
6. Others	N/A Yes No Remarks
6.1 Works confined within lot boundaries?	
6.2 Damage to surrounding areas avoided?	
6.3 Site lighting designed to avoid glare to surrounding receivers?	
6.4 Materials and machinery stored in an orderly manner?	
6.5 Areas within lot for recycling activities paved with concrete?	
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	
6.7 Valid calibration certificate for any monitoring equipment?	Not provided
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓ Not required
a) Storage area in compliance with the approved plan?	
b) Storage area is securely locked?	
c) Total storage capacity in compliance with relevant statutory requirement?	
d) Proper labelling provided?	
e) Dangerous goods properly packaged?	

Remarks:

Follow-up from Previous Audits

1) The tenant has removed the storage containers (except clean water containers) from the perimeter drainage channel and the dirty water mark on surface near the drainage channel.




(Observed on 17 February 2017)



(Observed on 17 February 2017)

SITE INSPECTION CHECKLIST





(Observed on 20 April 2017)

2) While the dirty water had been removed from the stormwater manholes, muddy material was found at the bottom of manholes. The tenant was requested to remove the muddy material inside the manholes and to ensure no leakage of any objectionable matter into stormwater drain.



(Observed on 25 January 2017)



(Observed on 20 April 2017)

New Observations

1) A pit of dirty water was observed inside the perimeter drainage channel along the Eastern lot boundary. The tenant was requested to clean up the dirty water immediately and to ensure no untreated wastewater will be discharged to the drainage.



(Observed on 20 April 2017)

Signatures:

ET Representative:

Name: Ronan CHAN

Date: 2017/04/20

Operator Representative:

Name:

ame: May Wu hate: 1 1 MAY 2017 Tenant Representative:


Name: Terence Tsui

Date: 2 4 MAY 2017


IEC Representative:

Name: DULCIE CHAN


Date: 9/5/17



	Inspection Date: 2017/05/24 Time: 13:00 Lot Number: EP12-01 Tenant: South China	Inspected by:		HO, Ronan CHAN, TSANG
Wea	the <u>r</u>			
	Condition: Sunny Fine Overcast Drizzle	Rain	✓	Storm* Hazy
	Temperature: 25 °C Humidity: \checkmark High	Moderate		Low
	Wind: Calm Light Breeze Strong * Amber rainstorm warning signals was hoisted accordingly within the inspection period.			
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓		EP for tenant is not required.
1.2	Environmental Policy documented?	V		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?			
1.6	Any record of complaint or prosecution?		✓	
	ater Quality	N/A Yes	No	Remarks Prohibition of discharging wastewater to communal sewer by the
2.1	Valid Effluent Discharge Licence available?			enforcement unit of EPD WTF is being checked. Discharge is
	a) Sampling record available?		√	suspended temporarily.
	b) Monitoring frequency met the licence requirement?	✓		
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	√		WITE
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?		✓	WTF is being checked. Wastewater is tanked away for the temporary storage at
	a) Adequate capacity?	✓		the underground storage tank
	b) Properly maintained and function normally?		✓	Wastewater is tanked away
2.3	Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?			Manholes near the cleaning area are sealed
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			Follow-up Observations (1) and (2)
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?	✓		
2.9	Processes or activities with high risk of contamination located under covered area?			
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	√		Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?		Wastewater is tanked away
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ □ □	Wastewater is tanked away
	a) Oil and grease removed regularly?	✓	
	b) Collected by licensed collector?	✓ □ □	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	/	Not required
2.15	Bulk cargo and materials packed properly?	✓ <u> </u>	Not required
2.16	Temporary stockpiles covered during rainstorms?		
2.17	Measures to prevent the washing away of sand/silt to drains?	✓	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓ <u> </u>	
	a) SP Licence conditions / monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?		
	c) If odour control system is installed, is it operating normally?		Air curtain is operating and roller shutter is lowered
3.3	Dusty materials dampened prior to loading/unloading?	/	Dusty material is not observed
3.4	Dust monitoring record available?	/	Not required
	a) Monitoring frequency met the licence requirement?	/	
	b) Any exceedance?	✓ <u> </u>	
	c) If exceedance is recorded, follow-up action taken?	✓ □ □	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	V	Dust-generating activity is not observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/	
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	V	
3.11	Air pollution control system properly maintained and function normally?		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	/	
	a) Obtained approval for the use of controlled refrigerant?		
	b) If yes, record of refrigeration equipment service available?	/	
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion V	ehicle/equipment movement
Loading/unloading of materials	Others: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	V
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	V
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	V

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	✓	
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	/	
<u>5. La</u>	andfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No	Remarks Outside LFG consultation
5.15.2	Alert workers and visitors of possible LFG hazards? Smoking and open fires prohibited?	✓	zone
<u>6. O</u> 1	<u>thers</u>	N/A Yes No	Remarks
6.1	Works confined within lot boundaries?		
6.2	Damage to surrounding areas avoided?		
6.3	Site lighting designed to avoid glare to surrounding receivers?	✓	
6.4	Materials and machinery stored in an orderly manner?		
6.5	Areas within lot for recycling activities paved with concrete?		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		
6.7	Valid calibration certificate for any monitoring equipment?	V	Not provided
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	V	Not required
	a) Storage area in compliance with the approved plan?	V	
	b) Storage area is securely locked?	V	
	c) Total storage capacity in compliance with relevant statutory requirement?	V	
	d) Proper labelling provided?	V	
	e) Dangerous goods properly packaged?	/	

Remarks:

Follow-up from Previous Audits

1) Dirty water and muddy material had been removed from the stormwater manholes. No dirty water is observed in the manholes.




(Observed on 25 January 2017)




(Observed on 24 May 2017)

SITE INSPECTION CHECKLIST



2) Dirty water inside the perimeter drainage channel along the Eastern lot boundary had been cleaned up.







(Observed on 24 May 2017)

New Observations

· No major environmental deficiency was observed.

Signatures:

ET Representative:

Name: T. K. HO

Date: 2017/05/24

Operator Representative:

Jame Man MA

13 IIIN 2

Tenant Representative:

Date:


IEC Representative:

Manne Terence Ts

e Tsui Name: Taurus Kwan

20 JUN 2017 Date

Date: 2017/05/24



	Inspection Date: 2017/06/19 Time: 12:15 Lot Number: EP12-01 Tenant: South China	Inspected by:		HO, Ronan CHAN, TSANG
<u>Wea</u>	Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 26 ℃ Humidity: ✓ High Wind: ✓ Calm Light Breeze Strong	Rain Moderate		Storm Hazy Low
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓		EP for tenant is not required.
1.2	Environmental Policy documented?	√		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?	✓		
1.6	Any record of complaint or prosecution?		✓	
	Valid Effluent Discharge License queilable?	N/A Yes	No	Remarks Prohibition of discharging wastewater to communal sewer by the
2.1	Valid Effluent Discharge Licence available?			enforcement unit of EPD WTF is being checked. Discharge is
	a) Sampling record available?		Ľ	suspended temporarily.
	b) Monitoring frequency met the licence requirement?			
	c) Monitoring result comply with the licence requirement?			
2.2	d) If exceedance is recorded, any follow-up action taken?			WTF is being checked.
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?			Wastewater is tanked away. for the temporary storage at
	a) Adequate capacity?			the underground storage tank
2.2	b) Properly maintained and function normally?			Wastewater is tanked away.
2.3	Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system? All manholes covered?			Manholes near the cleaning
2.5				area are sealed
2.0	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		Ľ	New Observations (1)
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?			
2.9	Processes or activities with high risk of contamination located under covered area?			Stop loss are evallable for
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	√		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?		Wastewater is tanked away
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ □ □	Wastewater is tanked away
	a) Oil and grease removed regularly?	✓	
	b) Collected by licensed collector?	✓ □ □	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	/	Not required
2.15	Bulk cargo and materials packed properly?	✓ <u> </u>	Not required
2.16	Temporary stockpiles covered during rainstorms?		
2.17	Measures to prevent the washing away of sand/silt to drains?	✓	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓ <u> </u>	
	a) SP Licence conditions / monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?		
	c) If odour control system is installed, is it operating normally?		Air curtain is operating and roller shutter is lowered
3.3	Dusty materials dampened prior to loading/unloading?	/	Dusty material is not observed
3.4	Dust monitoring record available?	/	Not required
	a) Monitoring frequency met the licence requirement?	/	
	b) Any exceedance?	✓ <u> </u>	
	c) If exceedance is recorded, follow-up action taken?	✓ □ □	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	V	Dust-generating activity is not observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/	
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	V	
3.11	Air pollution control system properly maintained and function normally?		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	/	
	a) Obtained approval for the use of controlled refrigerant?		
	b) If yes, record of refrigeration equipment service available?	/	
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion Ve	chicle/equipment movement
Loading/unloading of materials	hers: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	✓ <u> </u>
4.18 Cover provided for outdoor storage area?	✓ <u> </u>
4.19 Chemical waste collected by licensed collector?	✓ <u> </u>
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	
5. La	andfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Remarks
5.1	Alert workers and visitors of possible LFG hazards?	Outside LFG consultation zone
5.2	Smoking and open fires prohibited?	
<u>6. O</u> 1	<u>hers</u>	N/A Yes No Remarks
6.1	Works confined within lot boundaries?	
6.2	Damage to surrounding areas avoided?	
6.3	Site lighting designed to avoid glare to surrounding receivers?	
6.4	Materials and machinery stored in an orderly manner?	
6.5	Areas within lot for recycling activities paved with concrete?	
6.6	Potential stagnant pools cleared and mosquito breeding prevented?	
6.7	Valid calibration certificate for any monitoring equipment?	✓ Not provided
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓ Not required
	a) Storage area in compliance with the approved plan?	
	b) Storage area is securely locked?	
	c) Total storage capacity in compliance with relevant statutory requirement?	
	d) Proper labelling provided?	
	e) Dangerous goods properly packaged?	

Remarks:

Follow-up from Previous Audits

· No major environmental deficiency was observed.

New Observations

1) Suspected oil stain is observed on the surface of the stormwater inside perimeter drain, and refuse is also found inside the terminal stormwater manhole. The tenant has been requested to remove the suspected oil stain and refuse to prevent drainage from clogging. At the same time, the tenant has been reminded to ensure no objectionable matter shall enter drains or sewers.




(Observed on 19 June 2017)



(Observed on 19 June 2017)

SITE INSPECTION CHECKLIST



Signatures:

Name: T. K. HO

Date: 2017/06/19

ET Representative:

Operator Representative:

Name:

May Wu

2 6 JUN 2017

Date:

Tenant Representative:


Name: Terence Tsui

Date: 5 JUL 2017

IEC Representative:

Name:

Date:




Issue 1_____AEC



	Inspection Date: 2017/04/20 Time: 12:00 Lot Number: EP11-01(5) Tenant: E.Tech	Inspected by:	Ronan	CHAN, David TSANG
<u>Wea</u>	ther Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 26 ℃ Humidity: ✓ High Wind: Calm ✓ Light Breeze Strong	Rain Moderate	=	Storm Hazy Low
<u>1. G</u>	<u>eneral</u>	N/A Yes	No	Remarks
	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented?	✓ <u> </u>		EP for tenant is not required. UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?			UPML's EMP is followed
1.4	(a) Drill or training records available?			UPML's ERP is followed Subject to tenant's provision
1.5 1.6	All recycling processes in operation have been approved by WFBU? Any record of complaint or prosecution?		✓	
2. W	ater Quality	N/A Yes	No	Remarks
2.1	Valid Effluent Discharge Licence available?	√		No wastewater is generated from recycling process
	a) Sampling record available?	√		
	b) Monitoring frequency met the licence requirement?	✓		
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	✓		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	√		
	a) Adequate capacity?	✓		
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?	✓		
2.4	Surface run-off discharging into drainage system?	✓		
2.5	All manholes covered?	 		
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?			
2.9	Processes or activities with high risk of contamination located under covered area?			G. 1 777 2
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	/	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?		No oily wastewater is generated from recycling.
	a) Oil and grease removed regularly?	✓ □ □	Not required
	b) Collected by licensed collector?		Not required
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	/	Not required
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?		No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		Not required
	a) SP Licence conditions / monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?		
	c) If odour control system is installed, is it operating normally?		
3.3	Dusty materials dampened prior to loading/unloading?		No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?		Not required
	a) Monitoring frequency met the licence requirement?		
	b) Any exceedance?		
	c) If exceedance is recorded, follow-up action taken?	✓ <u> </u>	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		Manual dismantling without dust generation observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		Operation of the automatic recycling system was suspended
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?		Not required
3.11	Air pollution control system properly maintained and function normally?		Under inspection due to fire accident
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	/	
	a) Obtained approval for the use of controlled refrigerant?		
	b) If yes, record of refrigeration equipment service available?		_
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14	Public road around site entrance kept clean and free from dust?		




3.15 Materials transported on trucks covered?		Not Observed
3.16 Truck loads to a level within the side and tail boards?	✓ _	Not Observed
3.17 Stockpiles of dusty materials covered or regularly watered?	✓ <u> </u>	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion Vel	hicle/equipment moven	nent
Loading/unloading of materials	ners: n/a	
4. Waste / Chemical Management		
<u>General</u>	N/A Yes No	Remarks
4.1 Registered as chemical waste producer?]
4.2 Sufficient receptacles (e.g. rubbish bins) available?		
4.3 Disposed of regularly and properly?		
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?		
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓	In machinery testing stage
4.6 Collection of sludge by licensed collector at regular intervals?	✓ <u> </u>	Not required
Packaging of Chemical Waste		
4.7 Stored in suitable container?	✓ <u> </u>	No chemical waste is observed
4.8 Container properly closed or sealed?	<u> </u>	
4.9 Spillage cleaned up immediately through the use of absorbent?	✓	
4.10 Obtained approval for the use of chemical waste container >450L?		
Labelling of Chemical Waste		
4.11 Provision of chemical waste label?		
a) Label is securely attached and visible?	/] <u></u>
b) Label is bilingual and in proper dimension?	√]
c) Information is accurate and sufficient?	/	
Storage of Chemical Waste		
4.12 Proper "Chemical Waste" sign displayed?	/	
4.13 Incompatible wastes separated by impermeable partition?	✓	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?]
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	V]
4.16 Properly stored and locked in designated area with adequate ventilation?	✓	
4.17 Storage area paved with concrete and kept clean and dry?	/	
4.18 Cover provided for outdoor storage area?		l
4.19 Chemical waste collected by licensed collector?		
Liquid Waste Storage		
4.20 Storage area provided with permeation-proof floor or surface?	✓	l

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure s 20% volume of the material in s	ufficient to accommodate contents of the torage?	ne largest container or	✓		
4.22	Walls or partitions of stacked co	ontainer storage area constructed of imp	permeable material?	✓		
5. La	andfill Gas (LFG) (within LFG	Consultation Zone)		N/A Ye	s No	Remarks Outside LFG consultation
5.1	Alert workers and visitors of po	ssible LFG hazards?		✓		zone
5.2	Smoking and open fires prohibit	ted?				
6. Ot	thers			N/A Ye	s No	Remarks
6.1	Works confined within lot boun	daries?		✓		
6.2	Damage to surrounding areas av	roided?		✓		
6.3	Site lighting designed to avoid g	glare to surrounding receivers?		✓		
6.4	Materials and machinery stored	in an orderly manner?				
6.5	Areas within lot for recycling ac	tivities paved with concrete?				
6.6	Potential stagnant pools cleared	and mosquito breeding prevented?				
6.7	Valid calibration certificate for	any monitoring equipment?		√		Not required
6.8	Valid licence(s) obtained for ma	nufacture or storage of dangerous good	ds?	✓		Not required
	a) Storage area in compliance w	ith the approved plan?		✓		
	b) Storage area is securely locked	ed?		✓		
	c) Total storage capacity in com	pliance with relevant statutory requirer	nent?	✓		
	d) Proper labelling provided?			✓		
	e) Dangerous goods properly pa	ckaged?		✓		
Rem	arks:					
New	<u>Observations</u>					
•	No major environmental deficie	ncy was observed.				
	atures:					
ET R	depresentative:	Operator Representative:	Tenant Representativ	e:	IEC Rep	presentative:
_	(A)	July	-			My
Name	: Ronan CHAN	Name: May Wu	Name: TONY TSA	41	Name: (DULCIE CHAN
Date:	2017/04/20	Date: 1 1 MAY 2017	Date: 12 May 20	77	Date:	9/5/17



	Inspection Date: 2017/05/24 Time: 12:40 Lot Number: EP11-01(5) Tenant: E.Tech	Inspected by:		HO, Ronan CHAN, TSANG
Wea	<u>ther</u>			
	Condition: Sunny Fine Overcast Drizzle Temperature: 25 ℃ Humidity: ✓ High Wind: Calm ✓ Light Breeze Strong * Amber rainstorm warning signals was hoisted accordingly within the inspection period.	Rain Moderate	✓	Storm* Hazy Low
1. G	eneral eneral	N/A Yes	No	Remarks
	Environmental Permit (EP) for Tenant displayed at entrances/exits?			EP for tenant is not required. UPML's Environmental
	Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date?	✓ <u> </u>		Policy is followed UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented? (a) Drill or training records available?	✓ <u> </u>		UPML's ERP is followed Subject to tenant's provision
	All recycling processes in operation have been approved by WFBU? Any record of complaint or prosecution?			Subject to chain's provision
	ater Quality	N/A Yes	No	Remarks
	Valid Effluent Discharge Licence available?	✓		No wastewater is generated from recycling process
	a) Sampling record available?	V		
	b) Monitoring frequency met the licence requirement?	✓		
	c) Monitoring result comply with the licence requirement?	√		
	d) If exceedance is recorded, any follow-up action taken?	✓		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	V		
	a) Adequate capacity?	✓		
	b) Properly maintained and function normally?	√		
2.3	Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?			
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?	✓		
2.9	Processes or activities with high risk of contamination located under covered area?			Character 222 C
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	V		Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	Y	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	/	No oily wastewater is generated from recycling.
	a) Oil and grease removed regularly?	/	Not required
	b) Collected by licensed collector?	/	Not required
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	/	Not required
2.15	Bulk cargo and materials packed properly?	/	
2.16	Temporary stockpiles covered during rainstorms?	/	No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	/	No sand/silt is generated from the recycling process
3. Ai	ir Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	/	Not required
	a) SP Licence conditions / monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?	✓	
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?	/	
	c) If odour control system is installed, is it operating normally?	/	
3.3	Dusty materials dampened prior to loading/unloading?	/	No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	/	Not required
	a) Monitoring frequency met the licence requirement?	/]
	b) Any exceedance?	/]
	c) If exceedance is recorded, follow-up action taken?	/	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		Manual dismantling without dust generation observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	V	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	V	Not required
3.11	Air pollution control system properly maintained and function normally?	✓	
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	V	
	a) Obtained approval for the use of controlled refrigerant?	/	
	b) If yes, record of refrigeration equipment service available?	/]
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	/	
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?		Not Observed
3.16 Truck loads to a level within the side and tail boards?	✓ _	Not Observed
3.17 Stockpiles of dusty materials covered or regularly watered?	✓ <u> </u>	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion Vel	hicle/equipment moven	nent
Loading/unloading of materials	ners: n/a	
4. Waste / Chemical Management		
<u>General</u>	N/A Yes No	Remarks
4.1 Registered as chemical waste producer?]
4.2 Sufficient receptacles (e.g. rubbish bins) available?		
4.3 Disposed of regularly and properly?		
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?		
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓	In machinery testing stage
4.6 Collection of sludge by licensed collector at regular intervals?	✓ <u> </u>	Not required
Packaging of Chemical Waste		
4.7 Stored in suitable container?	✓ <u> </u>	No chemical waste is observed
4.8 Container properly closed or sealed?	<u> </u>	
4.9 Spillage cleaned up immediately through the use of absorbent?	✓	
4.10 Obtained approval for the use of chemical waste container >450L?		
Labelling of Chemical Waste		
4.11 Provision of chemical waste label?		
a) Label is securely attached and visible?	/]
b) Label is bilingual and in proper dimension?	√]
c) Information is accurate and sufficient?	/	
Storage of Chemical Waste		
4.12 Proper "Chemical Waste" sign displayed?	/	
4.13 Incompatible wastes separated by impermeable partition?	✓	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?]
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	V]
4.16 Properly stored and locked in designated area with adequate ventilation?	✓	
4.17 Storage area paved with concrete and kept clean and dry?	/	
4.18 Cover provided for outdoor storage area?		l
4.19 Chemical waste collected by licensed collector?		
Liquid Waste Storage		
4.20 Storage area provided with permeation-proof floor or surface?	√	l

SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage?	or 🗸 📗
4.22 Walls or partitions of stacked container storage area constructed of impermeable material?	
5. Landfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Remarks
5.1 Alert workers and visitors of possible LFG hazards?	Outside LFG consultation zone
5.2 Smoking and open fires prohibited?	
6. Others	N/A Yes No Remarks
6.1 Works confined within lot boundaries?	
6.2 Damage to surrounding areas avoided?	
6.3 Site lighting designed to avoid glare to surrounding receivers?	
6.4 Materials and machinery stored in an orderly manner?	
6.5 Areas within lot for recycling activities paved with concrete?	
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	
6.7 Valid calibration certificate for any monitoring equipment?	Not required
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	Not required
a) Storage area in compliance with the approved plan?	
b) Storage area is securely locked?	
c) Total storage capacity in compliance with relevant statutory requirement?	
d) Proper labelling provided?	
e) Dangerous goods properly packaged?	
Remarks:	
New Observations	
No major environmental deficiency was observed.	
Signatures:	TEG P
ET Representative: Operator Representative: Tenant Repres	entative: IEC Representative:
85 F. S.	De Char

Name: Taurus Kwan

2017/05/24


Name: T. K. HO

Date: 2017/05/24

May Wu

Date: 13 JUN 2017


Name



	Inspection Date: 2017/06/19 Time: 12:00 Lot Number: EP11-01(5) Tenant: E.Tech	Inspected by:	T. K. HO, Ronan CHAN, David TSANG
Wea	Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 26 ℃ Humidity: ✓ High Wind: ✓ Calm Light Breeze Strong	Rain Moderate	Storm Hazy Low
1. G	<u>eneral</u>	N/A Yes	No Remarks
1.1 1.2 1.3	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date?		EP for tenant is not required. UPML's Environmental Policy is followed UPML's EMP is followed
	Emergency Response Plan (ERP) documented? (a) Drill or training records available? All recycling processes in operation have been approved by WFBU?		UPML's ERP is followed Subject to tenant's provision
1.6	Any record of complaint or prosecution?		✓
2.1 2.2 2.3 2.4 2.5	Valid Effluent Discharge Licence available? a) Sampling record available? b) Monitoring frequency met the licence requirement? c) Monitoring result comply with the licence requirement? d) If exceedance is recorded, any follow-up action taken? Provision of wastewater treatment facility (WTF) prior to discharge? a) Adequate capacity? b) Properly maintained and function normally? Surface run-off control measures in place and adequately maintained? Surface run-off discharging into drainage system? All manholes covered? Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	N/A Yes V	No Remarks No wastewater is generated from recycling process
	Storage of materials and equipment located away from water bodies? Drainage system well maintained to prevent flooding or overflow? Processes or activities with high risk of contamination located under covered area? Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?		Stop-logs are available for use by tenant if needed. Replacement activity is not
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?		observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	Y	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	/	No oily wastewater is generated from recycling.
	a) Oil and grease removed regularly?	/	Not required
	b) Collected by licensed collector?	/	Not required
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	/	Not required
2.15	Bulk cargo and materials packed properly?	/	
2.16	Temporary stockpiles covered during rainstorms?	/	No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	/	No sand/silt is generated from the recycling process
3. Ai	ir Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	/	Not required
	a) SP Licence conditions / monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?	✓	
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?	/	
	c) If odour control system is installed, is it operating normally?	/	
3.3	Dusty materials dampened prior to loading/unloading?	/	No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	/	Not required
	a) Monitoring frequency met the licence requirement?	/]
	b) Any exceedance?	/]
	c) If exceedance is recorded, follow-up action taken?	/	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		Manual dismantling without dust generation observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	V	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	V	Not required
3.11	Air pollution control system properly maintained and function normally?	✓	
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	V	
	a) Obtained approval for the use of controlled refrigerant?	/	
	b) If yes, record of refrigeration equipment service available?	/]
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	/	
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?		Not Observed			
3.16 Truck loads to a level within the side and tail boards?	✓ □	Not Observed			
3.17 Stockpiles of dusty materials covered or regularly watered?	✓ <u> </u>	No stockpile of dusty material is observed			
3.18 Major dust source(s): Wind erosion Vel	hicle/equipment moven	nent			
Loading/unloading of materials	ners: n/a				
4. Waste / Chemical Management					
<u>General</u>	N/A Yes No	Remarks			
4.1 Registered as chemical waste producer?]			
4.2 Sufficient receptacles (e.g. rubbish bins) available?					
4.3 Disposed of regularly and properly?					
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?					
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ <u> </u>	In machinery testing stage			
4.6 Collection of sludge by licensed collector at regular intervals?	✓ <u> </u>	Not required			
Packaging of Chemical Waste					
4.7 Stored in suitable container?	✓	No chemical waste is observed			
4.8 Container properly closed or sealed?	<u> </u>				
4.9 Spillage cleaned up immediately through the use of absorbent?	✓				
4.10 Obtained approval for the use of chemical waste container >450L?					
Labelling of Chemical Waste					
4.11 Provision of chemical waste label?					
a) Label is securely attached and visible?	/]			
b) Label is bilingual and in proper dimension?	√]			
c) Information is accurate and sufficient?	/				
Storage of Chemical Waste					
4.12 Proper "Chemical Waste" sign displayed?	/				
4.13 Incompatible wastes separated by impermeable partition?	✓				
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?]			
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	V]			
4.16 Properly stored and locked in designated area with adequate ventilation?	✓				
4.17 Storage area paved with concrete and kept clean and dry?	/				
4.18 Cover provided for outdoor storage area?		l			
4.19 Chemical waste collected by licensed collector?					
Liquid Waste Storage					
4.20 Storage area provided with permeation-proof floor or surface?	√	l			

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure 20% volume of the material in	✓				
4.22	Walls or partitions of stacked c	ontainer storage area constructed of in	V			
	ndfill Gas (LFG) (within LFG	·		N/A Yes	No	Remarks Outside LFG consultation
	Alert workers and visitors of po					zone
5.2	Smoking and open fires prohibi	ited?				
<u>6. Ot</u>	<u>hers</u>			N/A Yes	No	Remarks
6.1	Works confined within lot bour	ndaries?		✓		
6.2	Damage to surrounding areas a	voided?		✓		
6.3	Site lighting designed to avoid	glare to surrounding receivers?		√		
6.4	Materials and machinery stored	in an orderly manner?		✓		
6.5	Areas within lot for recycling a	ctivities paved with concrete?		✓		
6.6	Potential stagnant pools cleared	and mosquito breeding prevented?		✓		
6.7	Valid calibration certificate for	any monitoring equipment?		√		Not required
6.8	Valid licence(s) obtained for m	anufacture or storage of dangerous go	ods?	/		Not required
	a) Storage area in compliance v	vith the approved plan?		✓		
	b) Storage area is securely lock	ed?				
	c) Total storage capacity in con	apliance with relevant statutory require	ement?			
	d) Proper labelling provided?					
	e) Dangerous goods properly pa	ackaged?				
Rem	arks:					
New	<u>Observations</u>					
•	No major environmental deficie	ency was observed.				
Signa	atures:					
ET R	epresentative:	Operator Representative:	Tenant Representation	ve: I	EC Rep	presentative:
	85ES	M	le	1		
Name	T. K. HO	Name: May Wu	Name: TONY	7621	Name:	


Date:

Date: 27-6-2017


Date:

May Wu 2 6 JUN 2017


Date: 2017/06/19




Issue 1_____AEC



	Inspection Date: 2017/05/24 Time: 10:40 Lot Number: EP06-34 Tenant: China Commercial Logic	Inspected by:	T. K. HO, Ronan CHAN, David TSANG
Wea	<u>ther</u>		
	Condition: Sunny Fine Overcast Drizzle	Rain	✓ Storm* Hazy
	Temperature: 25 ℃ Humidity: ✓ High	Moderate	Low
	Wind: Calm ✓ Light Breeze Strong		
	* Red rainstorm warning signals was hoisted accordingly within the inspection period.		
1. G	<u>eneral</u>	N/A Yes	No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓	EP for tenant is not required UPML's Environmental
1.2	Environmental Policy documented?	✓	Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓	UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓	UPML's ERP is followed
	(a) Drill or training records available?	✓	Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?		
1.6	Any record of complaint or prosecution?		✓
2. W	ater Quality	N/A Yes	No Remarks No wastewater is generated
2.1	Valid Effluent Discharge Licence available?	✓	from the recycling process
	a) Sampling record available?	✓	
	b) Monitoring frequency met the licence requirement?	✓	
	c) Monitoring result comply with the licence requirement?	✓	
	d) If exceedance is recorded, any follow-up action taken?	✓	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓	
	a) Adequate capacity?	✓	
	b) Properly maintained and function normally?	\checkmark	
2.3	Surface run-off control measures in place and adequately maintained?		
2.4	Surface run-off discharging into drainage system?	✓	
2.5	All manholes covered?		
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		
2.7	Storage of materials and equipment located away from water bodies?		
2.8	Drainage system well maintained to prevent flooding or overflow?		
2.9	Processes or activities with high risk of contamination located under covered area?	✓	Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓	Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	V	Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ <u> </u>	Not required
	a) Oil and grease removed regularly?	✓	l
	b) Collected by licensed collector?	✓	l
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓	Not required
2.15	Bulk cargo and materials packed properly?		l
2.16	Temporary stockpiles covered during rainstorms?	✓	No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓	Not required
	a) SP Licence conditions / monitoring requirements comply?	/	<u> </u>
3.2	Operate without generation of noticeable odour?		l
	a) If odour is detected, can the source be identified?		<u> </u>
	b) Odourous materials covered?	✓	l
	c) If odour control system is installed, is it operating normally?	✓	
3.3	Dusty materials dampened prior to loading/unloading?	✓	No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	✓	Not required
	a) Monitoring frequency met the licence requirement?	✓	l
	b) Any exceedance?	✓ <u> </u>	l
	c) If exceedance is recorded, follow-up action taken?	✓	<u> </u>
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		Via enclosure
3.6	Open burning prohibited?		l
3.7	Emission from chimney or powered plant free of black smoke?		l
3.8	Vehicles and equipment switched off while not in use?		l
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓	Not required
3.11	Air pollution control system properly maintained and function normally?		l
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	V	
	a) Obtained approval for the use of controlled refrigerant?	/	l
	b) If yes, record of refrigeration equipment service available?	/	l
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	/	l
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion Vel	hicle/equipment movement
Loading/unloading of materials	ners: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ In machinery testing stage
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	✓ □ □ □
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
<u>Liquid Waste Storage</u>	
4.20 Storage area provided with permeation-proof floor or surface?	

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	
5. La	ndfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Remarks
5.1	Alert workers and visitors of possible LFG hazards?	
5.2	Smoking and open fires prohibited?	
<u>6. Ot</u>	hers_	N/A Yes No Remarks
6.1	Works confined within lot boundaries?	
6.2	Damage to surrounding areas avoided?	
6.3	Site lighting designed to avoid glare to surrounding receivers?	
6.4	Materials and machinery stored in an orderly manner?	
6.5	Areas within lot for recycling activities paved with concrete?	
6.6	Potential stagnant pools cleared and mosquito breeding prevented?	
6.7	Valid calibration certificate for any monitoring equipment?	No monitoring is required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	Not required
	a) Storage area in compliance with the approved plan?	
	b) Storage area is securely locked?	
	c) Total storage capacity in compliance with relevant statutory requirement?	
	d) Proper labelling provided?	
	e) Dangerous goods properly packaged?	✓ <u> </u>

Remarks:

New Observations

· No major environmental deficiency was observed.

Signatures:

ET Representative:

Name: T. K. HO

Date: 2017/05/24

Operator Representative:

Name: May Wu

Date: 2 6 JUN 2017

Tenant Representative:


Name: Irene Yau

Date: 29.06.2017


IEC Representative:

Name: Taurus Kwan


Date: 2017/05/24



	Inspection Date: 2017/06/19 Time: 10:00 Lot Number: EP06-34 Tenant: China Commercial Logis	Inspected by:		HO, Ronan CHAN, TSANG
		-		
Wea	<u>ther</u>			
	Condition: Sunny Fine V Overcast Drizzle	Rain		Storm Hazy
	Temperature: 26 ℃ Humidity: ✓ High	Moderate		Low
	Wind: Calm Light Breeze Strong * Red rainstorm warning signals was hoisted accordingly within the inspection period.			
1. Ge	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓		EP for tenant is not required UPML's Environmental
1.2	Environmental Policy documented?	✓		Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	√		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	√		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?	✓		
1.6	Any record of complaint or prosecution?		✓	
2. W	ater Quality	N/A Yes	No	Remarks
2.1	Valid Effluent Discharge Licence available?	✓		No wastewater is generated from the recycling process
	a) Sampling record available?	✓		
	b) Monitoring frequency met the licence requirement?	✓		
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	✓		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	V		
	a) Adequate capacity?	V		
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?	✓		
2.5	All manholes covered?			
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?	✓		
2.8	Drainage system well maintained to prevent flooding or overflow?			
2.9	Processes or activities with high risk of contamination located under covered area?			Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?			Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	/	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	/	Not required
	a) Oil and grease removed regularly?	/	
	b) Collected by licensed collector?	/	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓	Not required
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?		No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓ <u> </u>	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		Not required
	a) SP Licence conditions / monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?		[<u> </u>
	b) Odourous materials covered?		[<u> </u>
	c) If odour control system is installed, is it operating normally?		
3.3	Dusty materials dampened prior to loading/unloading?		No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?		Not required
	a) Monitoring frequency met the licence requirement?		
	b) Any exceedance?		
	c) If exceedance is recorded, follow-up action taken?		
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		Via enclosure
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	/	Not required
3.11	Air pollution control system properly maintained and function normally?		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	V	
	a) Obtained approval for the use of controlled refrigerant?		
	b) If yes, record of refrigeration equipment service available?		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
Loading/unloading of materials	Others: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks No chemical waste is
4.1 Registered as chemical waste producer?	observed observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ In machinery testing stage
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided w drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	vith 🗸 📗
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	<u> </u>
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	<u> </u>
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	✓

SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest container or	
20% volume of the material in storage?4.22 Walls or partitions of stacked container storage area constructed of impermeable material?	
5. Landfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Remarks
5.1 Alert workers and visitors of possible LFG hazards?	
5.2 Smoking and open fires prohibited?	
6. Others	N/A Yes No Remarks
6.1 Works confined within lot boundaries?	
6.2 Damage to surrounding areas avoided?	
6.3 Site lighting designed to avoid glare to surrounding receivers?	
6.4 Materials and machinery stored in an orderly manner?	
6.5 Areas within lot for recycling activities paved with concrete?	
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	
6.7 Valid calibration certificate for any monitoring equipment?	No monitoring is required
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓ Not required
a) Storage area in compliance with the approved plan?	
b) Storage area is securely locked?	
c) Total storage capacity in compliance with relevant statutory requirement?	
d) Proper labelling provided?	
e) Dangerous goods properly packaged?	
Remarks:	
New Observations	
No major environmental deficiency was observed.	
Signatures:	
ET Representative: Operator Representative: Tenant Representative	tive: IEC Representative:
85ES No fene	

Name: Irene Yau

Date: 29.06.2017

Name:

Date:


Date:

Name: T. K. HO

Date: 2017/06/19

May Wu

2 6 JUN 2017



Issue 1_____AEC

SITE INSPECTION CHECKLIST



Inspection Date: Lot Number:	2017/04/20 n/a	Time: Tenant:	09:30 - 13:00 n/a	Inspected by:	Ronan CHAN, I	David TSANG
Weather Condition: Temperature: Wind:		Fine ✓	Overcast Drizzle Humidity: High Breeze Strong	Rain Moderate	Storm	Hazy

Follow-up from Previous Audits

SSK

1) While the construction work is temporarily suspended as advised by the operator, the tenant was reminded to provide hoarding along the site boundary before resuming the construction work.



(Observed on 17 Febuary 2017)



(Observed on 20 April 2017)

New Observation

Cheong Hing

· No major environmental deficiency was observed.

On Fat Lung

· No major environmental deficiency was observed.

SSK

· No major environmental deficiency was observed.

WEEE Treatment and Recycling Facilities (WEEETRF)

· No major environmental deficiency was observed.

Other Areas

· No major environmental deficiency was observed.

SITE INSPECTION CHECKLIST



Signatures:

ET Representative:

Operator Representative:

Name

Date:

May Wu

11 MAY 2017

Tenant Representative: IEC Representative:

Name:

Name: Ronan CHAN

Date: 2017/04/20

Name:

Date:

Date:

Page 2 of 2



SITE INSPECTION CHECKLIST		AEC
Inspection Date: 2017/05/24 Time: 1 Lot Number: n/a Tenant:	0:30 - 13:30 Inspected by:	T. K. HO, Ronan CHAN, David TSANG
Weather		
Condition: Sunny Fine Overce Temperature: 25 ℃ Hum Wind: Calm ✓ Light Breeze * Red, black, and amber rainstorm warning signals were hoisted according.	idity: High Moderate Strong	Storm* Hazy Low
Follow-up from Previous Audits		
While the construction work is temporarily suspended as advised by the site boundary before resuming the construction work. (Observed on 17 Febuary 2017)	(Observed on 24 May 2017)	evide hoarding along
New Observation		
Cheong HingNo major environmental deficiency was observed.		
On Fat Lung No major environmental deficiency was observed.		

No major environmental deficiency was observed.

WEEE Treatment and Recycling Facilities (WEEETRF)

No major environmental deficiency was observed.

Other Areas

No major environmental deficiency was observed.

Signatures:

ET Representative:

Name: T. K. HO Date: 2017/05/24 Operator Representative:

May Wu Name

13 JUN 2017

Tenant Representative:

Name:

Date:

IEC Representative:

Name: Taurus Kwan

Date: 2017/05/24

SITE INSPECTION CHECKLIST



Weather Condition: Sunny Fine ✓ Overcast Drizzle Rain Storm Hazy Temperature: 26 ℃ Humidity: ✓ High Moderate Low Wind: ✓ Calm Light Breeze Strong	Inspection Date: Lot Number:	2017/06/19 n/a	Time: 09:30 - 12:45 Tenant: n/a	Inspected by:	T. K. HO, Ronan CHAN, David TSANG
	Temperature:		Humidity: High	Moderate	

Follow-up from Previous Audits

SSK

1) While the construction work is temporarily suspended as advised by the operator, the tenant was reminded to provide hoarding along the site boundary before resuming the construction work.



(Observed on 17 Febuary 2017)



(Observed on 19 June 2017)

New Observation

Cheong Hing

· No major environmental deficiency was observed.

On Fat Lung

· No major environmental deficiency was observed.

SSK

· No major environmental deficiency was observed.

WEEE Treatment and Recycling Facilities (WEEETRF)

· No major environmental deficiency was observed.

Other Areas

· No major environmental deficiency was observed.

Signatures:

ET Representative:

85F5

Name: T. K. HO

Date: 2017/06/19

Operator Representative:

Name: May Wu
Date: 2 6 JUN 2017

Tenant Representative:

Name:

Date:

Name:

IEC Representative:

Date: