

Issue No. : Issue 1
Issue Date : October 2017
Project No. : 1260

ECOPARK OPERATION

QUARTERLY ENVIRONMENTAL MONITORING & AUDIT REPORT (JULY – SEPTEMBER 2017)

Prepared By:

ALLIED ENVIRONMENTAL CONSULTANTS LTD.

COMMERCIAL-IN-CONFIDENCE

Allied Environmental Consultants Limited
Acousticians & Environmental Engineers

19/F., Kwan Chart Tower, 6 Tonnochy Road, Wan Chai, Hong Kong
Tel: (852) 2815 7028 Fax: (852) 2815 5399 Email: info@aechk.com



Issue No. : Issue 1
Issue Date : October 2017
Project No. : 1260

ECOPARK OPERATION

QUARTERLY ENVIRONMENTAL MONITORING & AUDIT REPORT (JULY – SEPTEMBER 2017)

Prepared By:

ALLIED ENVIRONMENTAL CONSULTANTS LTD.

COMMERCIAL-IN-CONFIDENCE

Certified by:




Grace. M. H. KWOK
Environmental Team Leader

Verified by:



Eric M. K. CHING
Independent Environmental Checker

Approved by:



Steven H. L. WONG
Ag. Principal Env. Protection Officer
Environmental Protection Department

Issue No. : Issue 1
Issue Date : October 2017
Project No. : 1260

ECOPARK OPERATION

QUARTERLY ENVIRONMENTAL MONITORING & AUDIT REPORT (JULY – SEPTEMBER 2017)


Prepared By:

ALLIED ENVIRONMENTAL CONSULTANTS LTD.

COMMERCIAL-IN-CONFIDENCE

Author: Various

Checked: 
HO Tin Kit
BEng(Hons)

Approved: 
Grace M. H. KWOK
BEng(Hons) FFHKIQEP MHKIEIA
MIAIA MRAPA MISWA MHKIOA
MAEE LEED AP BEAMPro CAP
GB Faculty

This report has been prepared by Allied Environmental Consultants Limited with all reasonable skill, care and diligence within the terms of the Agreement with the client, incorporating our General Terms and Conditions of Business and taking account of the resources devoted to it by agreement with the client.

We disclaim any responsibility to the client and others in respect of any matters outside the scope of the above.

This report is confidential to the client and we accept no responsibility of whatsoever nature to third parties to whom this report, or any part thereof, is made known. Any such party relies upon the report at their own risk.

TABLE OF CONTENTS

LIST OF TABLES	ii
LIST OF FIGURES	iii
LIST OF APPENDICES	iii
EXECUTIVE SUMMARY	1
1 PROJECT BACKGROUND	4
1.1 Project Overview	4
1.2 Operation Programme	4
1.3 Project Organization and Contact Personnel	5
2 SUMMARY OF EM&A REQUIREMENT	8
2.1 Monitoring Parameters	8
2.2 Environmental Quality Performance Limits and EAP	8
2.3 Environmental Audit of Non-Monitored Parameters	9
2.4 Environmental Mitigation Measures	9
2.5 Environmental Requirements in Tenancy Agreements	9
3 OPERATION STATUS	11
3.1 General	11
3.2 Champway Technology Limited	11
3.3 Shiu Wing Steel Limited	11
3.4 China Commercial Logistics Company Ltd.	11
3.5 Li Tong Group	12
3.6 Hong Kong Telford Envirotech Group Limited	12
3.7 WEEE Refurbishment at Lot P5	12
3.8 Chung Yue Steel Group Company Limited	12
3.9 K.Wah Construction Products Ltd.	13
3.10 South China Reborn Resources (Zhongshan) Company Ltd.	13
3.11 Throughput Statistics	13
3.12 Process Review	14
4 IMPLEMENTATION STATUS OF ENVIRONMENTAL PROTECTION MEASURES	16
5 MONITORING RESULTS	17
5.1 Monitoring Date, Time, Frequency and Duration	17
5.2 Monitoring Methodology, Parameters and Equipment	17
5.3 Results and Graphical Plots of Monitoring Parameters	18
6 SUMMARY OF ENVIRONMENTAL AUDIT	21

6.1	<i>General</i>	21
6.2	<i>Champway Technology Limited</i>	21
6.3	<i>Shiu Wing Steel Limited</i>	22
6.4	<i>China Commercial Logistics Company Limited</i>	22
6.5	<i>Li Tong Group</i>	23
6.6	<i>Hong Kong Telford Envirotech Group Limited</i>	23
6.7	<i>WEEE Refurbishment at Lot P5</i>	23
6.8	<i>Chung Yue Steel Group Company Limited</i>	24
6.9	<i>K.Wah Construction Products Limited</i>	24
6.10	<i>South China Reborn Resources (Zhongshan) Company Limited.</i>	25
6.11	<i>E.Tech Management (HK) Limited.</i>	26
6.12	<i>General Condition of EcoPark</i>	26
7	ENVIRONMENTAL COMPLAINTS, NOTIFICATION OF SUMMONS AND SUCCESSFUL PROSECUTION	27
7.1	<i>Follow-up on Previous Environmental Complaint</i>	27
7.2	<i>New Environmental Complaint in the Reporting Period</i>	27
8	CONCLUSIONS	28

LIST OF TABLES

Table 1.1	EM&A Personnel Contact Details
Table 2.1	Operation Phase LFG Monitoring Locations in EcoPark
Table 2.2	Action Levels, Limit Levels and Event and Action Plan for LFG
Table 3.1	Throughput Statistics for the Reporting Quarter
Table 5.1	Sampling Schedule for the Quarterly LFG Monitoring
Table 5.2	Parameters and Measurement Ranges for LFG Monitoring
Table 5.3	Quarterly LFG Monitoring Results in the Reporting Quarter
Table 6.1	Environmental Audit Findings for Champway
Table 6.2	Environmental Audit Findings for Shiu Wing
Table 6.3	Environmental Audit Findings for China Commercial Logistics
Table 6.4	Environmental Audit Findings for Li Tong
Table 6.5	Environmental Audit Findings for Telford
Table 6.6	Environmental Audit Findings for WEEE Refurbishment at Lot P5
Table 6.7	Environmental Audit Findings for Chung Yue
Table 6.8	Environmental Audit Findings for K.Wah
Table 6.9	Environmental Audit Findings for South China
Table 6.10	Environmental Audit Findings for E.Tech
Table 6.11	General EcoPark Audit Findings
Table 8.1	Throughput Statistics for the Reporting Quarter

LIST OF FIGURES

Figure 1-1	Location of EcoPark in Tuen Mun Area 38
Figure 1-2	Organisation Chart of UPML
Figure 1-3	Organisation Chart of EM&A Works (Operation)
Figure 2-1	LFG Monitoring Locations within EcoPark
Figure 3-1	Current Lot Usage within EcoPark
Figure 5-1	Cleaning of Underground

LIST OF APPENDICES

Appendix 1	Environmental Mitigation Measures (from the Implementation Schedule)
Appendix 2	Environmental Requirements in Tenancy Agreements
Appendix 2.1	Environmental Requirements in Tenancy Agreements (Phase 1)
Appendix 2.2	Environmental Requirements in Tenancy Agreements (Phase 2)
Appendix 3	Material and Waste Throughputs
Appendix 3.1	Material and Waste Throughputs of the Reporting Quarter
Appendix 3.2	Updates of Previously-Reported Material and Waste Throughputs
Appendix 4	Calibration Certificate of Infrared Gas Analyser
Appendix 5	Laboratory Test Report and Graphical Plots of LFG Monitoring
Appendix 6	Tenant-Specific Audit Checklists for the Reporting Quarter
Appendix 6.1	Champway Technology Ltd
Appendix 6.2	Shiu Wing Steel Ltd
Appendix 6.3	China Commercial Logistics Company Ltd
Appendix 6.4	Li Tong Group
Appendix 6.5	Hong Kong Telford Envirotech Group Ltd
Appendix 6.6	WEEE Refurbishment at Lot P5
Appendix 6.7	Chung Yue Steel Group Co Ltd
Appendix 6.8	K.Wah Construction Products Ltd
Appendix 6.9	South China Reborn Resources (Zhongshan) Co Ltd
Appendix 6.10	E.Tech Management (HK) Ltd
Appendix 6.11	General EcoPark Checklists

EXECUTIVE SUMMARY

General

EcoPark is a key element in the Government's waste management policy that aims at promoting the local recycling industry by providing long-term land at affordable rents, thereby encouraging investment in advanced technology and value-added recycling processes. EcoPark is being developed in two phases at site in Tuen Mun Area 38 as shown in **Figure 1-1**. The contract for the management of EcoPark – Contract No. *EP/SP/71/13 Provision of Management Services for EcoPark 2014* was awarded to Urban Property Management Limited (UPML) by Environmental Protection Department (EPD) effective from 30th October 2014.

UPML, the "Operator" of EcoPark, have appointed Allied Environmental Consultants Ltd. (AEC) as the Environmental Team (ET) to carry out the Environmental Monitoring and Audit (EM&A) works for the operation of EcoPark as required by the EM&A Manual and in accordance with the conditions of the Environmental Permit (EP) (EP-226/2005/E).

This is the forty-second (42nd) quarterly EM&A report prepared for the operation phase of EcoPark and covers the quarter from July to September 2017. In the reporting quarter, there were fourteen tenants in EcoPark Phase 1 and Phase 2, where the tenancy of lot P1 by Cheong Hing was terminated on 22nd August 2017. The details of tenants are provided as below:

Phase 1 tenants comprise:

- Champway Technology Limited (Champway) – Waste cooking oil
- Shiu Wing Steel Limited (Shiu Wing) – Waste metals
- China Commercial Logistics Company Ltd (China Commercial Logistics) – Waste wood
- Li Tong Group (Li Tong) – Waste Electrical and Electronic Equipment (WEEE)
- Hong Kong Telford Envirotech Group Ltd (Telford) – Waste plastics

Phase 2 tenants comprise:

- WEEE Refurbishment at Lot P5 (WEEE Refurbishment) – WEEE
- K.Wah Construction Products Ltd (K.Wah) – Waste construction materials/waste glass
- E.Tech Management (HK) Ltd (E.Tech) – WEEE
- On Fat Lung Innovative Resources Ltd (On Fat Lung) – Waste rubber tyres
- Chung Yue Steel Group Company Ltd (Chung Yue) – Waste metals
- SSK Metal Ltd (SSK) – Waste lead-acid batteries
- South China Reborn Resources (Zhongshan) Co Ltd (South China) – Food waste
- Alba Integrated Waste Solutions (Hong Kong) Ltd (Alba IWS) – WEEE
- Cheong Hing Refinery Works Limited (Cheong Hing) – WEEE (Tenancy expired on 22nd August 2017)

Recycling activities of the following ten tenants were audited in the reporting quarter: Champway, Shiu Wing, China Commercial Logistics, Li Tong, Telford, WEEE Refurbishment, K.Wah, Chung Yue, South China and E.Tech. Lots under development by On Fat Lung, SSK, Cheong Hing and Alba IWS were inspected but not audited under the EM&A programme during the reporting quarter, as no recycling activities had commenced. Tenancy of Cheong Hing had expired on 22nd August 2017.

In this reporting quarter, site inspections were conducted by the Operator and the ET on 31st July, 28th August, and 18th September 2017. IEC also carried out random site audits on 31st July and 18th September 2017. A quarterly joint site inspection was carried out by the Operator, the IEC and the ET on 28th August 2017.

Throughput of Materials / Waste Generated

The throughputs of the nine active tenants in the reporting quarter are summarised below. Please note that product output plus waste disposal does not necessarily equal the waste input, due to material losses during processing and material retained within the lots.

Material Type	Waste Input (tonnes)	Product Output ⁽⁴⁾ (tonnes)	Waste Disposed ⁽⁴⁾ (tonnes)
Waste Organic Food	1,180	1,320	103
Waste Ferrous Metals	31,998	31,116	138
Waste Wood	63	102	-
Waste Electronics	296	337	4
Waste Plastics	111	317	-
Construction Waste	369	6,843	102
Waste Glass	148		

Notes:

- 1) The throughput data presented above is the best available data and has been rounded off to the nearest whole tonne for presentation.
- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.
- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.

Exceedances of Any Measured Action / Limit Levels

The northern part of EcoPark is located within the 250m Landfill Gas (LFG) Consultation Zone of Shiu Lang Shui Landfill. LFG monitoring during this quarter was undertaken on 18th September 2017 at five locations (three in Phase 1 and two in Phase 2). Exceedance of Limit Level was recorded at Stations EP2-2 in the reporting quarter and are summarised in the table below.

Station ID	Parameter	Recorded Level	Action Level	Limit Level	Status
EP2-2	Oxygen (% v/v)	18.6	< 19%	< 18%	Exceedance of Action Level
	Carbon Dioxide (% v/v)	0.9	> 0.5%	> 1.5%	Exceedance of Action Level

Ventilation enhancement was carried out in accordance with the Event Action Plan for LFG specified in Table 6.1 of the EM&A Manual to restore the concentrations of O₂ to non-exceedance

level. No apparent source of oxygen (O₂) depletion and carbon dioxide (CO₂) generation was identified inside the underground chamber during investigation. Although the cleaning of underground utilities had been conducted on 31st August 2017, the exceedance was believed to be triggered by the invasion of organic matter into underground utilities via heavy rain in September 2017 and the subsequent decomposition inside the underground utilities. There was no indication of the migration of LFG from Siu Lang Shui Landfill. As confirmed by the Operator, no underground work was being carried out within EcoPark. Based on the above findings, the exceedances of O₂ and CO₂ are not anticipated to impose any adverse impact on staffs/workers/environment in EcoPark. Nonetheless, the Operator continued to implement the cleaning programme of underground utilities for wet season, and the cleaning activity was carried out on 29th September 2017.

Summary of Complaints, Summons and Prosecutions

Number of complaints, summons and successful prosecutions in the reporting quarter are summarised below.

- **Complaints:** Zero.
- **Summons:** Zero.
- **Successful Prosecutions:** Zero.

Reporting Changes

There is no change in the reporting quarter.

Future Key Issues

No key issues are anticipated in the next reporting quarter.

1 PROJECT BACKGROUND

1.1 Project Overview

- 1.1.1 In the document "A Policy Framework for the Management of Municipal Solid Waste (2005 –2014)", the government set out a comprehensive policy to support the recycling industry. This included allocating suitable land, encouraging research and development, introducing environmental legislation and providing effective support measures. In May 2013, the Environment Bureau launched “Hong Kong Blueprint for Sustainable Use of Resources 2013 – 2022”, which promised continuing support for the recycling industry.
- 1.1.2 EcoPark was developed to support the local recycling industry by providing long-term land at affordable rents, thereby encouraging investment in advanced technology and value-added recycling processes.
- 1.1.3 EcoPark, as shown in **Figure 1-1**, has been developed in Tuen Mun Area 38 in two phases (Phase 1 and Phase 2) under Contract *EP/SP/52/06 Development of EcoPark in Tuen Mun Area 38*, which was awarded to Kaden Construction Ltd by the Environmental Protection Department (EPD) in June 2006. Phase 1 construction was completed in July 2009 and Phase 2 construction was completed in November 2010.
- 1.1.4 The contract for the management of EcoPark – Contract No. *EP/SP/71/13 Provision of Management Services for EcoPark 2014* was awarded to Urban Property Management Limited (UPML) by Environmental Protection Department (EPD) effective from 30th October 2014.
- 1.1.5 UPML, the “Operator” of EcoPark, has appointed Allied Environmental Consultants Ltd. (AEC) as the Environmental Team (ET) to carry out the Environmental Monitoring and Audit (EM&A) works for the operation of EcoPark as required by the EM&A Manual and in accordance with the conditions of the Environmental Permit (EP-226/2005/E). Mott MacDonald Hong Kong Limited (MottMac) has been appointed by the EPD as the Independent Environmental Checker (IEC) for the Project. The ET and the IEC carry out the EM&A works for EcoPark as required by the EM&A Manual and in accordance with the conditions of the Environmental Permit (EP).

1.2 Operation Programme

- 1.2.1 In the reporting period, there were a total of fourteen tenants in EcoPark:
- Nine active tenants (Champway, Shiu Wing, China Commercial Logistics, Li Tong, Telford, WEEE Refurbishment, Chung Yue, K.Wah, and South China) who have carried out full recycling operations;
 - Two tenants (E.Tech and On Fat Lung) carried out machinery testing or installation;
 - Waste Management Policy Group (WMPG) of EPD has taken possession of Lot Nos. P2, P3 and P4 and handed over to Alba IWS to carry out plant construction.
 - One tenant (SSK) who is carrying out plant design; and

- One tenant (Cheong Hing) whose tenancy was expired on 22nd August 2017.

1.3 Project Organization and Contact Personnel

1.3.1 Key personnel and contact particulars are summarised in *Table 1.1*.

Table 1.1 EM&A Personnel Contact Details

Position	Name	Email Address	Phone No.
<i>Project Proponent – EPD</i>			
Principal EPO	Mr. Andy S.W. CHAN	andychan@epd.gov.hk	2872 1720
<i>Operator – UPML</i>			
Project Manager	Ms. Raindy YIP	raindy.py.yip@urban.com.hk	2212 5900
Park Manager	Ms. May WU	may.sm.wu@urban.com.hk	2212 5920
<i>IEC – Mott MacDonald</i>			
IEC	Ir. Eric CHING	eric.ching@mottmac.com	2828 5757
<i>ET – AEC</i>			
ET Leader	Ms. Grace KWOK	gk@aechk.com	2815 7028

1.3.2 The organisational structure and lines of communication for the operation of EcoPark with respect to environmental management is given in *Figure 1-2* and *Figure 1-3* respectively.

Figure 1-1 Location of EcoPark in Tuen Mun Area 38



Site Boundary



Phase 1 Tenants



Phase 2 Tenants

Figure 1-2 Organisation Chart of UPML





Figure 1-3 Organisation Chart of EM&A Works (Operation)



2 SUMMARY OF EM&A REQUIREMENT

2.1 Monitoring Parameters

- 2.1.1 Landfill Gas (LFG) is required to be monitored quarterly at service voids and utility boxes within EcoPark because the northern part of EcoPark lies within the 250m LFG Consultation Zone for Siu Lang Shui Landfill, which is located to the north of EcoPark.
- 2.1.2 Operational LFG monitoring has been carried out in Phase 1 after completion of construction in July 2009, commencing in the August to October 2009 quarter. In Phase 2, monitoring has been carried out after completion of construction in November 2010, commencing in the November 2010 to January 2011 quarter.
- 2.1.3 The location for LFG monitoring was not specified in the EM&A Manual since the final design of EcoPark was not available when the EM&A Manual was approved. Therefore, during a joint site inspection on 27th July 2009, three monitoring locations were identified and agreed as suitable monitoring locations by the former ET (SMEC Asia Ltd.), IEC (Atkins China Ltd.) and the Operator (Serco Guardian Joint Venture). Subsequently, two more monitoring locations in Phase 2 were proposed by the former ET and agreed by the IEC and Operator via email in January 2011. These five monitoring locations are listed in *Table 2.1* and shown in *Figure 2-1*.

Table 2.1 Operation Phase LFG Monitoring Locations in EcoPark

Monitoring Station ID	Type	Locations
EP1-1	LFG vent pipe	Inside the landscaping area of Administration Building
EP1-2	Service void	PCCW below-ground chamber outside Lot EP08-01
EP1-3	Service void	HGC Broadband below-ground chamber outside Lot EP08-03
EP2-1	Service void	HGC Broadband below-ground chamber outside Lot P1
EP2-2	Service void	HGC Broadband below-ground chamber outside Lot P3

- 2.1.4 Routine LFG monitoring has been carried out on a quarterly basis. Should EPD alert the Operator that high LFG levels have been detected during monthly monitoring under the Siu Lang Shui Landfill restoration contract, the Operator may be required to increase LFG monitoring to monthly until such time as EPD inform the Operator that quarterly monitoring can be resumed. No detection of high LFG levels under Siu Lang Shui Landfill restoration contract was received from EPD in the reporting quarter.

2.2 Environmental Quality Performance Limits and EAP

- 2.2.1 The Action/Limit Levels and Event Action Plan (EAP) for LFG are shown in *Table 2.2* below. These refer to LFG detected in excavations, utilities and any enclosed on-site areas. No other A/L Levels or EAPs are specified in the EM&A Manual for the operation phase EM&A.

Table 2.2 Action Levels, Limit Levels and Event and Action Plan for LFG

Parameter	Level	Action
Oxygen (O ₂)	Action Level <19% O ₂	<ul style="list-style-type: none"> Ventilate trench/void to restore O₂ to >19%
	Limit Level <18% O ₂	<ul style="list-style-type: none"> Stop works Evacuate personnel/prohibit entry Increase ventilation to restore O₂ to >19%
Methane (CH ₄)	Action Level >10% LEL	<ul style="list-style-type: none"> Post "No Smoking" signs Prohibit hot works Increase ventilation to restore CH₄ to <10% LEL
	Limit Level >20% LEL	<ul style="list-style-type: none"> Stop works Evacuate personnel/prohibit entry Increase ventilation to restore CH₄ to <10% LEL
Carbon Dioxide (CO ₂)	Action Level >0.5% CO ₂	<ul style="list-style-type: none"> Ventilate to restore CO₂ to <0.5%
	Limit Level >1.5% CO ₂	<ul style="list-style-type: none"> Stop works Evacuate personnel/prohibit entry Increase ventilation to restore CO₂ to <0.5%

2.3 Environmental Audit of Non-Monitored Parameters

2.3.1 Site inspections provide a direct means to trigger and enforce the environmental protection and pollution control measures specified in the Environmental Impact Assessment (EIA) Report. To examine operational practice, site inspections are to be undertaken by the ET once per month. The monthly inspection shall join with the random site inspection by the IEC where possible. A joint inspection by ET and IEC will be carried out at least once per quarter. Ad hoc site inspections are also carried out if significant environmental problems are identified. In addition, inspections may be required subsequent to receipt of environmental complaint, or as part of the investigation work, as specified in the EAP.

2.3.2 The following parameters are required to be audited as part of the operation phase EM&A program:

- Air Quality
- Water Quality
- Waste Management
- Land Contamination


2.4 Environmental Mitigation Measures

2.4.1 Environmental mitigation measures applicable to the operation phase EM&A as stated in the Implementation Schedule are summarised in *Appendix 1*.

2.5 Environmental Requirements in Tenancy Agreements

2.5.1 Environmental requirements specified in tenancy agreements are provided in *Appendix 2*.

Figure 2-1 LFG Monitoring Locations within EcoPark



3 OPERATION STATUS

3.1 General

3.1.1 The location of lots within EcoPark, the tenancy numbers and tenant names are shown in *Figure 3-1*. A summary of waste throughputs is provided in *Section 3.11*. Brief descriptions of the active tenants are provided from *Sections 3.2 to 3.10*.

3.1.2 In the reporting quarter:

- E.Tech and On Fat Lung carried out machinery testing or installation;
- Tenancy of Cheong Hing expired on 22nd August 2017;
- Waste Management Policy Group (WMPG) of EPD has taken possession of Lot Nos. P2, P3 and P4 and handed over to Alba IWS to carry out plant construction; and
- SSK carried out plant design.

3.2 Champway Technology Limited

- **Tenancy No.:** EP07-03 (Phase 1)
- **Lot Size:** Approx. 6,000m²
- **Activity:** Recycling of Organic Waste (Waste Cooking Oil)
- **Recycling Process:** Turn waste cooking oil into biodiesel by extraction, neutralisation, separation and distillation.

3.2.1 In this reporting quarter, waste cooking oil was recycled. Also, the tenant adopted “tankered away” approach for handling of industrial effluent arising from biodiesel production instead of discharging into foul sewer.

3.3 Shiu Wing Steel Limited

- **Tenancy No.:** EP08-03 (Phase 1)
- **Lot Size:** Approx. 9,500m²
- **Activity:** Recycling of Waste Metals
- **Recycling Process:** Turn waste metals into light ferrous scrap and heavy ferrous scrap by sorting, baling and shearing.

3.3.1 In this reporting quarter, waste metal was recycled.

3.4 China Commercial Logistics Company Ltd.

- **Tenancy No.:** EP06-34 (Phase 1)
- **Lot Size:** Approx. 5,000m²
- **Activity:** Recycling of Waste Wood

- **Recycling Process:** Recycle waste wood to wood fuel pellets. Ferrous metals will be separated by magnets.

3.4.1 In this reporting quarter, waste wood has been recycled since operation commencement on 1 August 2017. During the transition period between May and July 2017, China Commercial Logistic conducted machinery testing and trail run.

3.5 Li Tong Group

- **Tenancy No. :** EP07-02 (Phase 1)
- **Lot Size:** Approx. 6,500m²
- **Activity:** Recycling of WEEE
- **Recycling Process:** Manually dismantling of WEEE into metals (ferrous materials, aluminium, etc.) and non-metals (fibres, plastics, etc.). Manually dismantling of Cathode Ray Tube (CRT) glass and Liquid Crystal Display (LCD) panels would be carried out upon request.

3.5.1 In this reporting quarter, WEEE was recycled.

3.6 Hong Kong Telford Envirotech Group Limited

- **Tenancy No. :** EP08-01 (Phase 1)
- **Lot Size:** Approx. 5,000m²
- **Activity:** Recycling of Waste Plastics
- **Recycling Process:** Sorting, shredding and baling of waste plastics

3.6.1 In this reporting quarter, waste plastic was recycled.

3.7 WEEE Refurbishment at Lot P5

- **Lot No.:** P5 (Phase 2)
- **Lot Size:** Approx. 5,000 m²
- **Activity:** Recycling of WEEE
- **Recycling Process:** WEEE will be sorted on site first. WEEE suitable for reuse will be repaired and refurbished, whilst those irreparable / not suitable for repair will be collected by local contractors designated by WMG.

3.7.1 In this reporting quarter, WEEE was recycled.

3.8 Chung Yue Steel Group Company Limited

- **Tenancy No.:** EP11-01(1) (Phase 2)
- **Lot Size:** Approx. 100,000 m²

- **Activity:** Recycling of Waste Metals
- **Recycling Process:** Turn waste metals into non-ferrous scrap, light ferrous scrap and heavy ferrous scrap by sorting, baling and shearing

3.8.1 In this reporting quarter, waste metal was recycled.

3.9 K.Wah Construction Products Ltd.

- **Tenancy No.:** EP11-01(3) (Phase 2)
- **Lot Size:** Approx. 10,000 m²
- **Activity:** Recycling of Waste Construction Materials/Waste Glass
- **Recycling Process:** Waste construction materials and waste glass will be crushed and delivered to the concrete mixing plant for blending and poured into block machine for casting. The blocks will then be cured, washed and packaged.

3.9.1 In this reporting quarter, waste construction materials and waste glasses were recycled.

3.10 South China Reborn Resources (Zhongshan) Company Ltd.

- **Tenancy No.:** EP12-01 (Phase 2)
- **Lot Size:** Approx. 9,000 m²
- **Activity:** Recycling of Organic Waste (Food Waste)
- **Recycling Process:** Food waste will be segregated. The recyclable portion will undergo deodorisation, dewatering, shredding, fermentation and drying to produce high protein animal feed for livestock farming and aquaculture.

3.10.1 In this reporting quarter, food waste was recycled. Also, the tenant adopted “tankered away” approach for handling of industrial effluent arising from the recycling of food waste instead of discharging into foul sewer.

3.11 Throughput Statistics

3.11.1 For the active recyclers, most of the incoming waste materials and outgoing products were delivered by land transportation, except for the metals from Chung Yue were delivered by both marine and land transportation.

3.11.2 The throughputs of the nine active tenants are summarised in *Table 3.1* below. Please note that product output plus waste disposal does not necessarily equal the waste input, due to material losses during processing and material retained within the lot.

Table 3.1 Throughput Statistics for the Reporting Quarter

Material Type	Waste Input (tonnes)	Product Output ⁽⁴⁾ (tonnes)	Waste Disposed ⁽⁴⁾ (tonnes)
Waste Organic Food	1,180	1,320	103
Waste Ferrous Metals	31,998	31,116	138

Material Type	Waste Input (tonnes)	Product Output ⁽⁴⁾ (tonnes)	Waste Disposed ⁽⁴⁾ (tonnes)
Waste Wood	63	102	-
Waste Electronics	296	337	4
Waste Plastics	111	317	-
Construction Waste	369	6,843	102
Waste Glass	148		

Notes:

- 1) The throughput data presented above is the best available data and has been rounded off to the nearest whole tonne for presentation.
- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.
- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.


3.11.3 Detailed throughput figures of the reporting quarter are provided in *Appendix 3.1*. Updated throughput figures of the previous months are provided in *Appendix 3.2*.

3.12 Process Review

3.12.1 Process Review, and maybe Design Audit (DA) where required, had been conducted for each recycling process to be operated within EcoPark to confirm its compliance with the findings and recommendations of the EIA report and the conditions of the EP.

3.12.2 Since 2008, twenty process reviews and two DAs had been approved. Among those, fifteen process reviews and two DAs are related to the recycling processes of the current tenants in EcoPark as of September 2017. In the reporting period, the process review for China Commercial Logistics was approved in July 2017, while the process review/DA for Waste Electrical and Electronic Equipment Treatment and Recycling Facility (WEEETRF) of Alba IWS is ongoing. The process review for Cheong Hing was terminated due to tenancy expiration. Full set of the completed PRCs and DAs are submitted separately to relevant authorities in EPD.

Figure 3-1 Current Lot Usage within EcoPark



4 IMPLEMENTATION STATUS OF ENVIRONMENTAL PROTECTION MEASURES

- 4.1.1 Environmental mitigation measures applicable to the operation phase EM&A as stated in the implementation schedule are summarised in *Appendix 1*. Environmental requirements specified in tenancy agreements are summarised in *Appendix 2*.
- 4.1.2 By the end of September 2017, ten tenants (Champway, Shiu Wing, China Commercial Logistics, Li Tong, Telford, WEEE Refurbishment, K.Wah, E.Tech, Chung Yue and South China) were under full operation or machinery testing.
- 4.1.3 Appropriate environmental protection measures are in place at all lots.

5 MONITORING RESULTS

5.1 Monitoring Date, Time, Frequency and Duration

5.1.1 As described in *Section 2.1*, operational LFG monitoring is conducted quarterly at five monitoring locations, three in Phase 1 and two in Phase 2. In this reporting quarter, monitoring was undertaken on 18th September 2017. Monitoring details are shown *Table 5.1* below.

Table 5.1 Sampling Schedule for the Quarterly LFG Monitoring

Station ID	Sampling Date	Time	Duration	Ambient Air Temp.	Weather
EP1-1	18 th September 2017	10:30 – 10:32	2 minutes	30°C	Sunny
EP1-2		10:10 – 10:12	2 minutes	30°C	Sunny
EP1-3		10:05 – 10:07	2 minutes	30°C	Sunny
EP2-1		10:15 – 10:17	2 minutes	30°C	Sunny
EP2-2		10:18 – 10:20	2 minutes	30°C	Sunny

5.2 Monitoring Methodology, Parameters and Equipment

5.2.1 The LFG monitoring requirement and methodology are stipulated in *Section 6* of the EM&A Manual. The LFG monitoring parameters and their measurement ranges are detailed in *Table 5.2* below.

Table 5.2 Parameters and Measurement Ranges for LFG Monitoring

Parameters	Measurement Ranges
Methane (CH ₄)	0 – 100% LEL & 0-100% v/v
Oxygen (O ₂)	0 – 25% v/v
Carbon Dioxide (CO ₂)	0 – 100% v/v
Barometric Pressure	mBar (absolute)

5.2.2 LFG monitoring shall be carried out using intrinsically-safe, portable multi-gas monitoring instruments. The gas monitoring equipment shall:

1. Where possible, comply with BS 6020 and be approved by BASEEFA as intrinsically safe, suitable for use in a Zone 2 are to BS 5345;
2. Be capable of continuous monitoring of methane, oxygen and carbon dioxide;
3. Be capable of continuous barometric pressure and gas pressure measurements;
4. Normally operate in diffusion mode unless required for spot sampling, when it should be capable of operating by means of an aspirator or pump;

5. Have low battery, fault and over range indication incorporated;
6. Store monitoring data, and shall be capable of being down-loaded directly to a PC; and
7. Measure in the following ranges:
 - Methane 0 – 100% LEL & 0 - 100% v/v
 - Oxygen 0 – 25% v/v
 - Carbon dioxide 0 – 100% v/v
 - Barometric pressure mBar (absolute)

5.3 Results and Graphical Plots of Monitoring Parameters

- 5.3.1 One InfraRed Gas Analyser Model GA5000 (serial number G501982) was used for LFG measurements. The gas analyser is calibrated every 6 months. *Appendix 4* presents the calibration records of the monitoring equipment.
- 5.3.2 LFG monitoring results are summarised in *Table 5.3* and compared with the Action and Limit Levels tabulated in *Table 2.2*. Graphical plots of the monitoring results are also provided in *Appendix 5*.

Table 5.3 Quarterly LFG Monitoring Results in the Reporting Quarter

Station ID	Sampling Date	Monitoring Results				
		Methane (% v/v)	Methane (% LEL)	Oxygen (% v/v)	Carbon Dioxide (% v/v)	Barometric Pressure (mBar)
EP1-1	18 th September 2017	0.0	0	19.4	0.1	1013
EP1-2		0.0	0	20.0	0.3	1013
EP1-3		0.0	0	19.6	0.5	1013
EP2-1		0.0	0	20.0	0.1	1013
EP2-2		0.0	0	18.6	0.9	1013

- 5.3.3 Exceedances of Action Level were recorded at Station EP2-2 in the reporting quarter. The status of exceedance are summarised as below:

Station ID	Parameter	Recorded Level	Action Level	Limit Level	Status
EP2-2	Oxygen (% v/v)	18.6	< 19%	< 18%	Exceedance of Action Level
	Carbon Dioxide (% v/v)	0.9	> 0.5%	> 1.5%	Exceedance of Action Level

- 5.3.4 Upon record of the exceedances, the cover of the underground chamber was opened for investigation with representatives from the Operator and IEC. Yet, no apparent source of O₂ depletion and CO₂ generation was identified. In accordance with the Event Action Plan for LFG specified in *Table 2.2*, ventilation enhancement was carried out to restore the

concentration of O₂ and CO₂. Measurement was conducted immediately after the ventilation enhancement to confirm the restoration of O₂ and CO₂ level to non-exceedance level (i.e. 19.6% v/v and 0.3% v/v respectively).

- 5.3.5 Although the cleaning of underground utilities had been conducted on 31st August 2017, a few cockroaches and a layer of moist sand/silt were observed inside the utility chamber during the investigation, possibly due to the heavy rain occurred after the cleaning exercise over early September 2017. With reference to similar exceedance event occurred in June 2017 with the same meteorological condition, it is believed that organic matters entered the underground chambers by heavy rain and accumulated inside the underground utilities, which eventually increased O₂ depletion and CO₂ generation within the chamber during organic matter decomposition.
- 5.3.6 No exceedance of any parameter was recorded at other monitoring stations and no CH₄ was recorded at any monitoring station. There is no indication of the migration of LFG from Siu Lang Shui Landfill.
- 5.3.7 As advised by the Operator, no underground work was being carried out within EcoPark. Based on the above findings, the exceedances of O₂ and CO₂ are not anticipated to impose any adverse impact on staff/workers/environment in EcoPark. Nonetheless, the tenants shall be reminded to ensure adequate ventilation in indoor environment.
- 5.3.8 With reference to the mitigation measure proposed in June 2016 after the record of the exceedance event, the cleaning programme of underground utilities for wet season will be continued. In addition to the regular cleaning activity carried out on 31st August 2017, the Operator had carried out additional cleaning for the underground chambers and utility pipes on 29th September 2017 as shown in *Figure 5-1*.

Figure 5-1 Cleaning of Underground Utilities in September 2017





5.3.9 The LFG levels will be checked during the next quarterly LFG monitoring in December 2017.

6 SUMMARY OF ENVIRONMENTAL AUDIT

6.1 General

6.1.1 Among the fourteen tenants, only nine active tenants were under full operation and one tenant was under machinery testing. As such, specific site inspections were only carried out at the lots of these ten tenants. For the lots of those tenants not currently in operation, general site inspections were conducted.

6.1.2 Environmental audits based on the approved site inspection checklist were carried out by the Operator and the ET on 31st July, 28th August, and 18th September 2017. IEC random site audits were also carried out on 31st July and 18th September 2017. A quarterly joint site inspection was carried out by the Operator, the IEC and the ET on 28th August 2017. The completed audit checklists for tenants are provided in *Appendix 6*.

6.2 Champway Technology Limited

6.2.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.1* below. The completed checklists for Champway are given in *Appendix 6.1*.

Table 6.1 Environmental Audit Findings for Champway

Date	Item	Comment	Status
<i>Observations From Previous Reporting Quarters</i>			
17 Feb 2017	Oil-water mixture was observed inside the surface drainage channel near the storage area. The remaining mixture is likely caused by the poor condition of the surface drain.	The tenant was suggested to improve the drain condition to maintain the effectiveness of the drainage channel. Meanwhile, the tenant was requested to clear the mixture and ensure no overflow could occur.	Although the tenant had cleared the oil-water mixture from the surface drainage channel as observed during inspection on 15 th March 2017, the improvement work of drain condition was still pending. As updated by the tenant, the improvement work is still under tendering process. The tenant was reminded to carry out improvement work as soon as possible. The improvement work will be followed up in the next audit.
15 Mar 2017	The concerned area mentioned with abovementioned oil stain was not provided with permeation-proof floor and partition. As advised by the tenant, the area was used as temporary storage and the containers would be gradually	The tenant was reminded to implement sufficient preventive measures to avoid any accidental spillage during material transfer.	As updated by the tenant, most of the containers would be gradually removed. As observed during inspection on 28 th August 2017, the tenant had covered the floor with sand layer at locations where containers were removed to prevent land contamination from potential accidental spillage during container removal process. The tenant was reminded to implement sufficient measures during material transfer to avoid, or contain if any, accidental

Date	Item	Comment	Status
	removed from the concerned area within the next two months tentatively.		spillage. The containers pending removal should be well maintained to avoid potential leakage until completion of the removal process, which will be monitored in the next audit.
<i>Observations From This Reporting Quarter</i>			
31 Jul 2017	Leakage of waste oil was observed underneath a rubbish cart where a drip container was provided.	The tenant should immediately remove the leaked oil from the floor and replace the damaged cart to ensure proper storage container is provided.	As observed during inspection on 28 th August 2017, the damaged rubbish cart and the leaked oil had been removed. As confirmed by the tenant, the cart will be used for temporary storage of solid waste only.
28 Aug 2017	No new critical issue was identified.		
18 Sep 2017	No new critical issue was identified.		

6.3 Shiu Wing Steel Limited

- 6.3.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in **Table 6.2** below. The completed checklists for Shiu Wing are given in **Appendix 6.2**.

Table 6.2 Environmental Audit Findings for Shiu Wing

Date	Item	Comment	Status
<i>Observations From Previous Reporting Quarters</i>			
None			
<i>Observations From This Reporting Quarter</i>			
31 Jul 2017	No new critical issue was identified.		
28 Aug 2017	No new critical issue was identified.		
18 Sep 2017	No new critical issue was identified.		

6.4 China Commercial Logistics Company Limited

- 6.4.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in **Table 6.3** below. The completed checklist for China Commercial Logistics is given in **Appendix 6.3**.

Table 6.3 Environmental Audit Findings for China Commercial Logistics

Date	Item	Comment	Status
<i>Observations From Previous Reporting Quarters</i>			
None			

Date	Item	Comment	Status
<i>Observations From This Reporting Quarter</i>			
31 Jul 2017	No new critical issue was identified.		
28 Aug 2017	No new critical issue was identified.		
18 Sep 2017	No new critical issue was identified.		

6.5 Li Tong Group

- 6.5.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in **Table 6.4** below. The completed checklists for Li Tong are given in **Appendix 6.4**.

Table 6.4 Environmental Audit Findings for Li Tong

Date	Item	Comment	Status
<i>Observations From Previous Reporting Quarters</i>			
None			
<i>Observations From This Reporting Quarter</i>			
31 Jul 2017	No new critical issue was identified.		
28 Aug 2017	No new critical issue was identified.		
18 Sep 2017	No new critical issue was identified.		

6.6 Hong Kong Telford Envirotech Group Limited

- 6.6.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in **Table 6.5** below. The completed checklists for Telford are given in **Appendix 6.5**.

Table 6.5 Environmental Audit Findings for Telford

Date	Item	Comment	Status
<i>Observations From Previous Reporting Quarters</i>			
None			
<i>Observations From This Reporting Quarter</i>			
31 Jul 2017	No new critical issue was identified.		
28 Aug 2017	No new critical issue was identified.		
18 Sep 2017	No new critical issue was identified.		

6.7 WEEE Refurbishment at Lot P5

- 6.7.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in **Table 6.6** below. The completed checklists for WEEE Refurbishment are given in **Appendix 6.6**.

Table 6.6 Environmental Audit Findings for WEEE Refurbishment at Lot P5

Date	Item	Comment	Status
<i>Observations From Previous Reporting Quarters</i>			
25 Jan 2017	Vegetation is observed inside and near the perimeter drainage near the entrance of the lot.	The tenant should clear the vegetation to avoid potential blockage of the channel.	While it was noticed that the vegetation removal was in progress, some vegetation was still observed inside the perimeter drainage near the entrance of the lot. The tenant was reminded to clear the vegetation to avoid potential blockage of the channel. The removal progress will be monitored in the next audit.
<i>Observations From This Reporting Quarter</i>			
31 Jul 2017	No new critical issue was identified.		
28 Aug 2017	No new critical issue was identified.		
18 Sep 2017	No new critical issue was identified.		

6.8 Chung Yue Steel Group Company Limited

- 6.8.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in **Table 6.7** below. The completed checklists for Chung Yue are given in **Appendix 6.7**.

Table 6.7 Environmental Audit Findings for Chung Yue

Date	Item	Comment	Status
<i>Observations From Previous Reporting Quarters</i>			
None			
<i>Observations From This Reporting Quarter</i>			
31 Jul 2017	No new critical issue was identified.		
28 Aug 2017	No new critical issue was identified.		
18 Sep 2017	No new critical issue was identified.		

6.9 K.Wah Construction Products Limited

- 6.9.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in **Table 6.8** below. The completed checklists for K.Wah are given in **Appendix 6.8**.

Table 6.8 Environmental Audit Findings for K.Wah

Date	Item	Comment	Status
<i>Observations From Previous Reporting Quarters</i>			
19 Jun 2017	Dormant stockpile was observed on the floor without cover.	The tenant should cover the temporary stockpile with tarpaulin or	The tenant had not yet relocated the dormant stockpile to the covered area during inspection on 18 th September 2017. As advised by the tenant, the outdoor stockpile would be either used

Date	Item	Comment	Status
		similar fabrics, or store the stockpile in a covered area to prevent dust generation.	up or moved to a cover area at the end of each working day. According to the photo provided by the Operator on 21 st September 2017, no stockpile is placed at outdoor area at the end of working day.
<i>Observations From This Reporting Quarter</i>			
31 Jul 2017	It was observed that sand and silt accumulated in the surface channel in front of the entrance of the office building.	The tenant should remove the material from the drain to prevent overflowing.	As observed during inspection on 28 th August 2017, The tenant had removed the sand and silt accumulated in the surface channel in front of the entrance of the office building. No overflowing was observed during the inspection (i.e. rainy day).
28 Aug 2017	No new critical issue was identified.		
18 Sep 2017	No new critical issue was identified.		

6.10 South China Reborn Resources (Zhongshan) Company Limited.

6.10.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in **Table 6.9** below. The completed checklists for South China are given in **Appendix 6.9**.

Table 6.9 Environmental Audit Findings for South China

Date	Item	Comment	Status
<i>Observations From Previous Reporting Quarters</i>			
19 Jun 2017	Suspected oil stain is observed on the surface of the stormwater inside perimeter drain, and refuse is also found inside the terminal stormwater manhole.	The tenant has been requested to remove the suspected oil stain and refuse to prevent drainage from clogging. At the same time, the tenant has been reminded to ensure no objectionable matter shall enter drains or sewers.	As observed during inspection on 31 st July 2017, suspected oil stain inside perimeter drain had been removed and no other objectionable matter had been observed inside drains or sewers.
<i>Observations From This Reporting Quarter</i>			
31 Jul 2017	No new critical issue was identified.		
28 Aug 2017	No new critical issue was identified.		
18 Sep 2017	Dirty water was observed inside stormwater manholes.	The tenant was requested to remove dirty water inside the manholes, and to ensure all wastewater should be properly collected and stored before tanking away. The tenant is also reminded to carry out loading/unloading activities in designated area to avoid	The observation will be followed-up in the next audit.

Date	Item	Comment	Status
		potential leaking of dirty water.	

6.11 E.Tech Management (HK) Limited.

6.11.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in **Table 6.10** below. The completed checklists for E.Tech are given in **Appendix 6.10**.

Table 6.10 Environmental Audit Findings for E.Tech

Date	Item	Comment	Status
<i>Observations From Previous Reporting Quarters</i>			
None			
<i>Observations From This Reporting Quarter</i>			
31 Jul 2017	Some of the storage bags containing printed circuit boards (PCBs) were not provided with cover at outdoor storage area.	The tenant should either cover the storage bags with impermeable sheeting or relocate the bags to covered area to prevent rainwater from contamination via direct contact with PCBs.	As observed during inspection on 28 th August 2017, storage bags containing PCBs were provided with impermeable cover at temporary outdoor storage area, to prevent potential rainwater contamination.
28 Aug 2017	No new critical issue was identified.		
18 Sep 2017	No new critical issue was identified.		

6.12 General Condition of EcoPark

6.12.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in **Table 6.11** below. The completed checklists of general site inspection for EcoPark are given in **Appendix 6.11**.

Table 6.11 General EcoPark Audit Findings

Date	Item	Comment	Status
<i>Observations From Previous Reporting Quarters</i>			
17 Feb 2017	The tenant of SSK was requested to provide hoarding of not less than 2.4m where site boundary adjoins road or service lane according to Clause 13(c) of the Schedule of Air Pollution Control (Construction Dust) Regulation.	(Same as the item)	While the construction work is temporarily suspended as advised by the operator, the tenant was reminded to provide hoarding along the site boundary before resuming the construction work.
<i>Observations From This Reporting Quarter</i>			
31 Jul 2017	No new critical issue was identified.		
28 Aug 2017	No new critical issue was identified.		
18 Sep 2017	No new critical issue was identified.		

7 ENVIRONMENTAL COMPLAINTS, NOTIFICATION OF SUMMONS AND SUCCESSFUL PROSECUTION

7.1 Follow-up on Previous Environmental Complaint

Wastewater Treatment at South China received on 26th October 2016

- 7.1.1 Flow meters were installed at various points of the wastewater treatment system, e.g. incoming pipe for the storage tank at 3/F, the outgoing pipe of the treatment tank for recycling, the wastewater collection pipes for washing area at G/F, etc. The flow data was recorded to monitor the quantity of wastewater generated from different areas. Prior to the proper functioning of the wastewater treatment plant (WTP) on 3/F of the premise, the wastewater was collected and transported to designated treatment facility by a licenced collector as a temporary measure.
- 7.1.2 Upgrade of the WTP is proposed by the tenant to introduce additional treatment process. The proposal is currently under review.
- 7.1.3 The case will be followed up in the next reporting period to ensure the wastewater treatment system will function properly for handling of the wastewater. The tenant was reminded that the no wastewater shall be discharged until the testing of treatment system is completed with the discharge quality in full compliance with the discharge licence.

7.2 New Environmental Complaint in the Reporting Period

- 7.2.1 By the end of September 2017, no complaint, notification of summons or successful prosecutions related to recycling activities was received in this reporting quarter.

8 CONCLUSIONS

- 8.1.1 This is the forty-second (42nd) quarterly EM&A report prepared for the operation phase of EcoPark and covers the reporting quarter from July to September 2017. The tenants' recycling activities are audited on a monthly basis and the results are summarised in this report. In the reporting quarter, there were fourteen tenants in EcoPark Phase 1 and Phase 2.
- 8.1.2 The ET has conducted monthly site inspections while the IEC has carried out full site inspection on quarterly basis and random site audits on monthly basis, and some general observations have been made. The approved checklist has been used in the monthly site inspections for various tenants.
- 8.1.3 The throughputs of the nine active tenants in the reporting quarter are summarised in **Table 8.1**. Please note that product output plus waste disposal do not necessarily equal the waste input, due to material losses during processing and material retained within the lots.

Table 8.1 Throughput Statistics for the Reporting Quarter

Material Type	Waste Input (tonnes)	Product Output ⁽⁴⁾ (tonnes)	Waste Disposed ⁽⁴⁾ (tonnes)
Waste Organic Food	1,180	1,320	103
Waste Ferrous Metals	31,998	31,116	138
Waste Wood	63	102	-
Waste Electronics	296	337	4
Waste Plastics	111	317	-
Construction Waste	369	6,843	102
Waste Glass	148		

Notes:

- 1) The throughput data presented above is the best available data and has been rounded off to the nearest whole tonne for presentation.
 - 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
 - 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.
 - 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.
- 8.1.4 LFG monitoring during the reporting quarter was undertaken on 18th September 2017 at five locations (three in Phase 1 and two in Phase 2). Exceedance of Limit Level was recorded at Stations EP2-2 in the reporting quarter and are summarised in the table below.

Station ID	Parameter	Recorded Level	Action Level	Limit Level	Status
EP2-2	Oxygen (% v/v)	18.6	< 19%	< 18%	Exceedance of Action Level
	Carbon Dioxide (% v/v)	0.9	> 0.5%	> 1.5%	Exceedance of Action Level

- 8.1.5 Ventilation enhancement was carried out in accordance with the Event Action Plan for LFG specified in **Table 2.2** to restore the concentrations of O₂ to non-exceedance level.

No apparent source of O₂ depletion and CO₂ generation was identified inside the underground chamber during investigation. Although the cleaning of underground utilities had been conducted on 31st August 2017, the exceedance was believed to be triggered by the invasion of organic matter into underground utilities via heavy rain in September 2017 and the subsequent decomposition inside the underground utilities. There was no indication of the migration of LFG from Siu Lang Shui Landfill. As confirmed by the Operator, no underground work was being carried out within EcoPark. Based on the above findings, the exceedances of O₂ and CO₂ are not anticipated to impose any adverse impact on staffs/workers/environment in EcoPark. Nonetheless, the Operator continued to implement the cleaning programme of underground utilities for wet season, and the cleaning activity was carried out on 29th September 2017.

8.1.6 Numbers of complaints, summons and successful prosecutions in the reporting quarter are summarised below:

- **Complaints:** Zero.
- **Summons:** Zero.
- **Successful Prosecutions:** Zero.

8.1.7 In the next reporting quarter, LFG monitoring in operation phase for Phase 1 and Phase 2 will be continued.

Appendix 1

Environmental Mitigation Measures (from the Implementation Schedule)

EIA Ref.	EM&A Ref.	Environmental Protection Measures Identified in the Implementation Schedule that are Applicable to the Operation Phase of EcoPark	Location / Duration of Measures / Timing of Completion of Measures	Implementation Agent	Relevant Legislation and Guidelines
<i>General</i>					
5.5.23 to 5.5.25, 10.2.24 & 10.2.37	4.2.5 to 4.2.8	The Operator shall develop and implement an Emergency Response Plan (ERP) that lists the procedures to be followed in case of fire, fuel or chemical spillage or other emergency within the EcoPark.	Throughout the duration of the operation.	Operator	
12.2	7.2	No process shall be allowed to operate within EcoPark without approval from WFBU. Approval will be based on the ten-step Process Review, which may include a Design Audit if deemed to be necessary.	Throughout the duration of the operation.	ET IEC Project Proponent	
	8.1.2	All reports (including Process Review Checklists and any Design Audits) shall be prepared and certified by the ET, verified by the IEC and approved by the Project Proponent.	Throughout the duration of construction works until construction is substantially completed. Throughout the duration of the operation.	ET IEC Project Proponent	
12.3	7.3	The Operator shall prepare and implement an Environmental Management Plan (EMP) to define mechanisms for achieving the environmental requirements specified in the EIA, EP and in statutory regulations.	Throughout the duration of the operation.	Operator	
<i>Air Quality</i>					
13.2		The Operator shall ensure that EcoPark “base case” assumptions for air quality shown in Table 13.1 of the Final EIA Report are met by tenants, as a whole.	Throughout the duration of the operation.	Operator	Table 13.1 of the Final EIA Report
<i>Water Quality</i>					
5.4.11 & 5.6.7		To minimise the chance of accidental spillage during loading and unloading, and thereby reduce marine water quality impacts, well established cargo handling guidelines should be followed.	Adjacent to EcoPark marine frontage when loading or unloading goods.	Operator Operators of bulk carriers	Sections 5 & 6 of IMO Code of Practice for the Safe Loading/ Unloading of Bulk Carriers

EIA Ref.	EM&A Ref.	Environmental Protection Measures Identified in the Implementation Schedule that are Applicable to the Operation Phase of EcoPark	Location / Duration of Measures / Timing of Completion of Measures	Implementation Agent	Relevant Legislation and Guidelines
5.5.19		Contaminated water collected in the surface drainage systems shall be treated at the WTF or other appropriate treatment facility.	Within EcoPark throughout the life of the facility.	Operator	
5.5.23 to 5.5.25	4.2.5 to 4.2.7	An Emergency Response Plan (ERP) will be formulated to address various accident scenarios. The ERP will be certified by the Environmental Team (ET) and verified by the Independent Environmental Checker (IEC) under the operation EM&A programme.	Within EcoPark throughout the life of the facility.	Operator	
5.6.4		For uncovered areas where recovery process identified as causing potentially high level of contamination are located, stop-logs will be installed in the perimeter drainage system to isolate contamination.	Within EcoPark throughout the life of the facility.	Operator	
	4.2.2	The ET should develop an audit checklist, with the agreement of the IEC, to ensure that each mitigation measure is implemented when appropriate and operated correctly when implemented.	Within EcoPark throughout the life of the facility.	ET with IEC	
<i>Waste Management</i>					
6.8.7	5.2.4	The Operator should register with EPD as a chemical waste producer.	Within EcoPark throughout the life of the facility.	Operator	Waste Disposal (Chemical Waste) (General) Regulation
6.8.16		The dust collected by any air pollution control equipment installed by tenants must be tested to ensure compliance for landfill disposal.	Within EcoPark throughout the life of the facility.	Operator	Practice Note for disposal of dusty waste at landfills & Admission Ticket System
6.8.18 & 6.8.22	5.2.4	Sludge will be disposed of at WENT landfill, or at any future dedicated sludge treatment facility. Sludge will be collected by a Licensed collector at regular intervals, as determined by the operation of the WTF.	Within EcoPark throughout the life of the facility.	Operator	

EIA Ref.	EM&A Ref.	Environmental Protection Measures Identified in the Implementation Schedule that are Applicable to the Operation Phase of EcoPark	Location / Duration of Measures / Timing of Completion of Measures	Implementation Agent	Relevant Legislation and Guidelines
6.8.21	5.2.4	Chemical wastes shall be stored in appropriate containers in a covered area. “No Smoking” signs will be clearly displayed to prevent accidental ignition of flammable materials. Drip trays capable of storing 110% of the volume of the largest container will be used to mitigate possible leakage.	Within EcoPark throughout the life of the facility.	Operator	Code of Practice on the Packaging, Labelling and Storage of Chemical Wastes
	5.2.3 & 5.2.5	The ET should develop an audit checklist, with the agreement of the IEC, to ensure that each mitigation measure is implemented when appropriate and operated correctly when implemented.	Within EcoPark throughout the life of the facility.	ET with IEC	
6.8.7	5.2.4	The Operator should register with EPD as a chemical waste producer.	Within EcoPark throughout the life of the facility.	Operator	Waste Disposal (Chemical Waste) (General) Regulation
<i>Prevention of Contaminated Land</i>					
7.3.1	5.3.2	Any spillages of contaminating material shall be cleaned up immediately through the use of an absorbent. Any such used material should then be considered chemical waste and disposed of appropriately.	Within EcoPark throughout the life of the facility.	Operator	
7.3.3		Any areas within the lot to be used for recycling processes shall be concrete paved before recycling activities commence.	Within EcoPark throughout the life of the facility.	Operator	
7.3.5	5.3.2	<p>During operation, the greatest risk of land contamination will come from storage of chemical wastes, therefore the measures should be followed :</p> <ul style="list-style-type: none"> All chemical storage areas shall be provided with locks and be sited on sealed areas. The storage areas shall be surrounded by bunds with a capacity equal to 110% of the storage capacity of the largest tank to prevent spilled oil and chemicals from contaminating the ground. Chemical wastes will be collected, stored and disposed of in 	Within EcoPark throughout the life of the facility.	Operator	

EIA Ref.	EM&A Ref.	Environmental Protection Measures Identified in the Implementation Schedule that are Applicable to the Operation Phase of EcoPark	Location / Duration of Measures / Timing of Completion of Measures	Implementation Agent	Relevant Legislation and Guidelines
		<p>accordance with the Regulation. Disposal of other construction waste will be undertaken by licensed contractors in accordance with applicable statutory requirements in the WDO.</p> <ul style="list-style-type: none"> Chemical wastes shall be handled according to the relevant code of practice. Spent chemicals shall be stored and collected by an approved operator for disposal at a licensed facility in accordance with the relevant regulation. 			
<i>Landfill Gas</i>					
8.7.10 & 8.7.11	6.1.2	<ul style="list-style-type: none"> Alert workers and visitors of possible LFG hazards Prohibit smoking and open fires on site Conduct regular (quarterly) LFG monitoring at mobile offices, equipment stores, etc. 	Within EcoPark throughout the life of the facility.	Operator	
	6.4.3	Following construction, routine monthly monitoring may be required at service voids and utility boxes. The monitoring requirement and specific locations of monitoring points shall be established based on the findings of the monitoring carried out during construction (i.e. if no LFG is detected during construction then no routine monitoring is required). The need for continued monitoring shall, however, be reviewed through discussion with EPD.	Within EcoPark throughout the life of the facility.	Operator	
<i>Hazard to Life</i>					
10.4.3		Building height limit within EcoPark shall be applied to structures within which people may work at elevated levels.	Within EcoPark throughout the life of the facility.	Operator	EIA Report Table 10.2
<i>Landscape and Visual</i>					
9.4.4		It recommended that this commonality be promoted throughout EcoPark by the Operator and adopted by tenants, if practicable.	Within EcoPark throughout the life of the facility.	Operator	

Appendix 2

Environmental Requirements in Tenancy Agreements

Appendix 2.1

**Environmental Requirements in Tenancy Agreements
(Phase 1)**

GENERAL ENVIRONMENTAL RESPONSIBILITIES

- 9.1 The Tenant shall at its own cost(s) comply with and shall ensure that the Premises is used, designed, constructed, operated and maintained in accordance with:-
- (a) All relevant Ordinances, by-laws, regulations, statutory technical memorandums, codes of practice, rules, non-statutory guidance notes, schemes and abatement notices for the time being in force in Hong Kong including those relating to the environment and governing the control of any form of pollution (see specific Ordinances mentioned hereinbelow) and licensing requirements under relevant Ordinances and regulations.
 - (b) All information, mitigation measures, prohibitions, restrictions, recommendations and requirements under the Environmental Impact Assessment Report for Development of an EcoPark in Tuen Mun Area 38 with Appendices, i.e. the EIA Report (Register No.: AEIAR-086/2005) dated April 2005, the Final EM&A Manual dated April 2005, the application documents including all attachments (Application No. AEP-226/2005) and other relevant documents in the Register (or in any other places, any internet websites or by any other means as specified by the Director), including the prohibitions and mitigation measures for processes in Table 14.1 and the material throughputs, processes and remarks in Table B.1 of the EIA Report (in so far as applicable).
 - (c) All information, conditions, submissions, mitigation measures, orders, notices, requirements, prohibitions, restrictions and time limits under the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit – Application No.VEP-221/2006 (including updated information about the Permit, any amended permit and any further permit) and all mitigation measures recommended and to be recommended in submissions that shall be deposited with or approved by the Director as a result of permit conditions contained in the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit – Application No.VEP-221/2006 (including updated information about the Permit, any amended permit and any further permit). The Tenant shall refer to, inter alia, Conditions 4.1 to 4.14 (and Annexes A and B) and Conditions 3.7 and 3.8 (and Figures 2 and 3) of the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit – Application No.VEP-221/2006 regarding measures to mitigate air quality impact, measures to mitigate hazard to life impact, measures to prevent land contamination, measures to mitigate landfill gas hazard, maintenance of landscape and visual measures (see also hereinbelow regarding Condition 5 of the Environmental Permit and specified Ordinances).
 - (d) All information, conditions, submissions, mitigation measures, orders, notices and requirements under on going surveillance and monitoring activities during all stages of the Project and during the tenancy under the Tenancy Agreement (e.g. any additional mitigation measures recommended and to be recommended under the Process Review and Design Audit (carried out and to be carried out in accordance with the EM&A Manual) for various environmental impacts including, but not limited to,

noise pollution, air quality, hazard to life, landfill gas hazard, landscape and visual measures, waste management and land contamination).

(e) All recommendations referred to in the documents of the EIAO Register which are not expressly referred to in Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit – Application No.VEP-221/2006 and any amended Environmental Permit (unless expressly excluded or impliedly amended in the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit – Application No.VEP-221/2006 and any amended Environmental Permit).

9.2 Further to Condition Nos. 6 and 8 hereinabove, the Tenant shall at its own cost provide relevant environmental monitoring data, information, documents and assistance to the Director and/or the Environmental Protection Department and shall permit authorised representatives of the Environmental Protection Department to access, inspect, take samples and monitor the Premises and operations for the Process Review and the Design Audit carried out and/or to be carried out pursuant to Conditions 4.1 and 5 of the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit – Application No.VEP-221/2006 (and any updated Permit, amended permit and further permit).

9.3 If the Tenant's operations (i.e. activities and facilities for recovery and/or recycling and/or reprocessing) are not covered by the EIA Report and/or deviate from the development parameters mentioned in inter alia the EIA Report, the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit – Application No.VEP-221/2006 (including the parameters at Annex A) and/or any environmental licence (e.g. the Water Treatment Facility ("WTF") Discharge Licence), and if additional mitigation measures are not available or are not effective in the opinion of the Director, to ensure compliance with the EIA Report, the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit – Application No.VEP-221/2006 (including any updated Permit, amended permit and further permit) and the relevant environmental licence(s), the Tenant shall comply with any modified parameters and/or the Tenant shall immediately modify its operations in such a way that the findings and requirements of the EIA Report, the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit – Application No.VEP-221/2006 (including any updated Permit, amended permit and further permit) and the environmental licence(s) are complied with and shall immediately cease to continue the offending part of the operations or activity in question.

9.4 The Tenant shall at its own cost(s) apply for, obtain, renew, maintain and comply with all the relevant licences related to compliance with all relevant Ordinances, by-laws, regulations, statutory technical memorandums, codes of practice, rules, non-statutory guidance notes, schemes, abatement notices and the environmental permits for the time being in force in Hong Kong (including those relating to the environment and governing the control of any form of pollution). The Tenant shall obtain, renew and comply with all the said licences within the relevant time limits (in any event, within one (1) calendar month of the date of signing and/or execution of the Tenancy Agreement), shall comply with all abatement notices, orders, directions and requests of the relevant authorities and public officers and shall be responsible for paying all relevant fees, costs, fines and penalties.

- 9.5 The Tenant shall not do anything or omit to do anything which would cause, contribute to or involve a breach or potential breach by the Director relating to any of the matters mentioned in Conditions 9.1 to 9.4 hereinabove (and other Conditions hereinbelow).
- 9.6 The Tenant shall fully indemnify the Government and/or the Director for any fees, costs, damages, expenses, fines, penalties, losses and claims arising (a) out of any breach of any of the matters mentioned in inter alia Conditions 9.1 to 9.4 hereinabove (and other Conditions hereinbelow) or (b) from the use of the Premises or (c) out of any works carried out at any time during the term to or at the Premises or (d) out of anything now or during the term attached to or projecting from the Premises or (e) from any neglect or default by the Tenant or by its respective servants or agents or by any express licensee of the Tenant.

SPECIFIC ENVIRONMENTAL RESPONSIBILITIES

Air Pollution

10. Save with an appropriate exemption under the Air Pollution Control Ordinance (Cap. 311 of the Laws of Hong Kong) any regulations made thereunder and any amending legislation, the Tenant shall not install or permit or suffer to be installed upon the Premises or any part thereof or any building(s) or structure(s) or part of any building(s) or structure(s) erected or to be erected thereon any furnace, oven, chimney or flue or any other combustion equipment or use or permit or suffer to be used any fuel or any method or process of manufacture or treatment that might in any circumstance result in, cause or contribute to the discharge or emission of any pollutant or any noxious, harmful or corrosive matter, whether it be in the form of gas, smoke, liquid, solid or otherwise (including but not limited to air pollutant as defined in Section 2 of the Air Pollution Control Ordinance (Cap. 311 of the Laws of Hong Kong)), which exists or which is imminent, without the prior written approval of the Director.
11. No alteration to the installation and method of manufacture shall be made without the prior written consent of the Director. In any event, the Tenant shall at its own cost(s) comply with, inter alia, Conditions 4.2 to 4.7 and Annex A of the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit – Application No.VEP-221/2006 regarding design, installation and operation of chimney, location of fresh air intakes and use of ultra-low sulphur or other cleaner fuel(s) as agreed by the Director (and the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate air quality impact), good practices and relevant provisions of the EIA Report and Final EM&A Manual.

Noise Pollution

12. The Tenant shall take all necessary measures as may be required by and to the satisfaction of the Director to ensure that the operation of all plant and equipment, installed or used on the Premises or in any building(s) or structure(s) or any part of any building(s) or structure(s) erected or to be erected thereon, will not result, not cause and/or will not contribute any noise (which exists or which is imminent) which disturbs or annoys the residents or occupiers of any adjoining or neighbouring lot or lots or premises, or causes and/or contributes to

disturbance to the general public under the Noise Control Ordinance (Cap. 400 of the Laws of Hong Kong) any regulations made thereunder and any amending legislation.

13. The decision of the Director as to whether any such plant and equipment are causing disturbance or annoyance as aforesaid shall be final and binding on the Tenant.

Waste Management

14. The Tenant shall not permit, allow or suffer any fuel or chemical and any sewage, waste water or effluent containing sand, cement, silt or any suspended or dissolved material to flow, escape or run from the Premises onto any adjoining land or allow any waste matter which does not form part of the recovery and/or recycling and/or reprocessing operation or is not part of the final product of such operation to be deposited, kept, held or stored anywhere within the Premises and other areas of EcoPark. The Tenant shall at its own cost(s) have all such matters and all waste arising from recycling activities, chemical waste arising from maintenance of plant and equipment, sewage sludge (from WTF) and general daily waste from the operation removed from the Premises or any building(s) or structure(s) or any part of any building(s) or structure(s) erected or to be erected thereon in a proper manner to the satisfaction of the Director.
15. In any event, the Tenant shall at its own cost(s) comply with, inter alia, Conditions 4.11 and 4.12 of the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit – Application No.VEP-221/2006 regarding paving all areas of the Premises with concrete/using concrete hardstanding and siting all fuel tanks and chemical storage areas on the specified sealed areas, respectively (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to prevent land contamination). The Tenant shall at its own cost(s) comply with relevant provisions of the Waste Disposal Ordinance (Cap.354 of the Laws of Hong Kong) good practices and relevant provisions of the EIA Report and Final EM&A Manual.

Water Pollution

16. In the event that the Tenant produces, generates, permits, causes, allows or suffers any discharge which is subject to control under the Water Pollution Control Ordinance (Cap. 358 of the Laws of Hong Kong) any regulations made thereunder and any amending legislation, and is not covered by a WTF Discharge Licence issued under the Water Pollution Control Ordinance (Cap. 358 of the Laws of Hong Kong) the Tenant shall apply to the Director for a licence and comply with the terms and conditions stipulated in the licence and the WTF Discharge Licence at the Tenant's own cost(s). Otherwise, the Tenant is not allowed to discharge directly or indirectly or to produce, generate, permit, cause, allow or suffer any discharge into any public sewer, storm-water drain, channel, stream-course, sea or any area inside or outside the Premises any trade effluent or foul or contaminated water or cooling or hot water. Subject to the said licence from the Director and WTF Discharge Licence, the Tenant shall at its own cost(s) separate, collect, discharge and send all process or industrial wastewater to the WTF for treatment to the standard required for discharge into a sewer leading to the sewage treatment works at Pillar Point or other treatment works specified in the licence.

17. Subject to obtaining advance written approval of the Director, the Tenant shall at its own cost(s) provide, install, operate and maintain its own waste water pre-treatment plants within the Premises if such process or industrial wastewater could not meet the influent limits / exceeds the maximum influent criteria of the WTF (in accordance with paragraph 7.2.9 of the Final E&MA Manual). The Tenant shall at its own cost(s) separate, collect, discharge and send all domestic wastewater (i.e. other than process or industrial wastewater) to the Pillar Point Sewage Treatment Works directly for treatment or other treatment works specified in the licence.
18. In any event, the Tenant shall prevent any spilled materials from entering the surface water drainage system and prevent contamination of the sea at its own cost(s) by, inter alia, providing, installing, operating and maintaining stop-logs or interceptors in the surface water drainage system and at the marine frontage area, respectively, or as required by the licence. The Tenant shall at its own cost comply with relevant provisions of the Dumping at Sea Ordinance (Cap 466 of the Laws of Hong Kong) good practices and relevant provisions of the EIA Report and Final EM&A Manual.

Hazard to Life Impact

19. To mitigate hazard to life impact, the Tenant shall comply with, inter alia, Conditions 4.8 to 4.10 of the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit – Application No.VEP-221/2006 (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate hazard to life impact) and shall not:-
- (a) Bring, keep, store or transport chlorine within the Premises and other areas of EcoPark;
 - (b) Bring, keep, store, locate or transport dangerous goods, substances and fuels supporting combustion including oxygen, acetylene, hydrogen peroxide, rubber tyres and diesel within 10 metres from the boundary of the site of EcoPark; and
 - (c) Exceed the building height restrictions for buildings on the Premises which are on/near the western boundary of the site of EcoPark as mentioned in Annex B to the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit – Application No.VEP-221/2006 (including any updated Permit, amended permit and further permit).

Landfill Gas Hazard

20. To mitigate landfill gas hazard, the Tenant shall at its own cost(s) comply with, inter alia, Condition 4.13 of the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit – Application No.VEP-221/2006 regarding raising clear of the ground all buildings and enclosed structures as specified in inter alia Condition 3.7 (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate hazard to life impact).

Landscape and Visual Impacts

21. To mitigate landscape and visual impacts, the Tenant shall at its own cost(s) comply with, inter alia, Condition 4.14 of the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit – Application No.VEP-221/2006 regarding maintaining landscape, planting, treatment and mitigation measures as specified in inter alia Condition 3.8 and Figure 3 (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate landscape and visual impacts).

Appendix 2.2

**Environmental Requirements in Tenancy Agreements
(Phase 2)**

Compliance of Environmental Legislation

5. The Tenant shall comply with and observe all Ordinances, by-laws, regulations and rules for the time being in force in Hong Kong governing the control of any form of pollution, including air, noise, water and waste pollution, and for the protection of the environment.

Air Pollution

6. Save with an appropriate exemption under the Air Pollution Control Ordinance (Cap. 311) any regulations made thereunder and any amending legislation, the Tenant shall not install or permit or suffer to be installed upon the Premises or any part thereof or any building(s) or structure(s) or part of any building(s) or structure(s) erected or to be erected thereon any furnace, oven, chimney or flue or any other combustion equipment or use or permit or suffer to be used any fuel or any method or process of manufacture or treatment that might in any circumstance result in, cause or contribute to the discharge or emission of any pollutant or any noxious, harmful or corrosive matter, whether it be in the form of gas, smoke, liquid, solid or otherwise (including but not limited to air pollutant as defined in Section 2 of the Air Pollution Control Ordinance

(Cap. 311), which exists or which is imminent, without the prior written approval of the Director.

Water Pollution

7. (a) In the event that the Tenant produces, generates, permits, causes, allows or suffers any discharge which is subject to control under the Water Pollution Control Ordinance (Cap. 358) any regulations made thereunder and any amending legislation, the Tenant shall apply to the Director for a licence and comply with the terms and conditions stipulated in the licence at the Tenant's own cost(s). Otherwise, the Tenant is not allowed to discharge directly or indirectly or to produce, generate, permit, cause, allow or suffer any discharge into any public sewer, storm-water drain, channel, stream-course, sea or any area inside or outside the Premises any trade effluent or foul or contaminated water or cooling or hot water. Subject to the said licence from the Director, the Tenant shall at its own cost(s) separate, collect, and discharge all process or industrial wastewater which comply with the standard required for discharge into a sewer leading to the sewage treatment works at Pillar Point or other treatment works specified in the licence.
- (b) Subject to obtaining advance written approval of the Director, the Tenant shall at its own cost(s) provide, install, operate and maintain its own waste water pre-treatment plants within the Premises if such process or industrial wastewater could not meet the standard required for discharge into a sewer leading to the sewage treatment works at Pillar Point or other treatment works specified in the licence. The Tenant shall at its own cost(s) separate, collect, discharge and send all domestic wastewater (i.e. other than process or industrial wastewater) to the Pillar Point Sewage Treatment Works directly for treatment or other treatment works specified in the licence.
- (c) In any event, the Tenant shall prevent any spilled materials from entering the surface water drainage system and prevent contamination of the sea at its own cost(s) by, inter alia, providing, installing, operating and maintaining stop-logs or interceptors in the surface water drainage system and at the marine frontage area, respectively, or as required by the licence. The Tenant shall at its own cost comply with relevant provisions of the Dumping at Sea Ordinance (Cap. 466) good practices and relevant provisions of the EIA Report and Final EM&A Manual.

Waste Management

8. (a) The Tenant shall at its own cost(s) comply with relevant provisions of the Waste Disposal Ordinance (Cap. 354).
- (b) The Tenant shall not permit, allow or suffer any fuel or chemical and any sewage, waste water or effluent containing sand, cement, silt or any suspended or dissolved material to flow, escape or run from the Premises onto any adjoining land or allow any waste matter which does not form part of the recovery and/or recycling and/or reprocessing operation or is not part of the final product of such operation to be deposited, kept, held or stored anywhere within the Premises and other areas of EcoPark. The Tenant shall at its own cost(s) have all such matters and all materials arising from recycling activities, chemical materials arising from maintenance of plant and equipment, sewage sludge (from wastewater treatment facilities, if any) and general daily waste from the operation removed from the Premises or any building(s) or structure(s) or any part of any building(s) or structure(s) erected or to be erected thereon in a proper manner to the satisfaction of the Landlord and/or the Director.

Noise Pollution

9. (a) The Tenant shall take all necessary measures as may be required by and to the satisfaction of the Landlord and/or the Director to ensure that the operation of all plant and equipment, installed or used on the Premises or in any building(s) or structure(s) or any part of any building(s) or structure(s) erected or to be erected thereon, will not result, not cause and/or will not contribute any noise (which exists or which is imminent) which disturbs or annoys the residents or occupiers of any adjoining or neighbouring lot or lots or premises, or causes and/or contributes to disturbance to the general public under the Noise Control Ordinance (Cap. 400) any regulations made thereunder and any amending legislation.
- (b) The decision of the Landlord or the Director as to whether any such plant and equipment are causing disturbance or annoyance as aforesaid shall be final and binding on the Tenant.

Landfill Gas Hazard

10. To mitigate landfill gas hazard, the Tenant shall at its own cost(s) comply with, inter alia, Condition 4.13 of the Environmental Permit No. EP-226/2005/A regarding raising clear of the ground all buildings and enclosed structures as specified in inter alia

Condition 3.7 (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate hazard to life impact).

EcoPark Being Within the 250m Consultation Zone of Siu Lang Shui Landfill

11. (a) The Tenant acknowledges that the EcoPark is within the 250m Consultation Zone of the Siu Lang Shui Landfill and that the Premises may be affected by problems associated with migrating landfill gas and undertakes to provide suitable precautionary or protection measures at his own expense to control these potential hazards.
- (b) The Tenant shall ensure all personnel entering the Premises and all visitors to the Premises are aware of the potential hazards of the landfill gas by posting suitable warning notices of the potential hazards at his own expense.
- (c) All buildings and enclosed structures, including temporary offices, temporary stores and the administration building, within the 250m Consultation Zone of the Siu Lang Shui Landfill shall be provided with the following measure(s):
 - (i) buildings shall be raised clear of the ground with a clear separation distance (as measured from the highest point on the ground surface to the underside of the lowest floor joist) of at least 500mm; or
 - (ii) a low-gas permeability membrane shall be applied to the surface of any wall or floor slab that rests on or is below ground. A gravel-fill vent system shall be provided such that passive venting is achieved around the perimeter of the structure. In addition, other building materials, such as dense well-compacted concrete or steel shuttering which provide a measure of resistance to gas permeation, shall be used to achieve gas protection.
- (d) The Tenant shall ensure that the electrical equipment used on the Premises shall be intrinsically safe. Welding, flame-cutting or other hot works shall be confined to the open areas of the Premises and shall be at least 15m away from any ground-level confined space.
- (e) No drilling, trenching and excavation shall be allowed on the Premises. During any construction work, the Tenant shall observe the guidelines recommended in Chapter 8 of the "Landfill Gas Hazard Assessment Guidance Note" published by the Department of Environmental Protection. In particular, no smoking, naked

flames and all other sources of ignition shall be allowed within 15m of any ground-level confined space.

Hazard to Life Impact

12. To mitigate hazard to life impact, the Tenant shall comply with, inter alia, Conditions 4.8 to 4.10 of the Environmental Permit No. EP-226/2005/A (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate hazard to life impact) and shall not:-
- (a) bring, keep, store or transport chlorine within the Premises and other areas of EcoPark;
 - (b) bring, keep, store, locate or transport dangerous goods, substances and fuels supporting combustion including oxygen, acetylene, hydrogen peroxide, rubber tyres and diesel within 10 metres from the boundary of the site of EcoPark; and
 - (c) exceed the building height restrictions for buildings on the Premises which are on/near the western boundary of the site of EcoPark as mentioned in Annex B to the Environmental Permit No. EP-226/2005/A (including any updated Permit, amended permit and further permit).

Landscape and Visual Impacts

13. To mitigate landscape and visual impacts, the Tenant shall at its own cost(s) comply with, inter alia, Condition 4.14 of the Environmental Permit No. EP-226/2005/A regarding maintaining landscape, planting, treatment and mitigation measures as specified in inter alia Condition 3.8 and Figure 3 (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate landscape and visual impacts).

Environmental Permits Relating to EcoPark

14. The Tenant hereby declares, confirms and acknowledges that it is fully aware that, pursuant to the Environmental Impact Assessment Ordinance (Cap.499), the Director has the right to grant, amend or revoke environmental permit(s) or to grant further or amended environmental permit(s) relating to the lots comprising the EcoPark and any other lots but that such right may be challenged by third parties on justifiable grounds. The Tenant hereby undertakes to waive all its rights and remedies for any loss, damages, cost and expenses whatsoever which it may sustain and/or incur directly or

indirectly as a result of the grant, amendment or revocation of the environmental permit(s) or the consequential grant of further or amended environmental permit(s), including but not limited to any right to terminate this Lease and/or to make any claim against the Landlord and/or the Director for any compensation whatsoever.

Appendix 3

Material and Waste Throughputs

Appendix 3.1

Material and Waste Throughputs of the Reporting Quarter

Table A3.1-1 Recycling of Waste Organic Food

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
July 2017	418	462	45
August 2017	402	456	38
September 2017	359	401	20

Table A3.1-2 Recycling of Waste Ferrous Metal

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
July 2017	12,971	11,684	67
August 2017	15,372	15,777	71
September 2017	3,655 ⁽⁵⁾	3,655 ⁽⁵⁾	- ⁽⁵⁾

Table A3.1-3 Recycling of Waste Wood

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
July 2017	-	-	-
August 2017	63	102	-
September 2017	n/a ⁽⁵⁾	n/a ⁽⁵⁾	n/a ⁽⁵⁾

Table A3.1-4 Recycling of Waste Electronics

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
July 2017	177	146	2
August 2017	66 ⁽⁵⁾	116 ⁽⁵⁾	- ⁽⁵⁾
September 2017	53 ⁽⁵⁾	75 ⁽⁵⁾	2 ⁽⁵⁾

Table A3.1-5 Recycling of Waste Plastic

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
July 2017	65	287	-
August 2017	46	31	-
September 2017	n/a ⁽⁵⁾	n/a ⁽⁵⁾	n/a ⁽⁵⁾

Table A3.1-6 Recycling of Waste Glass and Construction Waste

Date	Waste Input (tonnes)		Product Output ⁽⁴⁾ (tonnes)	Waste Disposal ⁽⁴⁾ (tonnes)
	Construction Waste	Glass		
July 2017	369	148	6,843	102
August 2017	n/a ⁽⁵⁾	n/a ⁽⁵⁾	n/a ⁽⁵⁾	n/a ⁽⁵⁾
September 2017	n/a ⁽⁵⁾	n/a ⁽⁵⁾	n/a ⁽⁵⁾	n/a ⁽⁵⁾

Notes:

- 1) The throughput data presented in Tables A3.1-1 to A3.1-6 has been rounded off to the nearest whole tonne for presentation.
- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.
- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.
- 5) The presented throughput is the best available data.

Appendix 3.2

Updates of Previously-Reported Material and Waste Throughputs

Table A3.2-1 Recycling of Waste Organic Food

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
None			

Table A3.2-2 Recycling of Waste Ferrous Metal

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
June 2017	14,101	14,757	69

Table A3.2-3 Recycling of Waste Wood

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
None			

Table A3.2-4 Recycling of Waste Electronics

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
April 2017	110	41	3
May 2017	161	146	19
June 2017	203	78	37

Table A3.2-5 Recycling of Waste Plastic

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
June 2017	332	123	-

Table A3.2-6 Recycling of Waste Glass and Construction Waste

Date	Waste Input (tonnes)		Product Output ⁽⁴⁾ (tonnes)	Waste Disposal ⁽⁴⁾ (tonnes)
	Construction Waste	Glass		
May 2017	236	152	7,844	62
June 2017	895	152	8,200	56

Notes:

- 1) The throughput data in Tables A3.2-1 to A3.2-6 supersede the same batch of the throughput data in previous Quarterly Environmental Monitoring & Audit Reports. The presented data has been rounded off to the nearest whole tonne for presentation.
- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.

- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.

Appendix 4

Calibration Certificate of Infrared Gas Analyser

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com

MaterialLab

REPORT ON CALIBRATION OF INFRA RED GAS ANALYSER

Client : Fugro Technical Services Limited – MaterialLab Division

Sample description : One sample of Infra Red Gas Analyser (GA5000)

Sample identification : E / 084 / 2

Serial number : G501982

Test required : Calibration

Date of calibration : 01/06/2017

Next calibration date : 30/11/2017


Method used : In-house method (Comparison with Standard Gas)

Results :

Parameters	Standard Gas Concentration, % volume	Infra Red Gas Analyser Reading, % volume	Deviation, % volume
Methane (CH ₄)	1.00	1.0	0.00
Carbon dioxide (CO ₂)	1.00	1.5	0.50
Oxygen (O ₂)	1.00	1.4	0.40

Calibrated by : C. F. Leung

Certified by :


Approved Signatory : Raymond K. F. Wong
Manager - Chemical & Environmental

Date :

** End of Report **

Note : This report refers only to the sample(s) tested.

Appendix 5

Laboratory Test Report and Graphical Plots of LFG Monitoring

Quarterly Landfill Gas Monitoring Results

Monitoring Station ID	Monitoring Locations	Date	Weather Conditions	Temperature (°C)	Start Time	End Time	Measurement Results					Action Level			Limit Level			Remarks
							Methane		Oxygen	Carbon Dioxide	Barometric Pressure	Methane	Oxygen	Carbon Dioxide	Methane	Oxygen	Carbon Dioxide	
							% v/v	% LEL	% v/v	% v/v	mBar (absolute)	% LEL	% v/v	% v/v	% LEL	% v/v	% v/v	
EP1-1	Inside the landscaping area of Administration Building	18 Sep 2017	Sunny	30	10:30	10:32	0.0	0	19.4	0.1	1013	>10	<19	>0.5	>20	<18	>1.5	Nil
EP1-2	PCCW below-ground chamber outside Lot T2			30	10:10	10:12	0.0	0	20.0	0.3	1013							Nil
EP1-3	HGC Broadband below-ground chamber outside Lot T3			30	10:05	10:07	0.0	0	19.6	0.5	1013							Nil
EP2-1	HGC Broadband below-ground chamber outside Lot P1			30	10:15	10:17	0.0	0	20.0	0.1	1013							Nil
EP2-2	HGC Broadband below-ground chamber outside Lot P3			30	10:18	10:20	0.0	0	<u>18.6</u>	<u>0.9</u>	1013							Nil
EP2-2	HGC Broadband below-ground chamber outside Lot P3			30	10:20	10:22	0.0	0	19.6	0.3	1013							Re-measurement after the initial measurement to confirm the rectification of O ₂ and CO ₂ exceedance to non-exceedance level after ventilation enhancement.

Notes:

- (1) Underlined figure indicates an exceedance of Action Level
- (2) Shaded area indicates an exceedance of Limit Level

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,
5 Lok Yi Street, Tai Lam,
Tuen Mun, N.T.,
Hong Kong.

Tel : +852 2450 8233
Fax : +852 2450 6138
E-mail : matlab@fugro.com
Website : www.fugro.com

MaterialLab

Report No. : 144799EN172172



Page 1 of 1

Test Report on Landfill Monitoring

Information Supplied by Client

Client : Allied Environmental Consultants Ltd.
 Client's address : 19/F, Kwan Chart Tower, 6 Tonnochy Road,
 Wan Chai, Hong Kong
 Project : Landfill Gas Monitoring at Eco Park, Tuen Mun
 Sample description : Six samples of gas
 Sampling location : EP1-1 Inside the Landscaping area of Administration Building
 EP1-2 PCCW below-ground chamber outside Lot EP08-01
 EP1-3 HGC Broadband below-ground chamber outside Lot EP08-03
 EP2-1 HGC Broadband below-ground chamber outside Lot P1
 EP2-2 HGC Broadband below-ground chamber outside Lot P3
 Test required : For all locations –
 In-situ measurement of methane, carbon dioxide, oxygen and
 barometric pressure

Laboratory Information


Date of in-situ testing : 18/09/2017
 Test method used : Measured by Infra Red Gas Analyser GA5000

Results :

Sampling location	Sampling time	Barometric pressure, mbar	Methane		Carbon dioxide, %v/v	Oxygen, %v/v
			%v/v	%LEL		
EP1-1	10:30	1013	0.0	0	0.1	19.4
EP1-2	10:10	1013	0.0	0	0.3	20.0
EP1-3	10:05	1013	0.0	0	0.5	19.6
EP2-1	10:15	1013	0.0	0	0.1	20.0
EP2-2	10:18	1013	0.0	0	0.9	18.6
EP2-2	10:20	1013	0.0	0	0.3	19.6

Remarks : 1. A calibration certificate of the monitoring equipment is attached for reference.
 2. A layout plan showing the sampling location is also attached for reference.

Supervised by : K.F. Wong

Certified by : 
 Approved Signatory : WONG Kwok Fung, Raymond
 Manager – Chemical & Environmental

Date : 18/09/2017

**** End of Report ****

Note : This report refers only to the sample(s) tested.

EP1-1

Date	Methane (% LEL)			Oxygen (% v/v)			Carbon Dioxide (% v/v)			Barometric Pressure (mBar)
	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement
22 Dec 2016	0	10	20	20.8	19	18	0.0	0.5	1.5	1021
15 Mar 2017	0	10	20	20.2	19	18	0.5	0.5	1.5	1022
19 Jun 2017	0	10	20	19.8	19	18	0.1	0.5	1.5	1008
18 Sep 2017	0	10	20	19.4	19	18	0.1	0.5	1.5	1013

EP1-2

Date	Methane (% LEL)			Oxygen (% v/v)			Carbon Dioxide (% v/v)			Barometric Pressure (mBar)
	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement
22 Dec 2016	0	10	20	20.8	19	18	0.1	0.5	1.5	1021
15 Mar 2017	0	10	20	20.6	19	18	0.0	0.5	1.5	1022
19 Jun 2017	0	10	20	20.1	19	18	0.2	0.5	1.5	1008
18 Sep 2017	0	10	20	20.0	19	18	0.3	0.5	1.5	1013

EP1-3

Date	Methane (% LEL)			Oxygen (% v/v)			Carbon Dioxide (% v/v)			Barometric Pressure (mBar)
	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement
22 Dec 2016	0	10	20	20.8	19	18	0.1	0.5	1.5	1021
15 Mar 2017	0	10	20	20.7	19	18	0.0	0.5	1.5	1022
19 Jun 2017	0	10	20	19.4	19	18	0.3	0.5	1.5	1008
18 Sep 2017	0	10	20	19.6	19	18	0.5	0.5	1.5	1013

EP2-1




Date	Methane (% LEL)			Oxygen (% v/v)			Carbon Dioxide (% v/v)			Barometric Pressure (mBar)
	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement
22 Dec 2016	0	10	20	20.6	19	18	0.1	0.5	1.5	1021
15 Mar 2017	0	10	20	20.5	19	18	0.0	0.5	1.5	1022
19 Jun 2017	0	10	20	19.9	19	18	0.2	0.5	1.5	1008
18 Sep 2017	0	10	20	20.0	19	18	0.1	0.5	1.5	1013



EP2-2

Date	Methane (% LEL)			Oxygen (% v/v)			Carbon Dioxide (% v/v)			Barometric Pressure (mBar)
	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement
22 Dec 2016	0	10	20	20.5	19	18	0.2	0.5	1.5	1021
15 Mar 2017	0	10	20	20.3	19	18	0.2	0.5	1.5	1022
19 Jun 2017	0	10	20	16.1	19	18	0.5	0.5	1.5	1008
19 Jun 2017*	0	10	20	19.1	19	18	0.1	0.5	1.5	1008
18 Sep 2017	0	10	20	18.6	19	18	0.9	0.5	1.5	1013
18 Sep 2017**	0	10	20	19.6	19	18	0.3	0.5	1.5	1013

* Re-measurement was carried out after the initial measurement to confirm the rectification of O₂ exceedance after ventilation enhancement.

** Re-measurement was carried out after the initial measurement to confirm the rectification of O₂ and CO₂ exceedance after ventilation enhancement.







* Re-measurement was carried out after the initial measurement to confirm the rectification of O₂ exceedance after ventilation enhancement.

** Re-measurement was carried out after the initial measurement to confirm the rectification of O₂ and CO₂ exceedance after ventilation enhancement.


Measured Oxygen Level (%v/v) at EP1-1





Measured Oxygen Level (%v/v) at EP1-2






Measured Oxygen Level (%v/v) at EP1-3







* Re-measurement was carried out after the initial measurement to confirm the rectification of O₂ exceedance after ventilation enhancement.




** Re-measurement was carried out after the initial measurement to confirm the rectification of O₂ and CO₂ exceedance after ventilation enhancement.







* Re-measurement was carried out after the initial measurement to confirm the rectification of O₂ exceedance after ventilation enhancement.

** Re-measurement was carried out after the initial measurement to confirm the rectification of O₂ and CO₂ exceedance after ventilation enhancement.





* Re-measurement was carried out after the initial measurement to confirm the rectification of O₂ exceedance after ventilation enhancement.

** Re-measurement was carried out after the initial measurement to confirm the rectification of O₂ and CO₂ exceedance after ventilation enhancement.

Appendix 6

Tenant-specific Audit Checklists for the Reporting Quarter

Appendix 6.1

Tenant-specific Audit Checklists for the Reporting Quarter Champway Technology Co Ltd

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Prohibition of discharging wastewater to communal sewer by the enforcement unit of EPD was requested by the authority
a) Sampling record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Self-monitoring when required
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Wastewater is tanked away
a) Adequate capacity?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	For temporary storage tank
b) Properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Outlet is blocked.
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	No discharge is made
2.9 Processes or activities with high risk of contamination located under covered area?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Replacement activity is not observed

EcoPark Operation
SITE INSPECTION CHECKLIST



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Follow-up Observation (1)
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not observed during inspection
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not observed during inspection
b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not observed during inspection
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.15 Bulk cargo and materials packed properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.16 Temporary stockpiles covered during rainstorms?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dusty stockpile is observed
2.17 Measures to prevent the washing away of sand/silt to drains?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No sand/silt is generated from the recycling process

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Expired in Dec 2016. Renewal application was submitted to the Authority.
a) SP Licence conditions / monitoring requirements comply?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Quarterly reporting on quantity of raw material and product (up to Apr 2017)
3.2 Operate without generation of noticeable odour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No operation is observed during inspection
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Odourous materials covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
c) If odour control system is installed, is it operating normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The system is switched off as there is no operation
3.3 Dusty materials dampened prior to loading/unloading?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No loading/unloading of dusty materials is observed
3.4 Dust monitoring record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Any exceedance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dust-generating activity is observed
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.7 Emission from chimney or powered plant free of black smoke?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No operation is observed during inspection
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.11 Air pollution control system properly maintained and function normally?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	The system is switched off as there is no operation
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No operation is observed during inspection
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No operation is observed during inspection
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



3.15 Materials transported on trucks covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not observed
3.16 Truck loads to a level within the side and tail boards?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No stockpile of dusty material is observed
3.18 Major dust source(s):	<input type="checkbox"/>	Wind erosion	<input type="checkbox"/>	Vehicle/equipment movement
	<input type="checkbox"/>	Loading/unloading of materials	<input checked="" type="checkbox"/>	Others: n/a

4. Waste / Chemical Management

<u>General</u>	N/A	Yes	No	Remarks
4.1 Registered as chemical waste producer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.3 Disposed of regularly and properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not observed

Packaging of Chemical Waste

4.7 Stored in suitable container?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No chemical waste is observed
4.8 Container properly closed or sealed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.9 Spillage cleaned up immediately through the use of absorbent?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.10 Obtained approval for the use of chemical waste container >450L?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Labelling of Chemical Waste

4.11 Provision of chemical waste label?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Label is securely attached and visible?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Label is bilingual and in proper dimension?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Information is accurate and sufficient?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Storage of Chemical Waste

4.12 Proper "Chemical Waste" sign displayed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.13 Incompatible wastes separated by impermeable partition?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.16 Properly stored and locked in designated area with adequate ventilation?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.17 Storage area paved with concrete and kept clean and dry?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.18 Cover provided for outdoor storage area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.19 Chemical waste collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Liquid Chemical Storage

4.20 Storage area provided with permeation-proof floor or surface?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Follow-up Observation (2)
4.21 Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	New Observation (1)
4.22 Walls or partitions of stacked container storage area constructed of impermeable material?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Follow-up Observation (2)

5. Landfill Gas (LFG) (within LFG Consultation Zone)

	N/A	Yes	No	Remarks
5.1 Alert workers and visitors of possible LFG hazards?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Outside LFG consultation zone
5.2 Smoking and open fires prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

6. Others

	N/A	Yes	No	Remarks
6.1 Works confined within lot boundaries?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.2 Damage to surrounding areas avoided?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.3 Site lighting designed to avoid glare to surrounding receivers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6.4 Materials and machinery stored in an orderly manner?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.5 Areas within lot for recycling activities paved with concrete?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.7 Valid calibration certificate for any monitoring equipment?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	For source sampling; Not provided
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
a) Storage area in compliance with the approved plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's information provision
b) Storage area is securely locked?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
c) Total storage capacity in compliance with relevant statutory requirement?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
d) Proper labelling provided?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
e) Dangerous goods properly packaged?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

Remarks:

Follow-up from Previous Audits

- 1) Although the tenant had cleared the oil-water mixture from the surface drainage channel, the improvement work of drain condition was still pending. As advised by the tenant, the improvement work is under tendering process. The tenant was reminded to carry out improvement work when available. The improvement work will be followed up in the next audit.



(Observed on 31 July 2017)

EcoPark Operation
SITE INSPECTION CHECKLIST

- 2) The temporary storage area for containers was not provided with permeation-proof floor and partition. As updated by the tenant, most containers shall be gradually removed by the end of the year. The tenant was reminded to implement sufficient preventive measures to accidental spillage during material transfer. The containers pending removal should be kept well maintained to avoid potential leakage until entire removal progress is complete. The removal progress will be monitored in the next audit.



(Observed on 15 March 2017)



(Observed on 31 July 2017)

New Observations

- 1) Leakage of waste oil was observed underneath a rubbish cart where a drip container was provided. The tenant should immediately remove the leaked oil from the floor and replace the damaged cart to ensure proper storage container is provided.



(Observed on 31 July 2017)

Signatures:


ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:






Name T. K. HO

Name: **May Wu**
 Date: **19 AUG 2017**

Name: **Kenji Wong**

Date: **9 Oct 2017**

Name: Taurus Kwan

Date: 2017/07/31

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong


1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Prohibition of discharging wastewater to communal sewer by the enforcement unit of EPD
a) Sampling record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Self-monitoring; no sampling was requested by the authority
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Self-monitoring when required
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Wastewater is tanked away
a) Adequate capacity?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	For temporary storage tank
b) Properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Outlet is blocked.
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	No discharge is made
2.9 Processes or activities with high risk of contamination located under covered area?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Replacement activity is not observed

EcoPark Operation
SITE INSPECTION CHECKLIST



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Follow-up Observation (1)
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not observed during inspection
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not observed during inspection
b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not observed during inspection
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.15 Bulk cargo and materials packed properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.16 Temporary stockpiles covered during rainstorms?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dusty stockpile is observed
2.17 Measures to prevent the washing away of sand/silt to drains?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No sand/silt is generated from the recycling process

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Expired in Dec 2016. Renewal application was submitted to the Authority.
a) SP Licence conditions / monitoring requirements comply?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Quarterly reporting on quantity of raw material and product (up to Apr 2017)
3.2 Operate without generation of noticeable odour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No operation is observed during inspection
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Odourous materials covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
c) If odour control system is installed, is it operating normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The system is switched off as there is no operation
3.3 Dusty materials dampened prior to loading/unloading?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No loading/unloading of dusty materials is observed
3.4 Dust monitoring record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Any exceedance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dust-generating activity is observed
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.7 Emission from chimney or powered plant free of black smoke?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No operation is observed during inspection
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.11 Air pollution control system properly maintained and function normally?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	The system is switched off as there is no operation
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No operation is observed during inspection
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No operation is observed during inspection
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



- | | | | | |
|--|---|---|--------------------------|--|
| 3.15 Materials transported on trucks covered? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Not observed |
| 3.16 Truck loads to a level within the side and tail boards? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Not observed |
| 3.17 Stockpiles of dusty materials covered or regularly watered? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No stockpile of dusty material is observed |
| 3.18 Major dust source(s): | <input type="checkbox"/> Wind erosion | <input type="checkbox"/> Vehicle/equipment movement | | |
| | <input type="checkbox"/> Loading/unloading of materials | <input checked="" type="checkbox"/> Others: n/a | | |

4. Waste / Chemical Management

<u>General</u>	N/A	Yes	No	Remarks
4.1 Registered as chemical waste producer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.3 Disposed of regularly and properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not observed
<u>Packaging of Chemical Waste</u>				
4.7 Stored in suitable container?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No chemical waste is observed
4.8 Container properly closed or sealed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.9 Spillage cleaned up immediately through the use of absorbent?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.10 Obtained approval for the use of chemical waste container >450L?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<u>Labelling of Chemical Waste</u>				
4.11 Provision of chemical waste label?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Label is securely attached and visible?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Label is bilingual and in proper dimension?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Information is accurate and sufficient?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<u>Storage of Chemical Waste</u>				
4.12 Proper "Chemical Waste" sign displayed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.13 Incompatible wastes separated by impermeable partition?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.16 Properly stored and locked in designated area with adequate ventilation?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.17 Storage area paved with concrete and kept clean and dry?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.18 Cover provided for outdoor storage area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.19 Chemical waste collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<u>Liquid Chemical Storage</u>				
4.20 Storage area provided with permeation-proof floor or surface?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Follow-up Observation (2)

EcoPark Operation
SITE INSPECTION CHECKLIST

4.21 Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage? Follow-up Observation (3)

4.22 Walls or partitions of stacked container storage area constructed of impermeable material? Follow-up Observation (2)

5. Landfill Gas (LFG) (within LFG Consultation Zone)

	N/A	Yes	No	Remarks
5.1 Alert workers and visitors of possible LFG hazards?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Outside LFG consultation zone
5.2 Smoking and open fires prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

6. Others

	N/A	Yes	No	Remarks
6.1 Works confined within lot boundaries?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.2 Damage to surrounding areas avoided?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.3 Site lighting designed to avoid glare to surrounding receivers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6.4 Materials and machinery stored in an orderly manner?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.5 Areas within lot for recycling activities paved with concrete?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.7 Valid calibration certificate for any monitoring equipment?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	For source sampling; Not provided
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
a) Storage area in compliance with the approved plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's information provision
b) Storage area is securely locked?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
c) Total storage capacity in compliance with relevant statutory requirement?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
d) Proper labelling provided?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
e) Dangerous goods properly packaged?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

Remarks:

Follow-up from Previous Audits

- 1) Although the tenant had cleared the oil-water mixture from the surface drainage channel, the improvement work of drain condition was still pending. As advised by the tenant, the improvement work is still under tendering process. The tenant was reminded to carry out improvement work as soon as possible. The improvement work will be followed up in the next audit.



(Observed on 17 February 2017)



(Observed on 28 August 2017)

2) The temporary storage area for containers was not provided with permeation-proof floor and partition. As updated by the tenant, most of the containers shall be gradually removed. As contingency, the tenant had covered the floor at locations where containers were removed with sand layer to prevent land contamination from potential accidental spillage during subsequent container removal process. The tenant was advised to implement sufficient measures during material transfer to avoid, or contain if any, accidental spillage. The containers pending removal should be well maintained to avoid potential leakage until completion of the removal process, which will be monitored in the next audit.



(Observed on 31 July 2017)



(Observed on 28 August 2017)

3) The damaged rubbish cart and the leaked oil had been removed. As confirmed by the tenant, the cart will be used for temporary storage



(Observed on 31 July 2017)



(Observed on 28 August 2017)

New Observations

- No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:






Name Ronan CHAN

Name

May Wu
 12 SEP 2017

Name Kenji Wong

Name: Taurus Kwan

Date: 2017/08/28

Date:

Date: 9 Oct 2017

Date: 2017/09/11

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Prohibition of discharging wastewater to communal sewer by the enforcement unit of EPD
a) Sampling record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Self-monitoring; no sampling was requested by the authority
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Self-monitoring when required
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Wastewater is tanked away
a) Adequate capacity?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	For temporary storage tank
b) Properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Outlet is blocked.
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	No discharge is made
2.9 Processes or activities with high risk of contamination located under covered area?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Replacement activity is not observed

EcoPark Operation
SITE INSPECTION CHECKLIST



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Follow-up Observation (1)
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not observed during inspection
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not observed during inspection
b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not observed during inspection
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.15 Bulk cargo and materials packed properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.16 Temporary stockpiles covered during rainstorms?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dusty stockpile is observed
2.17 Measures to prevent the washing away of sand/silt to drains?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No sand/silt is generated from the recycling process

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Expired in Dec 2016. Renewal application was submitted to the Authority.
a) SP Licence conditions / monitoring requirements comply?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Quarterly reporting on quantity of raw material and product (up to Apr 2017)
3.2 Operate without generation of noticeable odour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No operation is observed during inspection
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Odourous materials covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
c) If odour control system is installed, is it operating normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The system is switched off as there is no operation
3.3 Dusty materials dampened prior to loading/unloading?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No loading/unloading of dusty materials is observed
3.4 Dust monitoring record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Any exceedance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dust-generating activity is observed
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.7 Emission from chimney or powered plant free of black smoke?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No operation is observed during inspection
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.11 Air pollution control system properly maintained and function normally?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	The system is switched off as there is no operation
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No operation is observed during inspection
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No operation is observed during inspection
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



3.15 Materials transported on trucks covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not observed
3.16 Truck loads to a level within the side and tail boards?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No stockpile of dusty material is observed
3.18 Major dust source(s):	<input type="checkbox"/> Wind erosion	<input type="checkbox"/> Vehicle/equipment movement		
	<input type="checkbox"/> Loading/unloading of materials	<input checked="" type="checkbox"/> Others: n/a		

4. Waste / Chemical Management

<u>General</u>	N/A	Yes	No	Remarks
4.1 Registered as chemical waste producer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.3 Disposed of regularly and properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not observed
<u>Packaging of Chemical Waste</u>				
4.7 Stored in suitable container?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No chemical waste is observed
4.8 Container properly closed or sealed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.9 Spillage cleaned up immediately through the use of absorbent?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.10 Obtained approval for the use of chemical waste container >450L?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<u>Labelling of Chemical Waste</u>				
4.11 Provision of chemical waste label?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Label is securely attached and visible?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Label is bilingual and in proper dimension?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Information is accurate and sufficient?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<u>Storage of Chemical Waste</u>				
4.12 Proper "Chemical Waste" sign displayed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.13 Incompatible wastes separated by impermeable partition?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.16 Properly stored and locked in designated area with adequate ventilation?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.17 Storage area paved with concrete and kept clean and dry?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.18 Cover provided for outdoor storage area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.19 Chemical waste collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<u>Liquid Chemical Storage</u>				
4.20 Storage area provided with permeation-proof floor or surface?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Follow-up Observation (2)

EcoPark Operation
SITE INSPECTION CHECKLIST

4.21 Capacity of retention structure sufficient to accommodate contents of the largest container or _____
 20% volume of the material in storage?

4.22 Walls or partitions of stacked container storage area constructed of impermeable material? Follow-up Observation (2)

5. Landfill Gas (LFG) (within LFG Consultation Zone)

	N/A	Yes	No	Remarks
5.1 Alert workers and visitors of possible LFG hazards?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Outside LFG consultation zone
5.2 Smoking and open fires prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

6. Others

	N/A	Yes	No	Remarks
6.1 Works confined within lot boundaries?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.2 Damage to surrounding areas avoided?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.3 Site lighting designed to avoid glare to surrounding receivers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6.4 Materials and machinery stored in an orderly manner?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.5 Areas within lot for recycling activities paved with concrete?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.7 Valid calibration certificate for any monitoring equipment?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	For source sampling; Not provided
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's information provision
a) Storage area in compliance with the approved plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Storage area is securely locked?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
c) Total storage capacity in compliance with relevant statutory requirement?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
d) Proper labelling provided?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
e) Dangerous goods properly packaged?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

Remarks:

Follow-up from Previous Audits

- 1) Although the tenant had cleared the oil-water mixture from the surface drainage channel, the improvement work of drain condition was still pending. As advised by the tenant, the improvement work is still under tendering process. The tenant was reminded to carry out improvement work as soon as possible. The improvement work will be followed up in the next audit.



(Observed on 17 February 2017)



(Observed on 18 September 2017)

EcoPark Operation
SITE INSPECTION CHECKLIST

- 2) The temporary storage area for containers was not provided with permeation-proof floor and partition. As updated by the tenant, most of the containers shall be gradually removed. The tenant was advised to implement sufficient measures during material transfer to avoid, or contain if any, accidental spillage. The containers pending removal should be well maintained to avoid potential leakage until completion of the removal proces, which will be monitored in the next audit.



(Observed on 28 August 2017)



(Observed on 18 September 2017)

Signatures:

ET Representative:



Name T. K. HO

Date: 2017/09/18

Operator Representative:



Name **May Wu**

Date: **- 3 OCT 2017**

Tenant Representative:



Name **Kenji Wong**

Date: **9 Oct 2017**

IEC Representative:



Name:

Date:

Appendix 6.2

Tenant-specific Audit Checklists for the Reporting Quarter Shiu Wing Steel Ltd

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required.
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No wastewater is generated from recycling process
a) Sampling record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Adequate capacity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.9 Processes or activities with high risk of contamination located under covered area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Recycling process has low risk of contamination
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed.
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Replacement activity is not observed

EcoPark Operation
SITE INSPECTION CHECKLIST




2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No contaminated water was observed
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.15 Bulk cargo and materials packed properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.16 Temporary stockpiles covered during rainstorms?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dusty stockpile is observed
2.17 Measures to prevent the washing away of sand/silt to drains?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No sand/silt is generated from the recycling process

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) SP Licence conditions / monitoring requirements comply?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.2 Operate without generation of noticeable odour?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Odourous materials covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If odour control system is installed, is it operating normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.3 Dusty materials dampened prior to loading/unloading?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.4 Dust monitoring record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Any exceedance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.7 Emission from chimney or powered plant free of black smoke?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.11 Air pollution control system properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



- 3.15 Materials transported on trucks covered? Not observed
- 3.16 Truck loads to a level within the side and tail boards? Not observed
- 3.17 Stockpiles of dusty materials covered or regularly watered? No dusty material is observed
- 3.18 Major dust source(s): Wind erosion Vehicle/equipment movement
- Loading/unloading of materials Others: n/a

4. Waste / Chemical Management

- General
- | | N/A | Yes | No | Remarks |
|--|-------------------------------------|-------------------------------------|--------------------------|-------------------------------|
| 4.1 Registered as chemical waste producer? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No chemical waste is observed |
| 4.2 Sufficient receptacles (e.g. rubbish bins) available? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.3 Disposed of regularly and properly? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.4 Sorting of materials on-site for reuse or disposal to designated outlet? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.5 Records of quantities of waste generated, recycled and disposed properly kept? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Verified via quarterly report |
| 4.6 Collection of sludge by licensed collector at regular intervals? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Not required |

Packaging of Chemical Waste

- | | | | | |
|---|-------------------------------------|--------------------------|--------------------------|--|
| 4.7 Stored in suitable container? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.8 Container properly closed or sealed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.9 Spillage cleaned up immediately through the use of absorbent? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.10 Obtained approval for the use of chemical waste container >450L? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Labelling of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.11 Provision of chemical waste label? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| a) Label is securely attached and visible? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| b) Label is bilingual and in proper dimension? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| c) Information is accurate and sufficient? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Storage of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.12 Proper "Chemical Waste" sign displayed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.13 Incompatible wastes separated by impermeable partition? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.16 Properly stored and locked in designated area with adequate ventilation? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.17 Storage area paved with concrete and kept clean and dry? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.18 Cover provided for outdoor storage area? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.19 Chemical waste collected by licensed collector? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Liquid Waste Storage

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.20 Storage area provided with permeation-proof floor or surface? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
|--|-------------------------------------|--------------------------|--------------------------|--|

EcoPark Operation
SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage? _____

4.22 Walls or partitions of stacked container storage area constructed of impermeable material? _____

5. Landfill Gas (LFG) (within LFG Consultation Zone)

N/A Yes No Remarks

5.1 Alert workers and visitors of possible LFG hazards? _____

5.2 Smoking and open fires prohibited? _____

6. Others

N/A Yes No Remarks

6.1 Works confined within lot boundaries? _____

6.2 Damage to surrounding areas avoided? _____

6.3 Site lighting designed to avoid glare to surrounding receivers? _____

6.4 Materials and machinery stored in an orderly manner? _____

6.5 Areas within lot for recycling activities paved with concrete? Covered by metal plates

6.6 Potential stagnant pools cleared and mosquito breeding prevented? _____

6.7 Valid calibration certificate for any monitoring equipment? Not required

6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods? Not required

a) Storage area in compliance with the approved plan? _____

b) Storage area is securely locked? _____

c) Total storage capacity in compliance with relevant statutory requirement? _____

d) Proper labelling provided? _____

e) Dangerous goods properly packaged? _____

Remarks:

New Observations

- No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name T. K. HO

Name: 19 AUG 2017

Name: Alex Wai

Name: Taurus Kwan

Date: 2017/07/31

Date:

Date: 21.8.2017

Date: 2017/07/31

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required.
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No wastewater is generated from recycling process
a) Sampling record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Adequate capacity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.9 Processes or activities with high risk of contamination located under covered area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Recycling process has low risk of contamination
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed.
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Replacement activity is not observed

EcoPark Operation
SITE INSPECTION CHECKLIST



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No contaminated water was observed
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.15 Bulk cargo and materials packed properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.16 Temporary stockpiles covered during rainstorms?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dusty stockpile is observed
2.17 Measures to prevent the washing away of sand/silt to drains?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No sand/silt is generated from the recycling process

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) SP Licence conditions / monitoring requirements comply?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.2 Operate without generation of noticeable odour?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Odourous materials covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If odour control system is installed, is it operating normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.3 Dusty materials dampened prior to loading/unloading?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.4 Dust monitoring record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Any exceedance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.7 Emission from chimney or powered plant free of black smoke?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.11 Air pollution control system properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



- 3.15 Materials transported on trucks covered? Not observed
- 3.16 Truck loads to a level within the side and tail boards? Not observed
- 3.17 Stockpiles of dusty materials covered or regularly watered? No dusty material is observed
- 3.18 Major dust source(s): Wind erosion Vehicle/equipment movement
- Loading/unloading of materials Others: n/a

4. Waste / Chemical Management

- General
- | | N/A | Yes | No | Remarks |
|--|-------------------------------------|-------------------------------------|--------------------------|-------------------------------|
| 4.1 Registered as chemical waste producer? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No chemical waste is observed |
| 4.2 Sufficient receptacles (e.g. rubbish bins) available? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.3 Disposed of regularly and properly? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.4 Sorting of materials on-site for reuse or disposal to designated outlet? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.5 Records of quantities of waste generated, recycled and disposed properly kept? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Verified via quarterly report |
| 4.6 Collection of sludge by licensed collector at regular intervals? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Not required |

Packaging of Chemical Waste

- | | | | | |
|---|-------------------------------------|--------------------------|--------------------------|--|
| 4.7 Stored in suitable container? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.8 Container properly closed or sealed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.9 Spillage cleaned up immediately through the use of absorbent? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.10 Obtained approval for the use of chemical waste container >450L? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Labelling of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.11 Provision of chemical waste label? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| a) Label is securely attached and visible? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| b) Label is bilingual and in proper dimension? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| c) Information is accurate and sufficient? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Storage of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.12 Proper "Chemical Waste" sign displayed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.13 Incompatible wastes separated by impermeable partition? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.16 Properly stored and locked in designated area with adequate ventilation? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.17 Storage area paved with concrete and kept clean and dry? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.18 Cover provided for outdoor storage area? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.19 Chemical waste collected by licensed collector? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Liquid Waste Storage

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.20 Storage area provided with permeation-proof floor or surface? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
|--|-------------------------------------|--------------------------|--------------------------|--|

EcoPark Operation
SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage? _____

4.22 Walls or partitions of stacked container storage area constructed of impermeable material? _____

5. Landfill Gas (LFG) (within LFG Consultation Zone)

N/A Yes No Remarks

5.1 Alert workers and visitors of possible LFG hazards? _____

5.2 Smoking and open fires prohibited? _____

6. Others

N/A Yes No Remarks

6.1 Works confined within lot boundaries? _____

6.2 Damage to surrounding areas avoided? _____

6.3 Site lighting designed to avoid glare to surrounding receivers? _____

6.4 Materials and machinery stored in an orderly manner? _____

6.5 Areas within lot for recycling activities paved with concrete? Covered by metal plates

6.6 Potential stagnant pools cleared and mosquito breeding prevented? _____

6.7 Valid calibration certificate for any monitoring equipment? Not required

6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods? Not required

a) Storage area in compliance with the approved plan? _____

b) Storage area is securely locked? _____

c) Total storage capacity in compliance with relevant statutory requirement? _____

d) Proper labelling provided? _____

e) Dangerous goods properly packaged? _____

Remarks:

New Observations

- No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name Ronan CHAN

Name: Alex Wai
 Date: 19 AUG 2017

Name: Alex Wai
 Date: 21.8.2017

Name: Taurus Kwan

Date: 2017/08/28

Date: 2017/09/11

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required.
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No wastewater is generated from recycling process
a) Sampling record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Adequate capacity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.9 Processes or activities with high risk of contamination located under covered area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Recycling process has low risk of contamination
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed.
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Replacement activity is not observed

EcoPark Operation
SITE INSPECTION CHECKLIST



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No contaminated water was observed
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.15 Bulk cargo and materials packed properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.16 Temporary stockpiles covered during rainstorms?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dusty stockpile is observed
2.17 Measures to prevent the washing away of sand/silt to drains?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No sand/silt is generated from the recycling process

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) SP Licence conditions / monitoring requirements comply?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.2 Operate without generation of noticeable odour?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Odourous materials covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If odour control system is installed, is it operating normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.3 Dusty materials dampened prior to loading/unloading?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.4 Dust monitoring record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Any exceedance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.7 Emission from chimney or powered plant free of black smoke?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.11 Air pollution control system properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



- 3.15 Materials transported on trucks covered? Not observed
- 3.16 Truck loads to a level within the side and tail boards? Not observed
- 3.17 Stockpiles of dusty materials covered or regularly watered? No dusty material is observed
- 3.18 Major dust source(s): Wind erosion Vehicle/equipment movement
- Loading/unloading of materials Others: n/a

4. Waste / Chemical Management

- General
- | | N/A | Yes | No | Remarks |
|--|-------------------------------------|-------------------------------------|--------------------------|-------------------------------|
| 4.1 Registered as chemical waste producer? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No chemical waste is observed |
| 4.2 Sufficient receptacles (e.g. rubbish bins) available? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.3 Disposed of regularly and properly? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.4 Sorting of materials on-site for reuse or disposal to designated outlet? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.5 Records of quantities of waste generated, recycled and disposed properly kept? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Verified via quarterly report |
| 4.6 Collection of sludge by licensed collector at regular intervals? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Not required |

Packaging of Chemical Waste

- 4.7 Stored in suitable container?
- 4.8 Container properly closed or sealed?
- 4.9 Spillage cleaned up immediately through the use of absorbent?
- 4.10 Obtained approval for the use of chemical waste container >450L?

Labelling of Chemical Waste

- 4.11 Provision of chemical waste label?
- a) Label is securely attached and visible?
- b) Label is bilingual and in proper dimension?
- c) Information is accurate and sufficient?

Storage of Chemical Waste

- 4.12 Proper "Chemical Waste" sign displayed?
- 4.13 Incompatible wastes separated by impermeable partition?
- 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?
- 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?
- 4.16 Properly stored and locked in designated area with adequate ventilation?
- 4.17 Storage area paved with concrete and kept clean and dry?
- 4.18 Cover provided for outdoor storage area?
- 4.19 Chemical waste collected by licensed collector?

Liquid Waste Storage

- 4.20 Storage area provided with permeation-proof floor or surface?
- 4.21 Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage?

EcoPark Operation
SITE INSPECTION CHECKLIST



4.22 Walls or partitions of stacked container storage area constructed of impermeable material? _____

5. Landfill Gas (LFG) (within LFG Consultation Zone)

N/A Yes No Remarks

5.1 Alert workers and visitors of possible LFG hazards? _____

5.2 Smoking and open fires prohibited? _____

6. Others

N/A Yes No Remarks

6.1 Works confined within lot boundaries? _____

6.2 Damage to surrounding areas avoided? _____

6.3 Site lighting designed to avoid glare to surrounding receivers? _____

6.4 Materials and machinery stored in an orderly manner? _____

6.5 Areas within lot for recycling activities paved with concrete? Covered by metal plates

6.6 Potential stagnant pools cleared and mosquito breeding prevented? _____

6.7 Valid calibration certificate for any monitoring equipment? Not required

6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods? Not required

a) Storage area in compliance with the approved plan? _____

b) Storage area is securely locked? _____

c) Total storage capacity in compliance with relevant statutory requirement? _____

d) Proper labelling provided? _____

e) Dangerous goods properly packaged? _____

Remarks:

New Observations

- No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name T. K. HO

Name May Wu

Name Alex Wai

Name:

Date: 2017/09/18

Date: -3 OCT 2017

Date: 3/10/2017

Date:

Appendix 6.3

Tenant-specific Audit Checklists for the Reporting Quarter China Commercial Logistics Company Ltd

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No wastewater is generated from the recycling process
a) Sampling record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Adequate capacity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.9 Processes or activities with high risk of contamination located under covered area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Recycling process has low risk of contamination
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed.
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Replacement activity is not observed

EcoPark Operation
SITE INSPECTION CHECKLIST



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No contaminated water is observed
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.15 Bulk cargo and materials packed properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.16 Temporary stockpiles covered during rainstorms?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dusty stockpile is observed
2.17 Measures to prevent the washing away of sand/silt to drains?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No sand/silt is generated from the recycling process

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) SP Licence conditions / monitoring requirements comply?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.2 Operate without generation of noticeable odour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No operation is observed during inspection
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Odourous materials covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If odour control system is installed, is it operating normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.3 Dusty materials dampened prior to loading/unloading?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No loading/unloading of dusty materials is observed
3.4 Dust monitoring record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Any exceedance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Via enclosure
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.7 Emission from chimney or powered plant free of black smoke?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No operation is observed during inspection
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.11 Air pollution control system properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not in operation due to no recycling process conducted
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



- 3.15 Materials transported on trucks covered? Not observed
- 3.16 Truck loads to a level within the side and tail boards? Not observed
- 3.17 Stockpiles of dusty materials covered or regularly watered? No stockpile of dusty material is observed
- 3.18 Major dust source(s): Wind erosion Vehicle/equipment movement
- Loading/unloading of materials Others: n/a

4. Waste / Chemical Management

- General
- | | N/A | Yes | No | Remarks |
|--|-------------------------------------|-------------------------------------|--------------------------|-------------------------------|
| 4.1 Registered as chemical waste producer? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No chemical waste is observed |
| 4.2 Sufficient receptacles (e.g. rubbish bins) available? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.3 Disposed of regularly and properly? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.4 Sorting of materials on-site for reuse or disposal to designated outlet? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.5 Records of quantities of waste generated, recycled and disposed properly kept? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Verified via quarterly report |
| 4.6 Collection of sludge by licensed collector at regular intervals? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Not required |

Packaging of Chemical Waste

- | | | | | |
|---|-------------------------------------|--------------------------|--------------------------|--|
| 4.7 Stored in suitable container? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.8 Container properly closed or sealed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.9 Spillage cleaned up immediately through the use of absorbent? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.10 Obtained approval for the use of chemical waste container >450L? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Labelling of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.11 Provision of chemical waste label? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| a) Label is securely attached and visible? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| b) Label is bilingual and in proper dimension? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| c) Information is accurate and sufficient? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Storage of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.12 Proper "Chemical Waste" sign displayed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.13 Incompatible wastes separated by impermeable partition? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.16 Properly stored and locked in designated area with adequate ventilation? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.17 Storage area paved with concrete and kept clean and dry? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.18 Cover provided for outdoor storage area? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.19 Chemical waste collected by licensed collector? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Liquid Waste Storage

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.20 Storage area provided with permeation-proof floor or surface? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
|--|-------------------------------------|--------------------------|--------------------------|--|

EcoPark Operation
SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest container _____
 20% volume of the material in storage?

4.22 Walls or partitions of stacked container storage area constructed of impermeable material? _____

5. Landfill Gas (LFG) (within LFG Consultation Zone)

N/A Yes No Remarks

5.1 Alert workers and visitors of possible LFG hazards? _____

5.2 Smoking and open fires prohibited? _____

6. Others

N/A Yes No Remarks

6.1 Works confined within lot boundaries? _____

6.2 Damage to surrounding areas avoided? _____

6.3 Site lighting designed to avoid glare to surrounding receivers? _____

6.4 Materials and machinery stored in an orderly manner? _____

6.5 Areas within lot for recycling activities paved with concrete? _____

6.6 Potential stagnant pools cleared and mosquito breeding prevented? _____

6.7 Valid calibration certificate for any monitoring equipment? No monitoring is required

6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods? Not required

a) Storage area in compliance with the approved plan? _____

b) Storage area is securely locked? _____

c) Total storage capacity in compliance with relevant statutory requirement? _____

d) Proper labelling provided? _____

e) Dangerous goods properly packaged? _____

Remarks:

New Observations

- No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name T. K. HO

Name: May Wu

Name:

Name:

Date: 2017/07/31

Date: 19 AUG 2017

Date: 14-9-2017

Date:

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No wastewater is generated from the recycling process
a) Sampling record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Adequate capacity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.9 Processes or activities with high risk of contamination located under covered area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Recycling process has low risk of contamination
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed.
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Replacement activity is not observed

EcoPark Operation
SITE INSPECTION CHECKLIST



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No contaminated water is observed
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.15 Bulk cargo and materials packed properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.16 Temporary stockpiles covered during rainstorms?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dusty stockpile is observed
2.17 Measures to prevent the washing away of sand/silt to drains?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No sand/silt is generated from the recycling process

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) SP Licence conditions / monitoring requirements comply?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.2 Operate without generation of noticeable odour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No operation is observed during inspection
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Odourous materials covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If odour control system is installed, is it operating normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.3 Dusty materials dampened prior to loading/unloading?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No loading/unloading of dusty materials is observed
3.4 Dust monitoring record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Any exceedance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Via enclosure
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.7 Emission from chimney or powered plant free of black smoke?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No operation is observed during inspection
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.11 Air pollution control system properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not in operation due to no recycling process conducted
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



- | | | | | |
|--|-------------------------------------|--------------------------------|-------------------------------------|--|
| 3.15 Materials transported on trucks covered? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Not observed |
| 3.16 Truck loads to a level within the side and tail boards? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Not observed |
| 3.17 Stockpiles of dusty materials covered or regularly watered? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No stockpile of dusty material is observed |
| 3.18 Major dust source(s): | <input type="checkbox"/> | Wind erosion | <input type="checkbox"/> | Vehicle/equipment movement |
| | <input type="checkbox"/> | Loading/unloading of materials | <input checked="" type="checkbox"/> | Others: n/a |

4. Waste / Chemical Management

- | General | N/A | Yes | No | Remarks |
|--|-------------------------------------|-------------------------------------|--------------------------|-------------------------------|
| 4.1 Registered as chemical waste producer? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No chemical waste is observed |
| 4.2 Sufficient receptacles (e.g. rubbish bins) available? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.3 Disposed of regularly and properly? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.4 Sorting of materials on-site for reuse or disposal to designated outlet? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.5 Records of quantities of waste generated, recycled and disposed properly kept? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Verified via quarterly report |
| 4.6 Collection of sludge by licensed collector at regular intervals? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Not required |

Packaging of Chemical Waste

- | | | | | |
|---|-------------------------------------|--------------------------|--------------------------|--|
| 4.7 Stored in suitable container? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.8 Container properly closed or sealed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.9 Spillage cleaned up immediately through the use of absorbent? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.10 Obtained approval for the use of chemical waste container >450L? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Labelling of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.11 Provision of chemical waste label? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| a) Label is securely attached and visible? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| b) Label is bilingual and in proper dimension? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| c) Information is accurate and sufficient? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Storage of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.12 Proper "Chemical Waste" sign displayed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.13 Incompatible wastes separated by impermeable partition? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.16 Properly stored and locked in designated area with adequate ventilation? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.17 Storage area paved with concrete and kept clean and dry? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.18 Cover provided for outdoor storage area? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.19 Chemical waste collected by licensed collector? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Liquid Waste Storage

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.20 Storage area provided with permeation-proof floor or surface? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
|--|-------------------------------------|--------------------------|--------------------------|--|

EcoPark Operation
SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest container _____
 20% volume of the material in storage?

4.22 Walls or partitions of stacked container storage area constructed of impermeable material? _____

5. Landfill Gas (LFG) (within LFG Consultation Zone)

N/A Yes No Remarks

5.1 Alert workers and visitors of possible LFG hazards? _____

5.2 Smoking and open fires prohibited? _____

6. Others

N/A Yes No Remarks

6.1 Works confined within lot boundaries? _____

6.2 Damage to surrounding areas avoided? _____

6.3 Site lighting designed to avoid glare to surrounding receivers? _____

6.4 Materials and machinery stored in an orderly manner? _____

6.5 Areas within lot for recycling activities paved with concrete? _____

6.6 Potential stagnant pools cleared and mosquito breeding prevented? _____

6.7 Valid calibration certificate for any monitoring equipment? No monitoring is required

6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods? Not required

a) Storage area in compliance with the approved plan? _____

b) Storage area is securely locked? _____

c) Total storage capacity in compliance with relevant statutory requirement? _____

d) Proper labelling provided? _____

e) Dangerous goods properly packaged? _____

Remarks:

New Observations

- No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name Ronan CHAN

Name

May Wu

Name

Name: Taurus Kwan

Date: 2017/08/28

Date:

12 SEP 2017

Date:

14-9-2017

Date: 2017/09/11

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No wastewater is generated from the recycling process
a) Sampling record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Adequate capacity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.9 Processes or activities with high risk of contamination located under covered area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Recycling process has low risk of contamination
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed.
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Replacement activity is not observed

EcoPark Operation
SITE INSPECTION CHECKLIST



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No contaminated water is observed
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.15 Bulk cargo and materials packed properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.16 Temporary stockpiles covered during rainstorms?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dusty stockpile is observed
2.17 Measures to prevent the washing away of sand/silt to drains?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No sand/silt is generated from the recycling process

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) SP Licence conditions / monitoring requirements comply?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.2 Operate without generation of noticeable odour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No operation is observed during inspection
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Odourous materials covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If odour control system is installed, is it operating normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.3 Dusty materials dampened prior to loading/unloading?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.4 Dust monitoring record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Any exceedance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Via enclosure
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.7 Emission from chimney or powered plant free of black smoke?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No operation is observed during inspection
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.11 Air pollution control system properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not in operation due to no recycling process conducted
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



- 3.15 Materials transported on trucks covered? Not observed
- 3.16 Truck loads to a level within the side and tail boards? Not observed
- 3.17 Stockpiles of dusty materials covered or regularly watered? No stockpile of dusty material is observed
- 3.18 Major dust source(s): Wind erosion Vehicle/equipment movement
- Loading/unloading of materials Others: n/a

4. Waste / Chemical Management

- General
- | | N/A | Yes | No | Remarks |
|--|-------------------------------------|-------------------------------------|--------------------------|-------------------------------|
| 4.1 Registered as chemical waste producer? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No chemical waste is observed |
| 4.2 Sufficient receptacles (e.g. rubbish bins) available? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.3 Disposed of regularly and properly? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.4 Sorting of materials on-site for reuse or disposal to designated outlet? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.5 Records of quantities of waste generated, recycled and disposed properly kept? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Verified via quarterly report |
| 4.6 Collection of sludge by licensed collector at regular intervals? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Not required |

Packaging of Chemical Waste

- | | | | | |
|---|-------------------------------------|--------------------------|--------------------------|--|
| 4.7 Stored in suitable container? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.8 Container properly closed or sealed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.9 Spillage cleaned up immediately through the use of absorbent? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.10 Obtained approval for the use of chemical waste container >450L? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Labelling of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.11 Provision of chemical waste label? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| a) Label is securely attached and visible? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| b) Label is bilingual and in proper dimension? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| c) Information is accurate and sufficient? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Storage of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.12 Proper "Chemical Waste" sign displayed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.13 Incompatible wastes separated by impermeable partition? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.16 Properly stored and locked in designated area with adequate ventilation? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.17 Storage area paved with concrete and kept clean and dry? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.18 Cover provided for outdoor storage area? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.19 Chemical waste collected by licensed collector? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Liquid Waste Storage

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.20 Storage area provided with permeation-proof floor or surface? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
|--|-------------------------------------|--------------------------|--------------------------|--|

EcoPark Operation
SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest container _____
 20% volume of the material in storage?

4.22 Walls or partitions of stacked container storage area constructed of impermeable material? _____

5. Landfill Gas (LFG) (within LFG Consultation Zone)

N/A Yes No Remarks

5.1 Alert workers and visitors of possible LFG hazards? _____

5.2 Smoking and open fires prohibited? _____

6. Others

N/A Yes No Remarks

6.1 Works confined within lot boundaries? _____

6.2 Damage to surrounding areas avoided? _____

6.3 Site lighting designed to avoid glare to surrounding receivers? _____

6.4 Materials and machinery stored in an orderly manner? _____

6.5 Areas within lot for recycling activities paved with concrete? _____

6.6 Potential stagnant pools cleared and mosquito breeding prevented? _____

6.7 Valid calibration certificate for any monitoring equipment? No monitoring is required

6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods? Not required

a) Storage area in compliance with the approved plan? _____

b) Storage area is securely locked? _____

c) Total storage capacity in compliance with relevant statutory requirement? _____

d) Proper labelling provided? _____

e) Dangerous goods properly packaged? _____

Remarks:

New Observations

- No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name T. K. HO

Name May Wu

Name

Name:

Date: 2017/09/18

Date: -3 OCT 2017

Date: 4/10/2017

Date:

Appendix 6.4

**Tenant-specific Audit Checklists for the Reporting Quarter
Li Tong Group**

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required.
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	No wastewater is generated from recycling process
a) Sampling record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Adequate capacity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.9 Processes or activities with high risk of contamination located under covered area?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed.
2.11 Equipment oil and lubrication replacements performed only in banded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Replacement activity is not observed

EcoPark Operation
SITE INSPECTION CHECKLIST



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No contaminated water is observed
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.15 Bulk cargo and materials packed properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.16 Temporary stockpiles covered during rainstorms?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dusty stockpile is observed
2.17 Measures to prevent the washing away of sand/silt to drains?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No sand/silt is generated from the recycling process

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) SP Licence conditions / monitoring requirements comply?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.2 Operate without generation of noticeable odour?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	No operation is observed during inspection
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Odourous materials covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If odour control system is installed, is it operating normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.3 Dusty materials dampened prior to loading/unloading?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dusty material is not observed
3.4 Dust monitoring record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Any exceedance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dust-generating activity is not observed
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.7 Emission from chimney or powered plant free of black smoke?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No chimney/powered plant is being used
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.11 Air pollution control system properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



- 3.15 Materials transported on trucks covered? Not observed
- 3.16 Truck loads to a level within the side and tail boards? Not observed
- 3.17 Stockpiles of dusty materials covered or regularly watered? No stockpile of dusty material is observed
- 3.18 Major dust source(s): Wind erosion Vehicle/equipment movement
- Loading/unloading of materials Others: n/a

4. Waste / Chemical Management

- General
- | | N/A | Yes | No | Remarks |
|--|-------------------------------------|-------------------------------------|--------------------------|-------------------------------|
| 4.1 Registered as chemical waste producer? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.2 Sufficient receptacles (e.g. rubbish bins) available? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.3 Disposed of regularly and properly? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.4 Sorting of materials on-site for reuse or disposal to designated outlet? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.5 Records of quantities of waste generated, recycled and disposed properly kept? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Verified via quarterly report |
| 4.6 Collection of sludge by licensed collector at regular intervals? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No sludge is produced |

Packaging of Chemical Waste

- | | | | | |
|---|-------------------------------------|-------------------------------------|--------------------------|--|
| 4.7 Stored in suitable container? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.8 Container properly closed or sealed? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.9 Spillage cleaned up immediately through the use of absorbent? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.10 Obtained approval for the use of chemical waste container >450L? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Labelling of Chemical Waste

- | | | | | |
|--|--------------------------|-------------------------------------|--------------------------|--|
| 4.11 Provision of chemical waste label? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| a) Label is securely attached and visible? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| b) Label is bilingual and in proper dimension? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| c) Information is accurate and sufficient? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |

Storage of Chemical Waste

- | | | | | |
|---|-------------------------------------|-------------------------------------|--------------------------|---------------------------|
| 4.12 Proper "Chemical Waste" sign displayed? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.13 Incompatible wastes separated by impermeable partition? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Waste drums were provided |
| 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.16 Properly stored and locked in designated area with adequate ventilation? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.17 Storage area paved with concrete and kept clean and dry? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.18 Cover provided for outdoor storage area? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No outdoor storage |
| 4.19 Chemical waste collected by licensed collector? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |

Liquid Waste Storage

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|---------------------------------------|
| 4.20 Storage area provided with permeation-proof floor or surface? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Liquid chemical waste is not observed |
|--|-------------------------------------|--------------------------|--------------------------|---------------------------------------|

EcoPark Operation
SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage? _____

4.22 Walls or partitions of stacked container storage area constructed of impermeable material? _____

5. Landfill Gas (LFG) (within LFG Consultation Zone)

	N/A	Yes	No	Remarks
5.1 Alert workers and visitors of possible LFG hazards?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Outside LFG consultation zone
5.2 Smoking and open fires prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

6. Others

	N/A	Yes	No	Remarks
6.1 Works confined within lot boundaries?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.2 Damage to surrounding areas avoided?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.3 Site lighting designed to avoid glare to surrounding receivers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6.4 Materials and machinery stored in an orderly manner?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.5 Areas within lot for recycling activities paved with concrete?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.7 Valid calibration certificate for any monitoring equipment?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No monitoring is required
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Storage area in compliance with the approved plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Storage area is securely locked?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Total storage capacity in compliance with relevant statutory requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) Proper labelling provided?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
e) Dangerous goods properly packaged?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Remarks:

New Observations

- No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name T. K. HO

Name: May Wu
19 AUG 2017

Name: Taurus Ho

Name: Taurus Kwan

Date: 2017/07/31

Date:

Date: 28 Aug 2017

Date: 2017/07/31

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required.
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	No wastewater is generated from recycling process
a) Sampling record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Adequate capacity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.9 Processes or activities with high risk of contamination located under covered area?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed.
2.11 Equipment oil and lubrication replacements performed only in banded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Replacement activity is not observed

EcoPark Operation
SITE INSPECTION CHECKLIST



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No contaminated water is observed
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.15 Bulk cargo and materials packed properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.16 Temporary stockpiles covered during rainstorms?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dusty stockpile is observed
2.17 Measures to prevent the washing away of sand/silt to drains?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No sand/silt is generated from the recycling process

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) SP Licence conditions / monitoring requirements comply?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.2 Operate without generation of noticeable odour?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	No operation is observed during inspection
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Odourous materials covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If odour control system is installed, is it operating normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.3 Dusty materials dampened prior to loading/unloading?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dusty material is not observed
3.4 Dust monitoring record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Any exceedance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dust-generating activity is not observed
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.7 Emission from chimney or powered plant free of black smoke?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No chimney/powered plant is being used
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.11 Air pollution control system properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



- 3.15 Materials transported on trucks covered? Not observed
- 3.16 Truck loads to a level within the side and tail boards? Not observed
- 3.17 Stockpiles of dusty materials covered or regularly watered? No stockpile of dusty material is observed
- 3.18 Major dust source(s): Wind erosion Vehicle/equipment movement
- Loading/unloading of materials Others: n/a

4. Waste / Chemical Management

- General
- | | N/A | Yes | No | Remarks |
|--|-------------------------------------|-------------------------------------|--------------------------|-------------------------------|
| 4.1 Registered as chemical waste producer? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.2 Sufficient receptacles (e.g. rubbish bins) available? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.3 Disposed of regularly and properly? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.4 Sorting of materials on-site for reuse or disposal to designated outlet? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.5 Records of quantities of waste generated, recycled and disposed properly kept? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Verified via quarterly report |
| 4.6 Collection of sludge by licensed collector at regular intervals? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No sludge is produced |

Packaging of Chemical Waste

- | | | | | |
|---|-------------------------------------|-------------------------------------|--------------------------|--|
| 4.7 Stored in suitable container? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.8 Container properly closed or sealed? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.9 Spillage cleaned up immediately through the use of absorbent? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.10 Obtained approval for the use of chemical waste container >450L? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Labelling of Chemical Waste

- | | | | | |
|--|--------------------------|-------------------------------------|--------------------------|--|
| 4.11 Provision of chemical waste label? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| a) Label is securely attached and visible? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| b) Label is bilingual and in proper dimension? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| c) Information is accurate and sufficient? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |

Storage of Chemical Waste

- | | | | | |
|---|-------------------------------------|-------------------------------------|--------------------------|---------------------------|
| 4.12 Proper "Chemical Waste" sign displayed? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.13 Incompatible wastes separated by impermeable partition? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Waste drums were provided |
| 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.16 Properly stored and locked in designated area with adequate ventilation? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.17 Storage area paved with concrete and kept clean and dry? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.18 Cover provided for outdoor storage area? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No outdoor storage |
| 4.19 Chemical waste collected by licensed collector? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |

Liquid Waste Storage

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|---------------------------------------|
| 4.20 Storage area provided with permeation-proof floor or surface? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Liquid chemical waste is not observed |
|--|-------------------------------------|--------------------------|--------------------------|---------------------------------------|

EcoPark Operation
SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage? _____

4.22 Walls or partitions of stacked container storage area constructed of impermeable material? _____

5. Landfill Gas (LFG) (within LFG Consultation Zone)

	N/A	Yes	No	Remarks
5.1 Alert workers and visitors of possible LFG hazards?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Outside LFG consultation zone
5.2 Smoking and open fires prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

6. Others

	N/A	Yes	No	Remarks
6.1 Works confined within lot boundaries?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.2 Damage to surrounding areas avoided?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.3 Site lighting designed to avoid glare to surrounding receivers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6.4 Materials and machinery stored in an orderly manner?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.5 Areas within lot for recycling activities paved with concrete?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.7 Valid calibration certificate for any monitoring equipment?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No monitoring is required
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Storage area in compliance with the approved plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Storage area is securely locked?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Total storage capacity in compliance with relevant statutory requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) Proper labelling provided?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
e) Dangerous goods properly packaged?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Remarks:

New Observations

- No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name Ronan CHAN

Name May Wu

Name TERESA Ho

Name: Taurus Kwan

Date: 2017/08/28

Date: 12 SEP 2017

Date: 3/10/2017

Date: 2017/09/11

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required.
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	No wastewater is generated from recycling process
a) Sampling record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Adequate capacity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.9 Processes or activities with high risk of contamination located under covered area?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed.
2.11 Equipment oil and lubrication replacements performed only in banded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Replacement activity is not observed

EcoPark Operation
SITE INSPECTION CHECKLIST



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No contaminated water is observed
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.15 Bulk cargo and materials packed properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.16 Temporary stockpiles covered during rainstorms?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dusty stockpile is observed
2.17 Measures to prevent the washing away of sand/silt to drains?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No sand/silt is generated from the recycling process

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) SP Licence conditions / monitoring requirements comply?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.2 Operate without generation of noticeable odour?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	No operation is observed during inspection
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Odourous materials covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If odour control system is installed, is it operating normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.3 Dusty materials dampened prior to loading/unloading?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dusty material is not observed
3.4 Dust monitoring record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Any exceedance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dust-generating activity is not observed
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.7 Emission from chimney or powered plant free of black smoke?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No chimney/powered plant is being used
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.11 Air pollution control system properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



- 3.15 Materials transported on trucks covered? Not observed
- 3.16 Truck loads to a level within the side and tail boards? Not observed
- 3.17 Stockpiles of dusty materials covered or regularly watered? No stockpile of dusty material is observed
- 3.18 Major dust source(s): Wind erosion Vehicle/equipment movement
- Loading/unloading of materials Others: n/a

4. Waste / Chemical Management

- General
- | | N/A | Yes | No | Remarks |
|--|-------------------------------------|-------------------------------------|--------------------------|-------------------------------|
| 4.1 Registered as chemical waste producer? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.2 Sufficient receptacles (e.g. rubbish bins) available? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.3 Disposed of regularly and properly? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.4 Sorting of materials on-site for reuse or disposal to designated outlet? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.5 Records of quantities of waste generated, recycled and disposed properly kept? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Verified via quarterly report |
| 4.6 Collection of sludge by licensed collector at regular intervals? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No sludge is produced |

Packaging of Chemical Waste

- | | | | | |
|---|-------------------------------------|-------------------------------------|--------------------------|--|
| 4.7 Stored in suitable container? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.8 Container properly closed or sealed? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.9 Spillage cleaned up immediately through the use of absorbent? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.10 Obtained approval for the use of chemical waste container >450L? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Labelling of Chemical Waste

- | | | | | |
|--|--------------------------|-------------------------------------|--------------------------|--|
| 4.11 Provision of chemical waste label? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| a) Label is securely attached and visible? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| b) Label is bilingual and in proper dimension? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| c) Information is accurate and sufficient? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |

Storage of Chemical Waste

- | | | | | |
|---|-------------------------------------|-------------------------------------|--------------------------|---------------------------|
| 4.12 Proper "Chemical Waste" sign displayed? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.13 Incompatible wastes separated by impermeable partition? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Waste drums were provided |
| 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.16 Properly stored and locked in designated area with adequate ventilation? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.17 Storage area paved with concrete and kept clean and dry? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.18 Cover provided for outdoor storage area? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No outdoor storage |
| 4.19 Chemical waste collected by licensed collector? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |

Liquid Waste Storage

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|---------------------------------------|
| 4.20 Storage area provided with permeation-proof floor or surface? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Liquid chemical waste is not observed |
|--|-------------------------------------|--------------------------|--------------------------|---------------------------------------|

EcoPark Operation
SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage? _____

4.22 Walls or partitions of stacked container storage area constructed of impermeable material? _____

5. Landfill Gas (LFG) (within LFG Consultation Zone)

	N/A	Yes	No	Remarks
5.1 Alert workers and visitors of possible LFG hazards?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Outside LFG consultation zone
5.2 Smoking and open fires prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

6. Others

	N/A	Yes	No	Remarks
6.1 Works confined within lot boundaries?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.2 Damage to surrounding areas avoided?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.3 Site lighting designed to avoid glare to surrounding receivers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6.4 Materials and machinery stored in an orderly manner?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.5 Areas within lot for recycling activities paved with concrete?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.7 Valid calibration certificate for any monitoring equipment?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No monitoring is required
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Storage area in compliance with the approved plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Storage area is securely locked?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Total storage capacity in compliance with relevant statutory requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) Proper labelling provided?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
e) Dangerous goods properly packaged?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Remarks:

New Observations

- No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name T. K. HO

Name May Wu

Name TERESA HO

Name:

Date: 2017/09/18

Date: - 3 OCT 2017

Date: 3/10/2017

Date:

Appendix 6.5

Tenant-specific Audit Checklists for the Reporting Quarter Hong Kong Telford Envirotech Group Ltd

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required.
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No wastewater is generated from recycling process
a) Sampling record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Adequate capacity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.9 Processes or activities with high risk of contamination located under covered area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Recycling process has low risk of contamination
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed.
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Replacement activity is not observed

EcoPark Operation
SITE INSPECTION CHECKLIST



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No contaminated water was observed
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.15 Bulk cargo and materials packed properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.16 Temporary stockpiles covered during rainstorms?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dusty stockpile is observed
2.17 Measures to prevent the washing away of sand/silt to drains?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No sand/silt is generated from the recycling process

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) SP Licence conditions / monitoring requirements comply?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.2 Operate without generation of noticeable odour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No operation is observed during inspection
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Odourous materials covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If odour control system is installed, is it operating normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.3 Dusty materials dampened prior to loading/unloading?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No loading/unloading of dusty materials is observed
3.4 Dust monitoring record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Any exceedance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dust-generating activity is not observed
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.7 Emission from chimney or powered plant free of black smoke?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No operation is observed during inspection
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.11 Air pollution control system properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



- 3.15 Materials transported on trucks covered? Not observed
- 3.16 Truck loads to a level within the side and tail boards? Not observed
- 3.17 Stockpiles of dusty materials covered or regularly watered? No stockpile of dusty material is observed
- 3.18 Major dust source(s): Wind erosion Vehicle/equipment movement
- Loading/unloading of materials Others: n/a

4. Waste / Chemical Management

- General
- | | N/A | Yes | No | Remarks |
|--|-------------------------------------|-------------------------------------|--------------------------|-------------------------------|
| 4.1 Registered as chemical waste producer? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No chemical waste is observed |
| 4.2 Sufficient receptacles (e.g. rubbish bins) available? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.3 Disposed of regularly and properly? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.4 Sorting of materials on-site for reuse or disposal to designated outlet? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.5 Records of quantities of waste generated, recycled and disposed properly kept? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Verified via quarterly report |
| 4.6 Collection of sludge by licensed collector at regular intervals? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Packaging of Chemical Waste

- | | | | | |
|---|-------------------------------------|--------------------------|--------------------------|--|
| 4.7 Stored in suitable container? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.8 Container properly closed or sealed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.9 Spillage cleaned up immediately through the use of absorbent? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.10 Obtained approval for the use of chemical waste container >450L? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Labelling of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.11 Provision of chemical waste label? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| a) Label is securely attached and visible? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| b) Label is bilingual and in proper dimension? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| c) Information is accurate and sufficient? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Storage of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.12 Proper "Chemical Waste" sign displayed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.13 Incompatible wastes separated by impermeable partition? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.16 Properly stored and locked in designated area with adequate ventilation? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.17 Storage area paved with concrete and kept clean and dry? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.18 Cover provided for outdoor storage area? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.19 Chemical waste collected by licensed collector? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Liquid Waste Storage

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.20 Storage area provided with permeation-proof floor or surface? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
|--|-------------------------------------|--------------------------|--------------------------|--|

EcoPark Operation
SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage? _____

4.22 Walls or partitions of stacked container storage area constructed of impermeable material? _____

5. Landfill Gas (LFG) (within LFG Consultation Zone)

N/A Yes No Remarks

5.1 Alert workers and visitors of possible LFG hazards? _____

5.2 Smoking and open fires prohibited? _____

6. Others

N/A Yes No Remarks

6.1 Works confined within lot boundaries? _____

6.2 Damage to surrounding areas avoided? _____

6.3 Site lighting designed to avoid glare to surrounding receivers? _____

6.4 Materials and machinery stored in an orderly manner? _____

6.5 Areas within lot for recycling activities paved with concrete? _____

6.6 Potential stagnant pools cleared and mosquito breeding prevented? _____

6.7 Valid calibration certificate for any monitoring equipment? Not required

6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods? Not required

a) Storage area in compliance with the approved plan? _____

b) Storage area is securely locked? _____

c) Total storage capacity in compliance with relevant statutory requirement? _____

d) Proper labelling provided? _____

e) Dangerous goods properly packaged? _____

Remarks:

New Observations

- No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name T. K. HO

Name: May Wu

Name: MRS L88

Name: Taurus Kwan

Date: 2017/07/31

Date: 19 AUG 2017

Date: 21-8-2017

Date: 2017/07/31

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required.
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No wastewater is generated from recycling process
a) Sampling record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Adequate capacity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.9 Processes or activities with high risk of contamination located under covered area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Recycling process has low risk of contamination
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed.
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Replacement activity is not observed

EcoPark Operation
SITE INSPECTION CHECKLIST



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No contaminated water was observed
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.15 Bulk cargo and materials packed properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.16 Temporary stockpiles covered during rainstorms?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dusty stockpile is observed
2.17 Measures to prevent the washing away of sand/silt to drains?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No sand/silt is generated from the recycling process

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) SP Licence conditions / monitoring requirements comply?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.2 Operate without generation of noticeable odour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No operation is observed during inspection
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Odourous materials covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If odour control system is installed, is it operating normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.3 Dusty materials dampened prior to loading/unloading?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No loading/unloading of dusty materials is observed
3.4 Dust monitoring record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Any exceedance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dust-generating activity is not observed
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.7 Emission from chimney or powered plant free of black smoke?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No operation is observed during inspection
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.11 Air pollution control system properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



- 3.15 Materials transported on trucks covered? Not observed
- 3.16 Truck loads to a level within the side and tail boards? Not observed
- 3.17 Stockpiles of dusty materials covered or regularly watered? No stockpile of dusty material is observed
- 3.18 Major dust source(s): Wind erosion Vehicle/equipment movement
- Loading/unloading of materials Others: n/a

4. Waste / Chemical Management

- General
- | | N/A | Yes | No | Remarks |
|--|-------------------------------------|-------------------------------------|--------------------------|-------------------------------|
| 4.1 Registered as chemical waste producer? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No chemical waste is observed |
| 4.2 Sufficient receptacles (e.g. rubbish bins) available? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.3 Disposed of regularly and properly? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.4 Sorting of materials on-site for reuse or disposal to designated outlet? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.5 Records of quantities of waste generated, recycled and disposed properly kept? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Verified via quarterly report |
| 4.6 Collection of sludge by licensed collector at regular intervals? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Packaging of Chemical Waste

- | | | | | |
|---|-------------------------------------|--------------------------|--------------------------|--|
| 4.7 Stored in suitable container? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.8 Container properly closed or sealed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.9 Spillage cleaned up immediately through the use of absorbent? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.10 Obtained approval for the use of chemical waste container >450L? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Labelling of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.11 Provision of chemical waste label? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| a) Label is securely attached and visible? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| b) Label is bilingual and in proper dimension? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| c) Information is accurate and sufficient? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Storage of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.12 Proper "Chemical Waste" sign displayed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.13 Incompatible wastes separated by impermeable partition? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.16 Properly stored and locked in designated area with adequate ventilation? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.17 Storage area paved with concrete and kept clean and dry? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.18 Cover provided for outdoor storage area? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.19 Chemical waste collected by licensed collector? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Liquid Waste Storage

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.20 Storage area provided with permeation-proof floor or surface? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
|--|-------------------------------------|--------------------------|--------------------------|--|

EcoPark Operation
SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage? _____

4.22 Walls or partitions of stacked container storage area constructed of impermeable material? _____

5. Landfill Gas (LFG) (within LFG Consultation Zone)

N/A Yes No Remarks

5.1 Alert workers and visitors of possible LFG hazards? _____

5.2 Smoking and open fires prohibited? _____

6. Others

N/A Yes No Remarks

6.1 Works confined within lot boundaries? _____

6.2 Damage to surrounding areas avoided? _____

6.3 Site lighting designed to avoid glare to surrounding receivers? _____

6.4 Materials and machinery stored in an orderly manner? _____

6.5 Areas within lot for recycling activities paved with concrete? _____

6.6 Potential stagnant pools cleared and mosquito breeding prevented? _____

6.7 Valid calibration certificate for any monitoring equipment? Not required

6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods? Not required

a) Storage area in compliance with the approved plan? _____

b) Storage area is securely locked? _____

c) Total storage capacity in compliance with relevant statutory requirement? _____

d) Proper labelling provided? _____

e) Dangerous goods properly packaged? _____

Remarks:

New Observations

- No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name Ronan CHAN

Name May Wu

Name MRS LBS

Name: Taurus Kwan

Date: 2017/08/28

Date: 12 SEP 2017

Date: 15/9/17

Date: 2017/09/11

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required.
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No wastewater is generated from recycling process
a) Sampling record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Adequate capacity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.9 Processes or activities with high risk of contamination located under covered area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Recycling process has low risk of contamination
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed.
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Replacement activity is not observed

EcoPark Operation
SITE INSPECTION CHECKLIST



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No contaminated water was observed
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.15 Bulk cargo and materials packed properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.16 Temporary stockpiles covered during rainstorms?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dusty stockpile is observed
2.17 Measures to prevent the washing away of sand/silt to drains?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No sand/silt is generated from the recycling process

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) SP Licence conditions / monitoring requirements comply?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.2 Operate without generation of noticeable odour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No operation is observed during inspection
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Odourous materials covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If odour control system is installed, is it operating normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.3 Dusty materials dampened prior to loading/unloading?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No loading/unloading of dusty materials is observed
3.4 Dust monitoring record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Any exceedance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dust-generating activity is not observed
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.7 Emission from chimney or powered plant free of black smoke?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No operation is observed during inspection
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.11 Air pollution control system properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



- 3.15 Materials transported on trucks covered? Not observed
- 3.16 Truck loads to a level within the side and tail boards? Not observed
- 3.17 Stockpiles of dusty materials covered or regularly watered? No stockpile of dusty material is observed
- 3.18 Major dust source(s): Wind erosion Vehicle/equipment movement
- Loading/unloading of materials Others: n/a

4. Waste / Chemical Management

- General
- | | N/A | Yes | No | Remarks |
|--|-------------------------------------|-------------------------------------|--------------------------|-------------------------------|
| 4.1 Registered as chemical waste producer? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No chemical waste is observed |
| 4.2 Sufficient receptacles (e.g. rubbish bins) available? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.3 Disposed of regularly and properly? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.4 Sorting of materials on-site for reuse or disposal to designated outlet? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.5 Records of quantities of waste generated, recycled and disposed properly kept? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Verified via quarterly report |
| 4.6 Collection of sludge by licensed collector at regular intervals? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Packaging of Chemical Waste

- | | | | | |
|---|-------------------------------------|--------------------------|--------------------------|--|
| 4.7 Stored in suitable container? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.8 Container properly closed or sealed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.9 Spillage cleaned up immediately through the use of absorbent? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.10 Obtained approval for the use of chemical waste container >450L? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Labelling of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.11 Provision of chemical waste label? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| a) Label is securely attached and visible? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| b) Label is bilingual and in proper dimension? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| c) Information is accurate and sufficient? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Storage of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.12 Proper "Chemical Waste" sign displayed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.13 Incompatible wastes separated by impermeable partition? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.16 Properly stored and locked in designated area with adequate ventilation? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.17 Storage area paved with concrete and kept clean and dry? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.18 Cover provided for outdoor storage area? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.19 Chemical waste collected by licensed collector? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Liquid Waste Storage

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.20 Storage area provided with permeation-proof floor or surface? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
|--|-------------------------------------|--------------------------|--------------------------|--|

EcoPark Operation
SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage? _____

4.22 Walls or partitions of stacked container storage area constructed of impermeable material? _____

5. Landfill Gas (LFG) (within LFG Consultation Zone)

N/A Yes No Remarks

5.1 Alert workers and visitors of possible LFG hazards? _____

5.2 Smoking and open fires prohibited? _____

6. Others

N/A Yes No Remarks

6.1 Works confined within lot boundaries? _____

6.2 Damage to surrounding areas avoided? _____

6.3 Site lighting designed to avoid glare to surrounding receivers? _____

6.4 Materials and machinery stored in an orderly manner? _____

6.5 Areas within lot for recycling activities paved with concrete? _____

6.6 Potential stagnant pools cleared and mosquito breeding prevented? _____

6.7 Valid calibration certificate for any monitoring equipment? Not required

6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods? Not required

a) Storage area in compliance with the approved plan? _____

b) Storage area is securely locked? _____

c) Total storage capacity in compliance with relevant statutory requirement? _____

d) Proper labelling provided? _____

e) Dangerous goods properly packaged? _____

Remarks:

New Observations

- No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name T. K. HO

Name **May Wu**

Name **LEE HIA TAU**

Name:

Date: 2017/09/18

Date: **-3 OCT 2017**

Date: **30 10 - 2017**

Date:

Appendix 6.6

Tenant-specific Audit Checklists for the Reporting Quarter WEEE Refurbishment at Lot P5

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required.
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	No generation of industrial wastewater
a) Sampling record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Adequate capacity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Follow-up Observation (1)
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.9 Processes or activities with high risk of contamination located under covered area?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed.
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Replacement activity is not observed

EcoPark Operation
SITE INSPECTION CHECKLIST



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No contaminated water is observed
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.15 Bulk cargo and materials packed properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.16 Temporary stockpiles covered during rainstorms?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dusty stockpile is observed
2.17 Measures to prevent the washing away of sand/silt to drains?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No sand/silt is generated from the recycling process

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) SP Licence conditions / monitoring requirements comply?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.2 Operate without generation of noticeable odour?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Odourous materials covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If odour control system is installed, is it operating normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.3 Dusty materials dampened prior to loading/unloading?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dusty material is not observed
3.4 Dust monitoring record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Any exceedance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dust-generating activity is not observed
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.7 Emission from chimney or powered plant free of black smoke?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No chimney or powered plant is used
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.11 Air pollution control system properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



- | | | | | |
|--|-------------------------------------|--------------------------------|-------------------------------------|--|
| 3.15 Materials transported on trucks covered? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Not observed |
| 3.16 Truck loads to a level within the side and tail boards? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Not observed |
| 3.17 Stockpiles of dusty materials covered or regularly watered? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No stockpile of dusty material is observed |
| 3.18 Major dust source(s): | <input type="checkbox"/> | Wind erosion | <input type="checkbox"/> | Vehicle/equipment movement |
| | <input type="checkbox"/> | Loading/unloading of materials | <input checked="" type="checkbox"/> | Others: n/a |

4. Waste / Chemical Management

- | General | N/A | Yes | No | Remarks |
|--|-------------------------------------|-------------------------------------|--------------------------|--|
| 4.1 Registered as chemical waste producer? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No lubrication/chemical will be used as advised by |
| 4.2 Sufficient receptacles (e.g. rubbish bins) available? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.3 Disposed of regularly and properly? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.4 Sorting of materials on-site for reuse or disposal to designated outlet? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.5 Records of quantities of waste generated, recycled and disposed properly kept? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Verified via quarterly report |
| 4.6 Collection of sludge by licensed collector at regular intervals? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Not required |

Packaging of Chemical Waste

- | | | | | |
|---|-------------------------------------|--------------------------|--------------------------|--------------------------------|
| 4.7 Stored in suitable container? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | generated as advised by tenant |
| 4.8 Container properly closed or sealed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.9 Spillage cleaned up immediately through the use of absorbent? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.10 Obtained approval for the use of chemical waste container >450L? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Labelling of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.11 Provision of chemical waste label? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| a) Label is securely attached and visible? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| b) Label is bilingual and in proper dimension? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| c) Information is accurate and sufficient? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Storage of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--------------------|
| 4.12 Proper "Chemical Waste" sign displayed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.13 Incompatible wastes separated by impermeable partition? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.16 Properly stored and locked in designated area with adequate ventilation? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.17 Storage area paved with concrete and kept clean and dry? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.18 Cover provided for outdoor storage area? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No outdoor storage |
| 4.19 Chemical waste collected by licensed collector? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Liquid Waste Storage

- | | | | | |
|---|-------------------------------------|--------------------------|--------------------------|--------------|
| 4.20 Storage area provided with permeation-proof floor or surface? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Not observed |
| 4.21 Capacity of retention structure sufficient to accommodate contents of the largest container? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

EcoPark Operation
SITE INSPECTION CHECKLIST

20% volume of the material in storage?

4.22 Walls or partitions of stacked container storage area constructed of impermeable material? _____

5. Landfill Gas (LFG) (within LFG Consultation Zone)

	N/A	Yes	No	Remarks
5.1 Alert workers and visitors of possible LFG hazards?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
5.2 Smoking and open fires prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____

6. Others

	N/A	Yes	No	Remarks
6.1 Works confined within lot boundaries?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
6.2 Damage to surrounding areas avoided?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
6.3 Site lighting designed to avoid glare to surrounding receivers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
6.4 Materials and machinery stored in an orderly manner?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
6.5 Areas within lot for recycling activities paved with concrete?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
6.7 Valid calibration certificate for any monitoring equipment?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No monitoring is required
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Storage area in compliance with the approved plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
b) Storage area is securely locked?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
c) Total storage capacity in compliance with relevant statutory requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
d) Proper labelling provided?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
e) Dangerous goods properly packaged?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

Remarks:

Follow-up from Previous Audits

- 1) The tenant was reminded to clear the vegetation inside the perimeter drainage near the entrance to avoid potential blockage of the chan
 The removal progress will be monitored in the next audit.



(Observed on 25 January 2017)



(Observed on 31 July 2017)

EcoPark Operation
SITE INSPECTION CHECKLIST



New Observations

- No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name T. K. HO

Name: **May Wu**

Name:

Name:

Date: 2017/07/31

Date: **19 AUG 2017**

Date: **21/8/2016**

Date:

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required.
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	No generation of industrial wastewater
a) Sampling record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Adequate capacity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Follow-up Observation (1)
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.9 Processes or activities with high risk of contamination located under covered area?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed.
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Replacement activity is not observed

EcoPark Operation
SITE INSPECTION CHECKLIST



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No contaminated water is observed
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.15 Bulk cargo and materials packed properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.16 Temporary stockpiles covered during rainstorms?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dusty stockpile is observed
2.17 Measures to prevent the washing away of sand/silt to drains?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No sand/silt is generated from the recycling process

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) SP Licence conditions / monitoring requirements comply?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.2 Operate without generation of noticeable odour?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Odourous materials covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If odour control system is installed, is it operating normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.3 Dusty materials dampened prior to loading/unloading?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dusty material is not observed
3.4 Dust monitoring record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Any exceedance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dust-generating activity is not observed
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.7 Emission from chimney or powered plant free of black smoke?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No chimney or powered plant is used
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.11 Air pollution control system properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST

- | | | | | |
|--|-------------------------------------|--------------------------------|-------------------------------------|--|
| 3.15 Materials transported on trucks covered? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Not observed |
| 3.16 Truck loads to a level within the side and tail boards? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Not observed |
| 3.17 Stockpiles of dusty materials covered or regularly watered? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No stockpile of dusty material is observed |
| 3.18 Major dust source(s): | <input type="checkbox"/> | Wind erosion | <input type="checkbox"/> | Vehicle/equipment movement |
| | <input type="checkbox"/> | Loading/unloading of materials | <input checked="" type="checkbox"/> | Others: n/a |

4. Waste / Chemical Management

- | <u>General</u> | N/A | Yes | No | Remarks |
|--|-------------------------------------|-------------------------------------|--------------------------|--|
| 4.1 Registered as chemical waste producer? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No lubrication/chemical will be used as advised by |
| 4.2 Sufficient receptacles (e.g. rubbish bins) available? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.3 Disposed of regularly and properly? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.4 Sorting of materials on-site for reuse or disposal to designated outlet? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.5 Records of quantities of waste generated, recycled and disposed properly kept? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Verified via quarterly report |
| 4.6 Collection of sludge by licensed collector at regular intervals? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Not required |

Packaging of Chemical Waste

- | | | | | |
|---|-------------------------------------|--------------------------|--------------------------|--|
| 4.7 Stored in suitable container? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No chemical waste will be generated as advised by tenant |
| 4.8 Container properly closed or sealed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.9 Spillage cleaned up immediately through the use of absorbent? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.10 Obtained approval for the use of chemical waste container >450L? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Labelling of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.11 Provision of chemical waste label? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| a) Label is securely attached and visible? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| b) Label is bilingual and in proper dimension? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| c) Information is accurate and sufficient? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Storage of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--------------------|
| 4.12 Proper "Chemical Waste" sign displayed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.13 Incompatible wastes separated by impermeable partition? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.16 Properly stored and locked in designated area with adequate ventilation? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.17 Storage area paved with concrete and kept clean and dry? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.18 Cover provided for outdoor storage area? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No outdoor storage |
| 4.19 Chemical waste collected by licensed collector? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Liquid Waste Storage

- | | | | | |
|---|-------------------------------------|--------------------------|--------------------------|--------------|
| 4.20 Storage area provided with permeation-proof floor or surface? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Not observed |
| 4.21 Capacity of retention structure sufficient to accommodate contents of the largest container? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

EcoPark Operation
SITE INSPECTION CHECKLIST

20% volume of the material in storage?

4.22 Walls or partitions of stacked container storage area constructed of impermeable material? _____

5. Landfill Gas (LFG) (within LFG Consultation Zone)

N/A Yes No Remarks

5.1 Alert workers and visitors of possible LFG hazards? _____

5.2 Smoking and open fires prohibited? _____

6. Others

N/A Yes No Remarks

6.1 Works confined within lot boundaries? _____

6.2 Damage to surrounding areas avoided? _____

6.3 Site lighting designed to avoid glare to surrounding receivers? _____

6.4 Materials and machinery stored in an orderly manner? _____

6.5 Areas within lot for recycling activities paved with concrete? _____

6.6 Potential stagnant pools cleared and mosquito breeding prevented? _____

6.7 Valid calibration certificate for any monitoring equipment? No monitoring is required

6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods? Not required

a) Storage area in compliance with the approved plan? _____

b) Storage area is securely locked? _____

c) Total storage capacity in compliance with relevant statutory requirement? _____

d) Proper labelling provided? _____

e) Dangerous goods properly packaged? _____

Remarks:

Follow-up from Previous Audits

- The tenant was reminded to clear the vegetation inside the perimeter drainage near the entrance to avoid potential blockage of the chan
 The removal progress will be monitored in the next audit.



(Observed on 31 July 2017)



(Observed on 28 August 2017)

EcoPark Operation
SITE INSPECTION CHECKLIST



New Observations

- No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name Ronan CHAN

Name: **May Wu**

Name:

Name: Taurus Kwan

Date: 2017/08/28

Date: **19 AUG 2017**

Date: **21/8/2016**

Date: 2017/09/11

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required.
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	No generation of industrial wastewater
a) Sampling record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Adequate capacity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Follow-up Observation (1)
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.9 Processes or activities with high risk of contamination located under covered area?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed.
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Replacement activity is not observed

EcoPark Operation
SITE INSPECTION CHECKLIST



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No contaminated water is observed
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.15 Bulk cargo and materials packed properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.16 Temporary stockpiles covered during rainstorms?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dusty stockpile is observed
2.17 Measures to prevent the washing away of sand/silt to drains?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No sand/silt is generated from the recycling process

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) SP Licence conditions / monitoring requirements comply?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.2 Operate without generation of noticeable odour?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Odourous materials covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If odour control system is installed, is it operating normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.3 Dusty materials dampened prior to loading/unloading?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dusty material is not observed
3.4 Dust monitoring record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Any exceedance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dust-generating activity is not observed
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.7 Emission from chimney or powered plant free of black smoke?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No chimney or powered plant is used
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.11 Air pollution control system properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



- | | | | | |
|--|-------------------------------------|--------------------------------|-------------------------------------|--|
| 3.15 Materials transported on trucks covered? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Not observed |
| 3.16 Truck loads to a level within the side and tail boards? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Not observed |
| 3.17 Stockpiles of dusty materials covered or regularly watered? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No stockpile of dusty material is observed |
| 3.18 Major dust source(s): | <input type="checkbox"/> | Wind erosion | <input type="checkbox"/> | Vehicle/equipment movement |
| | <input type="checkbox"/> | Loading/unloading of materials | <input checked="" type="checkbox"/> | Others: n/a |

4. Waste / Chemical Management

- | General | N/A | Yes | No | Remarks |
|--|-------------------------------------|-------------------------------------|--------------------------|--|
| 4.1 Registered as chemical waste producer? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No lubrication/chemical will be used as advised by |
| 4.2 Sufficient receptacles (e.g. rubbish bins) available? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.3 Disposed of regularly and properly? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.4 Sorting of materials on-site for reuse or disposal to designated outlet? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.5 Records of quantities of waste generated, recycled and disposed properly kept? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Verified via quarterly report |
| 4.6 Collection of sludge by licensed collector at regular intervals? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Not required |

Packaging of Chemical Waste

- | | | | | |
|---|-------------------------------------|--------------------------|--------------------------|--|
| 4.7 Stored in suitable container? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No chemical waste will be generated as advised by tenant |
| 4.8 Container properly closed or sealed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.9 Spillage cleaned up immediately through the use of absorbent? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.10 Obtained approval for the use of chemical waste container >450L? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Labelling of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.11 Provision of chemical waste label? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| a) Label is securely attached and visible? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| b) Label is bilingual and in proper dimension? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| c) Information is accurate and sufficient? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Storage of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--------------------|
| 4.12 Proper "Chemical Waste" sign displayed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.13 Incompatible wastes separated by impermeable partition? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.16 Properly stored and locked in designated area with adequate ventilation? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.17 Storage area paved with concrete and kept clean and dry? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.18 Cover provided for outdoor storage area? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No outdoor storage |
| 4.19 Chemical waste collected by licensed collector? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Liquid Waste Storage

- | | | | | |
|---|-------------------------------------|--------------------------|--------------------------|--------------|
| 4.20 Storage area provided with permeation-proof floor or surface? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Not observed |
| 4.21 Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

4.22 Walls or partitions of stacked container storage area constructed of impermeable material? _____

5. Landfill Gas (LFG) (within LFG Consultation Zone)

	N/A	Yes	No	Remarks
5.1 Alert workers and visitors of possible LFG hazards?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
5.2 Smoking and open fires prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____

6. Others

	N/A	Yes	No	Remarks
6.1 Works confined within lot boundaries?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
6.2 Damage to surrounding areas avoided?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
6.3 Site lighting designed to avoid glare to surrounding receivers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
6.4 Materials and machinery stored in an orderly manner?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
6.5 Areas within lot for recycling activities paved with concrete?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
6.7 Valid calibration certificate for any monitoring equipment?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No monitoring is required
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Storage area in compliance with the approved plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
b) Storage area is securely locked?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
c) Total storage capacity in compliance with relevant statutory requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
d) Proper labelling provided?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
e) Dangerous goods properly packaged?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

Remarks:

Follow-up from Previous Audits

- 1) The tenant was reminded to clear the vegetation inside the perimeter drainage near the entrance to avoid potential blockage of the channel. The removal progress will be monitored in the next audit.



(Observed on 28 August 2017)



(Observed on 18 September 2017)

EcoPark Operation
SITE INSPECTION CHECKLIST



New Observations

- No major environmental deficiency was observed.

Signatures:

ET Representative:

Name T. K. HO

Date: 2017/09/18

Operator Representative:

Name:

May Wu

Date:

3 OCT 2017

Tenant Representative:

Name:

11/10/2017

Date:

IEC Representative:

Name: Taurus Kwok

Date: 2017.7.18

Appendix 6.7

Tenant-specific Audit Checklists for the Reporting Quarter Chung Yue Steel Group Co Ltd

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No wastewater is generated from recycling process
a) Sampling record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Adequate capacity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.9 Processes or activities with high risk of contamination located under covered area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Recycling process has low risk of contamination
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Lub/oil replacement is not observed

EcoPark Operation
SITE INSPECTION CHECKLIST



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No contaminated water was observed
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No oily wastewater is generated from recycling
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.15 Bulk cargo and materials packed properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.16 Temporary stockpiles covered during rainstorms?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dusty stockpile is observed
2.17 Measures to prevent the washing away of sand/silt to drains?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No sand/silt is generated from the recycling process

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) SP Licence conditions / monitoring requirements comply?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.2 Operate without generation of noticeable odour?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Odourous materials covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If odour control system is installed, is it operating normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.3 Dusty materials dampened prior to loading/unloading?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.4 Dust monitoring record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Any exceedance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.7 Emission from chimney or powered plant free of black smoke?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.11 Air pollution control system properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



- 3.15 Materials transported on trucks covered? Not observed
- 3.16 Truck loads to a level within the side and tail boards? Not observed
- 3.17 Stockpiles of dusty materials covered or regularly watered? No dusty material is observed
- 3.18 Major dust source(s): Wind erosion Vehicle/equipment movement
- Loading/unloading of materials Others: n/a

4. Waste / Chemical Management

- General
- | | N/A | Yes | No | Remarks |
|--|-------------------------------------|-------------------------------------|--------------------------|---|
| 4.1 Registered as chemical waste producer? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No chemical waste is generated during recycling |
| 4.2 Sufficient receptacles (e.g. rubbish bins) available? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.3 Disposed of regularly and properly? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.4 Sorting of materials on-site for reuse or disposal to designated outlet? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.5 Records of quantities of waste generated, recycled and disposed properly kept? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Verified via quarterly report |
| 4.6 Collection of sludge by licensed collector at regular intervals? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Not required |

Packaging of Chemical Waste

- | | | | | |
|---|-------------------------------------|--------------------------|--------------------------|--|
| 4.7 Stored in suitable container? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.8 Container properly closed or sealed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.9 Spillage cleaned up immediately through the use of absorbent? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.10 Obtained approval for the use of chemical waste container >450L? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Labelling of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.11 Provision of chemical waste label? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| a) Label is securely attached and visible? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| b) Label is bilingual and in proper dimension? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| c) Information is accurate and sufficient? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Storage of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.12 Proper "Chemical Waste" sign displayed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.13 Incompatible wastes separated by impermeable partition? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.16 Properly stored and locked in designated area with adequate ventilation? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.17 Storage area paved with concrete and kept clean and dry? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.18 Cover provided for outdoor storage area? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.19 Chemical waste collected by licensed collector? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Liquid Waste Storage

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.20 Storage area provided with permeation-proof floor or surface? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
|--|-------------------------------------|--------------------------|--------------------------|--|

EcoPark Operation
SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage? _____

4.22 Walls or partitions of stacked container storage area constructed of impermeable material? _____

5. Landfill Gas (LFG) (within LFG Consultation Zone)

N/A	Yes	No	Remarks
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Outside LFG consultation zone
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

5.1 Alert workers and visitors of possible LFG hazards?

5.2 Smoking and open fires prohibited?

6. Others

N/A	Yes	No	Remarks
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

6.1 Works confined within lot boundaries?

6.2 Damage to surrounding areas avoided?

6.3 Site lighting designed to avoid glare to surrounding receivers?

6.4 Materials and machinery stored in an orderly manner?

6.5 Areas within lot for recycling activities paved with concrete?

6.6 Potential stagnant pools cleared and mosquito breeding prevented?

6.7 Valid calibration certificate for any monitoring equipment?

6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?

a) Storage area in compliance with the approved plan?

b) Storage area is securely locked?

c) Total storage capacity in compliance with relevant statutory requirement?

d) Proper labelling provided?

e) Dangerous goods properly packaged?

Remarks:

New Observations

- No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name T. K. HO

Name: May Wu

Name: Janelle Lee

Name:

Date: 2017/07/31

Date: 19 AUG 2017

Date: 21 AUG 2017

Date:

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No wastewater is generated from recycling process
a) Sampling record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Adequate capacity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.9 Processes or activities with high risk of contamination located under covered area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Recycling process has low risk of contamination
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Lub/oil replacement is not observed

EcoPark Operation
SITE INSPECTION CHECKLIST



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No contaminated water was observed
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No oily wastewater is generated from recycling
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.15 Bulk cargo and materials packed properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.16 Temporary stockpiles covered during rainstorms?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dusty stockpile is observed
2.17 Measures to prevent the washing away of sand/silt to drains?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No sand/silt is generated from the recycling process

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) SP Licence conditions / monitoring requirements comply?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.2 Operate without generation of noticeable odour?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Odourous materials covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If odour control system is installed, is it operating normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.3 Dusty materials dampened prior to loading/unloading?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.4 Dust monitoring record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Any exceedance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.7 Emission from chimney or powered plant free of black smoke?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.11 Air pollution control system properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



3.15 Materials transported on trucks covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
3.16 Truck loads to a level within the side and tail boards?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
3.17 Stockpiles of dusty materials covered or regularly watered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dusty material is observed
3.18 Major dust source(s):	<input type="checkbox"/> Wind erosion	<input type="checkbox"/> Vehicle/equipment movement		
	<input checked="" type="checkbox"/> Loading/unloading of materials	<input type="checkbox"/> Others: n/a		

4. Waste / Chemical Management

<u>General</u>	N/A	Yes	No	Remarks
4.1 Registered as chemical waste producer?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No chemical waste is generated during recycling
4.2 Sufficient receptacles (e.g. rubbish bins) available?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
4.3 Disposed of regularly and properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required

Packaging of Chemical Waste

4.7 Stored in suitable container?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
4.8 Container properly closed or sealed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
4.9 Spillage cleaned up immediately through the use of absorbent?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
4.10 Obtained approval for the use of chemical waste container >450L?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

Labelling of Chemical Waste

4.11 Provision of chemical waste label?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
a) Label is securely attached and visible?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
b) Label is bilingual and in proper dimension?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
c) Information is accurate and sufficient?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

Storage of Chemical Waste

4.12 Proper "Chemical Waste" sign displayed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
4.13 Incompatible wastes separated by impermeable partition?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
4.16 Properly stored and locked in designated area with adequate ventilation?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
4.17 Storage area paved with concrete and kept clean and dry?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
4.18 Cover provided for outdoor storage area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
4.19 Chemical waste collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

Liquid Waste Storage

4.20 Storage area provided with permeation-proof floor or surface?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
--	-------------------------------------	--------------------------	--------------------------	-------

EcoPark Operation
SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest container _____
 20% volume of the material in storage?

4.22 Walls or partitions of stacked container storage area constructed of impermeable material? _____

5. Landfill Gas (LFG) (within LFG Consultation Zone)

	N/A	Yes	No	Remarks
5.1 Alert workers and visitors of possible LFG hazards?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Outside LFG consultation zone
5.2 Smoking and open fires prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

6. Others

	N/A	Yes	No	Remarks
6.1 Works confined within lot boundaries?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.2 Damage to surrounding areas avoided?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.3 Site lighting designed to avoid glare to surrounding receivers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6.4 Materials and machinery stored in an orderly manner?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.5 Areas within lot for recycling activities paved with concrete?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.7 Valid calibration certificate for any monitoring equipment?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Storage area in compliance with the approved plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Storage area is securely locked?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Total storage capacity in compliance with relevant statutory requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) Proper labelling provided?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
e) Dangerous goods properly packaged?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Remarks:

New Observations

- No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name Ronan CHAN

Name

May Wu

Name

Name: Taurus Kwan

Date: 2017/08/28

Date:

12 SEP 2017

Date:

14/9/17

Date: 2017/09/11

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No wastewater is generated from recycling process
a) Sampling record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Adequate capacity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.9 Processes or activities with high risk of contamination located under covered area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Recycling process has low risk of contamination
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Lub/oil replacement is not observed

EcoPark Operation
SITE INSPECTION CHECKLIST



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No contaminated water was observed
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No oily wastewater is generated from recycling
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.15 Bulk cargo and materials packed properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.16 Temporary stockpiles covered during rainstorms?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dusty stockpile is observed
2.17 Measures to prevent the washing away of sand/silt to drains?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No sand/silt is generated from the recycling process

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) SP Licence conditions / monitoring requirements comply?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.2 Operate without generation of noticeable odour?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Odourous materials covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If odour control system is installed, is it operating normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.3 Dusty materials dampened prior to loading/unloading?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.4 Dust monitoring record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Any exceedance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.7 Emission from chimney or powered plant free of black smoke?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.11 Air pollution control system properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



3.15 Materials transported on trucks covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
3.16 Truck loads to a level within the side and tail boards?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
3.17 Stockpiles of dusty materials covered or regularly watered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dusty material is observed
3.18 Major dust source(s):	<input type="checkbox"/> Wind erosion	<input type="checkbox"/> Vehicle/equipment movement		
	<input checked="" type="checkbox"/> Loading/unloading of materials	<input type="checkbox"/> Others: n/a		

4. Waste / Chemical Management

<u>General</u>	N/A	Yes	No	Remarks
4.1 Registered as chemical waste producer?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No chemical waste is generated during recycling
4.2 Sufficient receptacles (e.g. rubbish bins) available?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
4.3 Disposed of regularly and properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required

Packaging of Chemical Waste

4.7 Stored in suitable container?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
4.8 Container properly closed or sealed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
4.9 Spillage cleaned up immediately through the use of absorbent?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
4.10 Obtained approval for the use of chemical waste container >450L?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

Labelling of Chemical Waste

4.11 Provision of chemical waste label?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
a) Label is securely attached and visible?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
b) Label is bilingual and in proper dimension?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
c) Information is accurate and sufficient?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

Storage of Chemical Waste

4.12 Proper "Chemical Waste" sign displayed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
4.13 Incompatible wastes separated by impermeable partition?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
4.16 Properly stored and locked in designated area with adequate ventilation?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
4.17 Storage area paved with concrete and kept clean and dry?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
4.18 Cover provided for outdoor storage area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
4.19 Chemical waste collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

Liquid Waste Storage

4.20 Storage area provided with permeation-proof floor or surface?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
--	-------------------------------------	--------------------------	--------------------------	-------

EcoPark Operation
SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage? _____

4.22 Walls or partitions of stacked container storage area constructed of impermeable material? _____

5. Landfill Gas (LFG) (within LFG Consultation Zone)

	N/A	Yes	No	Remarks
5.1 Alert workers and visitors of possible LFG hazards?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Outside LFG consultation zone
5.2 Smoking and open fires prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

6. Others

	N/A	Yes	No	Remarks
6.1 Works confined within lot boundaries?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.2 Damage to surrounding areas avoided?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.3 Site lighting designed to avoid glare to surrounding receivers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6.4 Materials and machinery stored in an orderly manner?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.5 Areas within lot for recycling activities paved with concrete?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.7 Valid calibration certificate for any monitoring equipment?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Storage area in compliance with the approved plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Storage area is securely locked?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Total storage capacity in compliance with relevant statutory requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) Proper labelling provided?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
e) Dangerous goods properly packaged?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Remarks:

New Observations

- No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name T. K. HO

Name

May Wu

Name

吳美玲

Name:

Date: 2017/09/18

Date:

3 OCT 2017

Date:

2/10/17

Date:

Appendix 6.8

Tenant-specific Audit Checklists for the Reporting Quarter K.Wah Construction Products Ltd

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required.
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Wastewater is reused
a) Sampling record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Adequate capacity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	New Observation (1)
2.9 Processes or activities with high risk of contamination located under covered area?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed.
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Replacement activity is not observed

EcoPark Operation
SITE INSPECTION CHECKLIST



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No contaminated water is observed
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.15 Bulk cargo and materials packed properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.16 Temporary stockpiles covered during rainstorms?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.17 Measures to prevent the washing away of sand/silt to drains?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
a) SP Licence conditions / monitoring requirements comply?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Quarterly reporting on quantity of raw material and product (up to Apr 2017)
3.2 Operate without generation of noticeable odour?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Odourous materials covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If odour control system is installed, is it operating normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.3 Dusty materials dampened prior to loading/unloading?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.4 Dust monitoring record available?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Test report of 24-hr RSP up to Jun 2017 is available
a) Monitoring frequency met the licence requirement?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
b) Any exceedance?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Against AQO
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Enclosures and sprinkler system are provided
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.7 Emission from chimney or powered plant free of black smoke?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.11 Air pollution control system properly maintained and function normally?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



- | | | | | |
|--|-------------------------------------|--------------------------------|-------------------------------------|----------------------------|
| 3.15 Materials transported on trucks covered? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Not observed |
| 3.16 Truck loads to a level within the side and tail boards? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Not observed |
| 3.17 Stockpiles of dusty materials covered or regularly watered? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | New Observation (1) |
| 3.18 Major dust source(s): | <input type="checkbox"/> | Wind erosion | <input checked="" type="checkbox"/> | Vehicle/equipment movement |
| | <input checked="" type="checkbox"/> | Loading/unloading of materials | <input type="checkbox"/> | Others: _____ |

4. Waste / Chemical Management

- | General | N/A | Yes | No | Remarks |
|--|-------------------------------------|-------------------------------------|--------------------------|-------------------------------|
| 4.1 Registered as chemical waste producer? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No chemical waste is observed |
| 4.2 Sufficient receptacles (e.g. rubbish bins) available? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.3 Disposed of regularly and properly? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.4 Sorting of materials on-site for reuse or disposal to designated outlet? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.5 Records of quantities of waste generated, recycled and disposed properly kept? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Verified via quarterly report |
| 4.6 Collection of sludge by licensed collector at regular intervals? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Packaging of Chemical Waste

- | | | | | |
|---|-------------------------------------|--------------------------|--------------------------|--|
| 4.7 Stored in suitable container? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.8 Container properly closed or sealed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.9 Spillage cleaned up immediately through the use of absorbent? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.10 Obtained approval for the use of chemical waste container >450L? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Labelling of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.11 Provision of chemical waste label? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| a) Label is securely attached and visible? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| b) Label is bilingual and in proper dimension? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| c) Information is accurate and sufficient? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Storage of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.12 Proper "Chemical Waste" sign displayed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.13 Incompatible wastes separated by impermeable partition? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.16 Properly stored and locked in designated area with adequate ventilation? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.17 Storage area paved with concrete and kept clean and dry? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.18 Cover provided for outdoor storage area? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.19 Chemical waste collected by licensed collector? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Liquid Waste Storage

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.20 Storage area provided with permeation-proof floor or surface? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
|--|-------------------------------------|--------------------------|--------------------------|--|

EcoPark Operation
SITE INSPECTION CHECKLIST

4.21 Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage? _____

4.22 Walls or partitions of stacked container storage area constructed of impermeable material? _____

5. Landfill Gas (LFG) (within LFG Consultation Zone)

	N/A	Yes	No	Remarks
5.1 Alert workers and visitors of possible LFG hazards?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Outside LFG consultation zone
5.2 Smoking and open fires prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

6. Others

	N/A	Yes	No	Remarks
6.1 Works confined within lot boundaries?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.2 Damage to surrounding areas avoided?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.3 Site lighting designed to avoid glare to surrounding receivers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6.4 Materials and machinery stored in an orderly manner?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.5 Areas within lot for recycling activities paved with concrete?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.7 Valid calibration certificate for any monitoring equipment?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not provided
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Storage area in compliance with the approved plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Storage area is securely locked?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Total storage capacity in compliance with relevant statutory requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) Proper labelling provided?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
e) Dangerous goods properly packaged?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Remarks:

Follow-up from Previous Audits

- Although part of the dormant stockpile had been moved to covered area, the tenant was reminded to cover the remaining temporary stockpile with tarpaulin or similar fabrics, or relocate the dormant stockpile to the covered area for storage to prevent dust generation.



(Observed on 19 June 2017)



(Observed on 31 July 2017)

EcoPark Operation
SITE INSPECTION CHECKLIST

New Observations

- 1) It was observed that sand and silt accumulated in the surface channel in front of the entrance of the office building. The tenant should remove material from the drain to prevent overflowing.



(Observed on 31 July 2017)

Signatures:

ET Representative:



Name T. K. HO

Date: 2017/07/31

Operator Representative:



Name: May Wu

Date: 19 AUG 2017

Tenant Representative:



Name: Stephen Leung

Date: 21 Aug, 2017

IEC Representative:



Name:

Date:

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required.
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Wastewater is reused
a) Sampling record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Adequate capacity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Follow-up Observation (2)
2.9 Processes or activities with high risk of contamination located under covered area?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed.
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Replacement activity is not observed

EcoPark Operation
SITE INSPECTION CHECKLIST



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No contaminated water is observed
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.15 Bulk cargo and materials packed properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.16 Temporary stockpiles covered during rainstorms?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Follow-up Observation (1)
2.17 Measures to prevent the washing away of sand/silt to drains?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
a) SP Licence conditions / monitoring requirements comply?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Quarterly reporting on quantity of raw material and product (up to Apr 2017)
3.2 Operate without generation of noticeable odour?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Odourous materials covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If odour control system is installed, is it operating normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.3 Dusty materials dampened prior to loading/unloading?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No loading/unloading is observed
3.4 Dust monitoring record available?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Test result of 24-hr RSP up to Jul 2017 is available
a) Monitoring frequency met the licence requirement?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
b) Any exceedance?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Against AQO
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Enclosures and sprinkler system are provided
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.7 Emission from chimney or powered plant free of black smoke?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.11 Air pollution control system properly maintained and function normally?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



- 3.15 Materials transported on trucks covered? Not observed
- 3.16 Truck loads to a level within the side and tail boards? Not observed
- 3.17 Stockpiles of dusty materials covered or regularly watered? Follow-up Observation (1)
- 3.18 Major dust source(s): Wind erosion Vehicle/equipment movement
- Loading/unloading of materials Others: _____

4. Waste / Chemical Management

- General
- | | N/A | Yes | No | Remarks |
|--|-------------------------------------|-------------------------------------|--------------------------|-------------------------------|
| 4.1 Registered as chemical waste producer? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No chemical waste is observed |
| 4.2 Sufficient receptacles (e.g. rubbish bins) available? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.3 Disposed of regularly and properly? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.4 Sorting of materials on-site for reuse or disposal to designated outlet? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.5 Records of quantities of waste generated, recycled and disposed properly kept? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Verified via quarterly report |
| 4.6 Collection of sludge by licensed collector at regular intervals? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Packaging of Chemical Waste

- | | | | | |
|---|-------------------------------------|--------------------------|--------------------------|--|
| 4.7 Stored in suitable container? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.8 Container properly closed or sealed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.9 Spillage cleaned up immediately through the use of absorbent? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.10 Obtained approval for the use of chemical waste container >450L? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Labelling of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.11 Provision of chemical waste label? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| a) Label is securely attached and visible? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| b) Label is bilingual and in proper dimension? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| c) Information is accurate and sufficient? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Storage of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.12 Proper "Chemical Waste" sign displayed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.13 Incompatible wastes separated by impermeable partition? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.16 Properly stored and locked in designated area with adequate ventilation? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.17 Storage area paved with concrete and kept clean and dry? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.18 Cover provided for outdoor storage area? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.19 Chemical waste collected by licensed collector? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Liquid Waste Storage

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.20 Storage area provided with permeation-proof floor or surface? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
|--|-------------------------------------|--------------------------|--------------------------|--|

EcoPark Operation
SITE INSPECTION CHECKLIST

4.21 Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage? _____

4.22 Walls or partitions of stacked container storage area constructed of impermeable material? _____

5. Landfill Gas (LFG) (within LFG Consultation Zone)

	N/A	Yes	No	Remarks
5.1 Alert workers and visitors of possible LFG hazards?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Outside LFG consultation zone
5.2 Smoking and open fires prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

6. Others

	N/A	Yes	No	Remarks
6.1 Works confined within lot boundaries?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.2 Damage to surrounding areas avoided?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.3 Site lighting designed to avoid glare to surrounding receivers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6.4 Materials and machinery stored in an orderly manner?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.5 Areas within lot for recycling activities paved with concrete?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.7 Valid calibration certificate for any monitoring equipment?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not provided
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Storage area in compliance with the approved plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Storage area is securely locked?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Total storage capacity in compliance with relevant statutory requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) Proper labelling provided?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
e) Dangerous goods properly packaged?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Remarks:

Follow-up from Previous Audits

- The tenant was advised to cover the temporary stockpile with tarpaulin or similar fabrics, or relocate the dormant stockpile to the covered area for storage to prevent dust generation.



(Observed on 31 July 2017)



(Observed on 28 August 2017)

EcoPark Operation
SITE INSPECTION CHECKLIST

- 2) The tenant had removed the sand and silt accumulated in the surface channel in front of the entrance of the office building- No overflowing was observed during the inspection (i.e. rainy day).



(Observed on 31 July 2017)



(Observed on 28 August 2017)

New Observations

- No major environmental deficiency was observed.



Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:



Name Ronan CHAN

Name May Wu

Name Stephen Leung

Name: Taurus Kwan

Date: 2017/08/28

Date: 12 SEP 2017

Date: 12 Sep, 2017

Date: 2017/09/11

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required.
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Wastewater is reused
a) Sampling record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Adequate capacity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.9 Processes or activities with high risk of contamination located under covered area?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed.
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Replacement activity is not observed

EcoPark Operation
SITE INSPECTION CHECKLIST



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No contaminated water is observed
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.15 Bulk cargo and materials packed properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.16 Temporary stockpiles covered during rainstorms?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.17 Measures to prevent the washing away of sand/silt to drains?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
a) SP Licence conditions / monitoring requirements comply?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Quarterly reporting on quantity of raw material and product (up to Apr 2017)
3.2 Operate without generation of noticeable odour?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Odourous materials covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If odour control system is installed, is it operating normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.3 Dusty materials dampened prior to loading/unloading?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No loading/unloading is observed
3.4 Dust monitoring record available?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Test result of 24-hr RSP up to Jul 2017 is available
a) Monitoring frequency met the licence requirement?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
b) Any exceedance?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Against AQO
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Enclosures and sprinkler system are provided
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.7 Emission from chimney or powered plant free of black smoke?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.11 Air pollution control system properly maintained and function normally?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



- 3.15 Materials transported on trucks covered? Not observed
- 3.16 Truck loads to a level within the side and tail boards? Not observed
- 3.17 Stockpiles of dusty materials covered or regularly watered? Follow-up Observation (1)
- 3.18 Major dust source(s): Wind erosion Vehicle/equipment movement
- Loading/unloading of materials Others: _____

4. Waste / Chemical Management

- General
- | | N/A | Yes | No | Remarks |
|--|-------------------------------------|-------------------------------------|--------------------------|-------------------------------|
| 4.1 Registered as chemical waste producer? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No chemical waste is observed |
| 4.2 Sufficient receptacles (e.g. rubbish bins) available? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.3 Disposed of regularly and properly? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.4 Sorting of materials on-site for reuse or disposal to designated outlet? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.5 Records of quantities of waste generated, recycled and disposed properly kept? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Verified via quarterly report |
| 4.6 Collection of sludge by licensed collector at regular intervals? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Packaging of Chemical Waste

- | | | | | |
|---|-------------------------------------|--------------------------|--------------------------|--|
| 4.7 Stored in suitable container? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.8 Container properly closed or sealed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.9 Spillage cleaned up immediately through the use of absorbent? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.10 Obtained approval for the use of chemical waste container >450L? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Labelling of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.11 Provision of chemical waste label? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| a) Label is securely attached and visible? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| b) Label is bilingual and in proper dimension? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| c) Information is accurate and sufficient? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Storage of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.12 Proper "Chemical Waste" sign displayed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.13 Incompatible wastes separated by impermeable partition? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.16 Properly stored and locked in designated area with adequate ventilation? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.17 Storage area paved with concrete and kept clean and dry? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.18 Cover provided for outdoor storage area? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.19 Chemical waste collected by licensed collector? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Liquid Waste Storage

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.20 Storage area provided with permeation-proof floor or surface? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
|--|-------------------------------------|--------------------------|--------------------------|--|

EcoPark Operation
SITE INSPECTION CHECKLIST

4.21 Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage? _____

4.22 Walls or partitions of stacked container storage area constructed of impermeable material? _____

5. Landfill Gas (LFG) (within LFG Consultation Zone)

	N/A	Yes	No	Remarks
5.1 Alert workers and visitors of possible LFG hazards?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Outside LFG consultation zone
5.2 Smoking and open fires prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

6. Others

	N/A	Yes	No	Remarks
6.1 Works confined within lot boundaries?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.2 Damage to surrounding areas avoided?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.3 Site lighting designed to avoid glare to surrounding receivers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6.4 Materials and machinery stored in an orderly manner?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.5 Areas within lot for recycling activities paved with concrete?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.7 Valid calibration certificate for any monitoring equipment?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not provided
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Storage area in compliance with the approved plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Storage area is securely locked?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Total storage capacity in compliance with relevant statutory requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) Proper labelling provided?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
e) Dangerous goods properly packaged?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Remarks:

Follow-up from Previous Audits

- 1) The tenant had not yet relocated the dormant stockpile to the covered area during site inspection. As advised by the tenant, the outdoor stockpile would be either used up or moved to a cover area at the end of each working day. According to the photo provided by the Operator, no stockpile is placed at outdoor area at the end of working day.



(Observed on 28 August 2017)



(Observed on 18 September 2017)

EcoPark Operation
SITE INSPECTION CHECKLIST



(Provided on 21 September 2017)

New Observations

- No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:



Name T. K. HO

Name May Wu

Name Stephen Leung

Name:

Date: 2017/09/18

Date: -3 OCT 2017

Date: 27/10/17

Date:

Appendix 6.9

Tenant-specific Audit Checklists for the Reporting Quarter South China Reborn Resources (Zhongshan) Co Ltd

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required.
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Prohibition of discharging wastewater to communal sewer by the enforcement unit of EPD
a) Sampling record available?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	WTF is being checked. Discharge is suspended temporarily.
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	WTF is being checked. Wastewater is tanked away.
a) Adequate capacity?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	for the temporary storage at the underground storage tank
b) Properly maintained and function normally?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Wastewater is tanked away.
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Manholes near the cleaning area are sealed
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Follow-up Observations (1)
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.9 Processes or activities with high risk of contamination located under covered area?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed.
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Replacement activity is not observed

EcoPark Operation
SITE INSPECTION CHECKLIST




2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Wastewater is tanked away
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Wastewater is tanked away
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.15 Bulk cargo and materials packed properly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.16 Temporary stockpiles covered during rainstorms?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.17 Measures to prevent the washing away of sand/silt to drains?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No sand/silt is generated from the recycling process

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) SP Licence conditions / monitoring requirements comply?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.2 Operate without generation of noticeable odour?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Odourous materials covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
c) If odour control system is installed, is it operating normally?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Air curtain is operating and roller shutter is lowered
3.3 Dusty materials dampened prior to loading/unloading?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dusty material is not observed
3.4 Dust monitoring record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Any exceedance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dust-generating activity is not observed
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.7 Emission from chimney or powered plant free of black smoke?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.11 Air pollution control system properly maintained and function normally?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Replacement of new activated carbon filter in Jun 2017
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



- 3.15 Materials transported on trucks covered? Not observed
- 3.16 Truck loads to a level within the side and tail boards? Not observed
- 3.17 Stockpiles of dusty materials covered or regularly watered? No stockpile of dusty material is observed
- 3.18 Major dust source(s): Wind erosion Vehicle/equipment movement
- Loading/unloading of materials Others: n/a

4. Waste / Chemical Management

- General
- | | N/A | Yes | No | Remarks |
|--|-------------------------------------|-------------------------------------|--------------------------|-------------------------------|
| 4.1 Registered as chemical waste producer? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | No chemical waste is observed |
| 4.2 Sufficient receptacles (e.g. rubbish bins) available? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.3 Disposed of regularly and properly? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.4 Sorting of materials on-site for reuse or disposal to designated outlet? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4.5 Records of quantities of waste generated, recycled and disposed properly kept? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | Verified via quarterly report |
| 4.6 Collection of sludge by licensed collector at regular intervals? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Packaging of Chemical Waste

- | | | | | |
|---|-------------------------------------|--------------------------|--------------------------|--|
| 4.7 Stored in suitable container? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.8 Container properly closed or sealed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.9 Spillage cleaned up immediately through the use of absorbent? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.10 Obtained approval for the use of chemical waste container >450L? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Labelling of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.11 Provision of chemical waste label? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| a) Label is securely attached and visible? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| b) Label is bilingual and in proper dimension? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| c) Information is accurate and sufficient? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Storage of Chemical Waste

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.12 Proper "Chemical Waste" sign displayed? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.13 Incompatible wastes separated by impermeable partition? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.16 Properly stored and locked in designated area with adequate ventilation? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.17 Storage area paved with concrete and kept clean and dry? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.18 Cover provided for outdoor storage area? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4.19 Chemical waste collected by licensed collector? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Liquid Waste Storage

- | | | | | |
|--|-------------------------------------|--------------------------|--------------------------|--|
| 4.20 Storage area provided with permeation-proof floor or surface? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
|--|-------------------------------------|--------------------------|--------------------------|--|

EcoPark Operation
SITE INSPECTION CHECKLIST

4.21 Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage? _____

4.22 Walls or partitions of stacked container storage area constructed of impermeable material? _____

5. Landfill Gas (LFG) (within LFG Consultation Zone)

	N/A	Yes	No	Remarks
5.1 Alert workers and visitors of possible LFG hazards?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Outside LFG consultation zone
5.2 Smoking and open fires prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	


6. Others

	N/A	Yes	No	Remarks
6.1 Works confined within lot boundaries?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.2 Damage to surrounding areas avoided?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.3 Site lighting designed to avoid glare to surrounding receivers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6.4 Materials and machinery stored in an orderly manner?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.5 Areas within lot for recycling activities paved with concrete?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.7 Valid calibration certificate for any monitoring equipment?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not provided
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Storage area in compliance with the approved plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Storage area is securely locked?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Total storage capacity in compliance with relevant statutory requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) Proper labelling provided?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
e) Dangerous goods properly packaged?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Remarks:

Follow-up from Previous Audits

- 1) Suspected oil stain inside perimeter drain had been removed and no other objectionable matter had been observed inside drains or sewers.



(Observed on 19 June 2017)



(Observed on 19 June 2017)

EcoPark Operation
SITE INSPECTION CHECKLIST



(Observed on 31 July 2017)

New Observations

- No major environmental deficiency was observed.

Signatures:


ET Representative:



Name T. K. HO

Date: 2017/07/31

Operator Representative:



Name: **May Wu**

Date: **19 AUG 2017**

Tenant Representative:



Name: **Terence Tsui**

Date: **21 AUG 2017**

IEC Representative:



Name:

Date:

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required.
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Prohibition of discharging wastewater to communal sewer by the enforcement unit of EPD
a) Sampling record available?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Discharge is suspended temporarily.
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Wastewater is tanked away.
a) Adequate capacity?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	for the temporary storage at the underground storage tank
b) Properly maintained and function normally?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Wastewater is tanked away.
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Manholes near the cleaning area are sealed
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.9 Processes or activities with high risk of contamination located under covered area?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed.
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Replacement activity is not observed
2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Wastewater is tanked away
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Wastewater is tanked away
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required _____
2.15 Bulk cargo and materials packed properly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required _____
2.16 Temporary stockpiles covered during rainstorms?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
2.17 Measures to prevent the washing away of sand/silt to drains?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No sand/silt is generated from the recycling process _____

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
a) SP Licence conditions/ monitoring requirements comply?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
3.2 Operate without generation of noticeable odour?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
b) Odourous materials covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
c) If odour control system is installed, is it operating normally?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Air curtain is operating and roller shutter is lowered _____
3.3 Dusty materials dampened prior to loading/unloading?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dusty material is not observed _____
3.4 Dust monitoring record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required _____
a) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
b) Any exceedance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dust-generating activity is not observed _____
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
3.7 Emission from chimney or powered plant free of black smoke?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
3.11 Air pollution control system properly maintained and function normally?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Replacement of new activated carbon filter in Jun 2017 _____
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
3.15 Materials transported on trucks covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not observed _____
3.16 Truck loads to a level within the side and tail boards?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not observed _____
3.17 Stockpiles of dusty materials covered or regularly watered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No stockpile of dusty material is observed _____
3.18 Major dust source(s):	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
<input type="checkbox"/> Wind erosion	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Vehicle/equipment movement
<input type="checkbox"/> Loading/unloading of materials	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Others: n/a _____

EcoPark Operation
SITE INSPECTION CHECKLIST



4. Waste / Chemical Management

General	N/A	Yes	No	Remarks
4.1 Registered as chemical waste producer?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.3 Disposed of regularly and properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Packaging of Chemical Waste

4.7 Stored in suitable container?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.8 Container properly closed or sealed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.9 Spillage cleaned up immediately through the use of absorbent?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.10 Obtained approval for the use of chemical waste container >450L?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Labelling of Chemical Waste

4.11 Provision of chemical waste label?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Label is securely attached and visible?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Label is bilingual and in proper dimension?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Information is accurate and sufficient?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Storage of Chemical Waste

4.12 Proper "Chemical Waste" sign displayed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.13 Incompatible wastes separated by impermeable partition?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.16 Properly stored and locked in designated area with adequate ventilation?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.17 Storage area paved with concrete and kept clean and dry?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.18 Cover provided for outdoor storage area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.19 Chemical waste collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Liquid Waste Storage

4.20 Storage area provided with permeation-proof floor or surface?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.21 Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.22 Walls or partitions of stacked container storage area constructed of impermeable material?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

5. Landfill Gas (LFG) (within LFG Consultation Zone)

	N/A	Yes	No	Remarks
5.1 Alert workers and visitors of possible LFG hazards?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Outside LFG consultation zone
5.2 Smoking and open fires prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



6. Others

	N/A	Yes	No	Remarks
6.1 Works confined within lot boundaries?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.2 Damage to surrounding areas avoided?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.3 Site lighting designed to avoid glare to surrounding receivers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6.4 Materials and machinery stored in an orderly manner?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.5 Areas within lot for recycling activities paved with concrete?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.7 Valid calibration certificate for any monitoring equipment?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not provided
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Storage area in compliance with the approved plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Storage area is securely locked?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Total storage capacity in compliance with relevant statutory requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) Proper labelling provided?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
e) Dangerous goods properly packaged?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Remarks:

New Observations

- No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name Ronan CHAN

Name **May Wu**

Name **Terence Tsui** Name: Taurus Kwan

Date: 2017/08/28

Date: **12 SEP 2017**

Date: **15 SEP 2017**

Date: 2017/09/11

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required.
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Prohibition of discharging wastewater to communal sewer by the enforcement unit of EPD
a) Sampling record available?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Discharge is suspended temporarily.
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Wastewater is tanked away.
a) Adequate capacity?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	for the temporary storage at the underground storage tank
b) Properly maintained and function normally?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Wastewater is tanked away.
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Manholes near the cleaning area are sealed
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	New Observation (1)
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.9 Processes or activities with high risk of contamination located under covered area?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed.
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Replacement activity is not observed
2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Wastewater is tanked away
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Wastewater is tanked away
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required _____
2.15 Bulk cargo and materials packed properly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required _____
2.16 Temporary stockpiles covered during rainstorms?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
2.17 Measures to prevent the washing away of sand/silt to drains?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No sand/silt is generated from the recycling process _____

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
a) SP Licence conditions/ monitoring requirements comply?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
3.2 Operate without generation of noticeable odour?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
b) Odourous materials covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
c) If odour control system is installed, is it operating normally?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Air curtain is operating and roller shutter is lowered _____
3.3 Dusty materials dampened prior to loading/unloading?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dusty material is not observed _____
3.4 Dust monitoring record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required _____
a) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
b) Any exceedance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dust-generating activity is not observed _____
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
3.7 Emission from chimney or powered plant free of black smoke?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
3.11 Air pollution control system properly maintained and function normally?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Replacement of new activated carbon filter in Jun 2017 _____
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
3.15 Materials transported on trucks covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not observed _____
3.16 Truck loads to a level within the side and tail boards?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not observed _____
3.17 Stockpiles of dusty materials covered or regularly watered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No stockpile of dusty material is observed _____
3.18 Major dust source(s):	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
<input type="checkbox"/> Wind erosion	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Vehicle/equipment movement
<input type="checkbox"/> Loading/unloading of materials	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Others: n/a _____

4. Waste / Chemical Management

General	N/A	Yes	No	Remarks
4.1 Registered as chemical waste producer?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.3 Disposed of regularly and properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Packaging of Chemical Waste

4.7 Stored in suitable container?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.8 Container properly closed or sealed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.9 Spillage cleaned up immediately through the use of absorbent?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.10 Obtained approval for the use of chemical waste container >450L?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Labelling of Chemical Waste

4.11 Provision of chemical waste label?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Label is securely attached and visible?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Label is bilingual and in proper dimension?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Information is accurate and sufficient?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Storage of Chemical Waste

4.12 Proper "Chemical Waste" sign displayed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.13 Incompatible wastes separated by impermeable partition?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.16 Properly stored and locked in designated area with adequate ventilation?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.17 Storage area paved with concrete and kept clean and dry?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.18 Cover provided for outdoor storage area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.19 Chemical waste collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Liquid Waste Storage

4.20 Storage area provided with permeation-proof floor or surface?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.21 Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.22 Walls or partitions of stacked container storage area constructed of impermeable material?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

5. Landfill Gas (LFG) (within LFG Consultation Zone)

	N/A	Yes	No	Remarks
5.1 Alert workers and visitors of possible LFG hazards?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Outside LFG consultation zone
5.2 Smoking and open fires prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST

6. Others

	N/A	Yes	No	Remarks
6.1 Works confined within lot boundaries?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.2 Damage to surrounding areas avoided?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.3 Site lighting designed to avoid glare to surrounding receivers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6.4 Materials and machinery stored in an orderly manner?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.5 Areas within lot for recycling activities paved with concrete?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.7 Valid calibration certificate for any monitoring equipment?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not provided
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Storage area in compliance with the approved plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Storage area is securely locked?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Total storage capacity in compliance with relevant statutory requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) Proper labelling provided?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
e) Dangerous goods properly packaged?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Remarks:

New Observations

- Dirty water was observed inside stormwater manholes. The tenant was requested to remove dirty water inside the manholes, and to ensure all wastewater should be properly collected and stored before tanking away. The tenant is also reminded to carry out loading/unloading activities in designated area to avoid potential leaking of dirty water.



(Observed on 18 September 2017)

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name T. K. HO

Name **May Wu**

Name **Terence Tsui**

Name:

Date: 2017/09/18

Date: **-3 OCT 2017**

Date: **10 OCT 2017**

Date:

Appendix 6.10

Tenant-specific Audit Checklists for the Reporting Quarter E.Tech Management (HK) Ltd

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required.
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No wastewater is generated from recycling process
a) Sampling record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Adequate capacity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	New Observation (1)
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.9 Processes or activities with high risk of contamination located under covered area?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed.
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Replacement activity is not observed

EcoPark Operation
SITE INSPECTION CHECKLIST



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No contaminated water is observed
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No oily wastewater is generated from recycling.
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.15 Bulk cargo and materials packed properly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.16 Temporary stockpiles covered during rainstorms?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dusty stockpile is observed
2.17 Measures to prevent the washing away of sand/silt to drains?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No sand/silt is generated from the recycling process

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) SP Licence conditions / monitoring requirements comply?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.2 Operate without generation of noticeable odour?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Odourous materials covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If odour control system is installed, is it operating normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.3 Dusty materials dampened prior to loading/unloading?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No loading/unloading of dusty materials is observed
3.4 Dust monitoring record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Any exceedance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Manual dismantling without dust generation
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.7 Emission from chimney or powered plant free of black smoke?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.11 Air pollution control system properly maintained and function normally?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



3.15 Materials transported on trucks covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not Observed
3.16 Truck loads to a level within the side and tail boards?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not Observed
3.17 Stockpiles of dusty materials covered or regularly watered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No stockpile of dusty material is observed
3.18 Major dust source(s):	<input type="checkbox"/> Wind erosion	<input type="checkbox"/> Vehicle/equipment movement		
	<input type="checkbox"/> Loading/unloading of materials	<input checked="" type="checkbox"/> Others: <u>n/a</u>		

4. Waste / Chemical Management

<u>General</u>	N/A	Yes	No	Remarks
4.1 Registered as chemical waste producer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.3 Disposed of regularly and properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	In machinery testing stage
4.6 Collection of sludge by licensed collector at regular intervals?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required

Packaging of Chemical Waste

4.7 Stored in suitable container?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No chemical waste is observed
4.8 Container properly closed or sealed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.9 Spillage cleaned up immediately through the use of absorbent?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.10 Obtained approval for the use of chemical waste container >450L?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Labelling of Chemical Waste

4.11 Provision of chemical waste label?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Label is securely attached and visible?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Label is bilingual and in proper dimension?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Information is accurate and sufficient?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Storage of Chemical Waste

4.12 Proper "Chemical Waste" sign displayed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.13 Incompatible wastes separated by impermeable partition?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.16 Properly stored and locked in designated area with adequate ventilation?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.17 Storage area paved with concrete and kept clean and dry?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.18 Cover provided for outdoor storage area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.19 Chemical waste collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Liquid Waste Storage

4.20 Storage area provided with permeation-proof floor or surface?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
--	-------------------------------------	--------------------------	--------------------------	--

EcoPark Operation
SITE INSPECTION CHECKLIST

4.21 Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage? _____

4.22 Walls or partitions of stacked container storage area constructed of impermeable material? _____

5. Landfill Gas (LFG) (within LFG Consultation Zone)

	N/A	Yes	No	Remarks
5.1 Alert workers and visitors of possible LFG hazards?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Outside LFG consultation zone
5.2 Smoking and open fires prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

6. Others

	N/A	Yes	No	Remarks
6.1 Works confined within lot boundaries?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.2 Damage to surrounding areas avoided?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.3 Site lighting designed to avoid glare to surrounding receivers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6.4 Materials and machinery stored in an orderly manner?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.5 Areas within lot for recycling activities paved with concrete?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.7 Valid calibration certificate for any monitoring equipment?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Storage area in compliance with the approved plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Storage area is securely locked?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Total storage capacity in compliance with relevant statutory requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) Proper labelling provided?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
e) Dangerous goods properly packaged?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Remarks:

New Observations

- 1) Some of the storage bags containing printed circuit boards (PCBs) were not provided with cover at outdoor storage area. The tenant should cover the storage bags with impermeable sheeting or relocate the bags to covered area to prevent rainwater from contamination via direct contact with PCBs.



(Observed on 31 July 2017)

EcoPark Operation
SITE INSPECTION CHECKLIST



Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name T. K. HO

Name: **May Wu**

Name: **FGM Y**

Name:

Date: 2017/07/31

Date: **19 AUG 2017**

Date: **21 Aug 2017**

Date:

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required.
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No wastewater is generated from recycling process
a) Sampling record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Adequate capacity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Follow-up Observation (1)
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.9 Processes or activities with high risk of contamination located under covered area?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed.
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Replacement activity is not observed

EcoPark Operation
SITE INSPECTION CHECKLIST



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No contaminated water is observed
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No oily wastewater is generated from recycling.
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.15 Bulk cargo and materials packed properly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.16 Temporary stockpiles covered during rainstorms?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dusty stockpile is observed
2.17 Measures to prevent the washing away of sand/silt to drains?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No sand/silt is generated from the recycling process

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) SP Licence conditions / monitoring requirements comply?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.2 Operate without generation of noticeable odour?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Odourous materials covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If odour control system is installed, is it operating normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.3 Dusty materials dampened prior to loading/unloading?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No loading/unloading of dusty materials is observed
3.4 Dust monitoring record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Any exceedance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Crusher is enclosed and connected to dust collector
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.7 Emission from chimney or powered plant free of black smoke?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.11 Air pollution control system properly maintained and function normally?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



3.15 Materials transported on trucks covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not Observed
3.16 Truck loads to a level within the side and tail boards?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not Observed
3.17 Stockpiles of dusty materials covered or regularly watered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No stockpile of dusty material is observed
3.18 Major dust source(s):	<input type="checkbox"/> Wind erosion	<input type="checkbox"/> Vehicle/equipment movement		
	<input type="checkbox"/> Loading/unloading of materials	<input checked="" type="checkbox"/> Others: <u>n/a</u>		

4. Waste / Chemical Management

<u>General</u>	N/A	Yes	No	Remarks
4.1 Registered as chemical waste producer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.3 Disposed of regularly and properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	In machinery testing stage
4.6 Collection of sludge by licensed collector at regular intervals?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required

Packaging of Chemical Waste

4.7 Stored in suitable container?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No chemical waste is observed
4.8 Container properly closed or sealed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.9 Spillage cleaned up immediately through the use of absorbent?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.10 Obtained approval for the use of chemical waste container >450L?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Labelling of Chemical Waste

4.11 Provision of chemical waste label?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Label is securely attached and visible?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Label is bilingual and in proper dimension?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Information is accurate and sufficient?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Storage of Chemical Waste

4.12 Proper "Chemical Waste" sign displayed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.13 Incompatible wastes separated by impermeable partition?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.16 Properly stored and locked in designated area with adequate ventilation?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.17 Storage area paved with concrete and kept clean and dry?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.18 Cover provided for outdoor storage area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.19 Chemical waste collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Liquid Waste Storage

4.20 Storage area provided with permeation-proof floor or surface?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
--	-------------------------------------	--------------------------	--------------------------	--

EcoPark Operation
SITE INSPECTION CHECKLIST

4.21 Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage? _____

4.22 Walls or partitions of stacked container storage area constructed of impermeable material? _____

5. Landfill Gas (LFG) (within LFG Consultation Zone)

	N/A	Yes	No	Remarks
5.1 Alert workers and visitors of possible LFG hazards?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Outside LFG consultation zone
5.2 Smoking and open fires prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

6. Others

	N/A	Yes	No	Remarks
6.1 Works confined within lot boundaries?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.2 Damage to surrounding areas avoided?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.3 Site lighting designed to avoid glare to surrounding receivers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6.4 Materials and machinery stored in an orderly manner?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.5 Areas within lot for recycling activities paved with concrete?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6.7 Valid calibration certificate for any monitoring equipment?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Storage area in compliance with the approved plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Storage area is securely locked?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Total storage capacity in compliance with relevant statutory requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) Proper labelling provided?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
e) Dangerous goods properly packaged?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Remarks:

Follow-up from Previous Audits

- Storage bags containing printed circuit boards (PCBs) were provided with impermeable cover at temporary outdoor storage area, to prevent potential rainwater contamination.



(Observed on 31 July 2017)



(Observed on 28 August 2017)

EcoPark Operation
SITE INSPECTION CHECKLIST



New Observations

- No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name Ronan CHAN

Name **May Wu**

Name **TONY TSAI**

Name: Taurus Kwan

Date: 2017/08/28

Date: **12 SEP 2017**

Date: **14 sept 2017**

Date: 2017/09/11

EcoPark Operation
SITE INSPECTION CHECKLIST



Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

1. General

	N/A	Yes	No	Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	EP for tenant is not required.
1.2 Environmental Policy documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UPML's ERP is followed
(a) Drill or training records available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Subject to tenant's provision
1.5 All recycling processes in operation have been approved by WFBU?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
1.6 Any record of complaint or prosecution?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2. Water Quality

	N/A	Yes	No	Remarks
2.1 Valid Effluent Discharge Licence available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No wastewater is generated from recycling process
a) Sampling record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Monitoring result comply with the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If exceedance is recorded, any follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Adequate capacity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Properly maintained and function normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.3 Surface run-off control measures in place and adequately maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.4 Surface run-off discharging into drainage system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.5 All manholes covered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.7 Storage of materials and equipment located away from water bodies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.8 Drainage system well maintained to prevent flooding or overflow?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.9 Processes or activities with high risk of contamination located under covered area?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stop-logs are available for use by tenant if needed.
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Replacement activity is not observed

EcoPark Operation
SITE INSPECTION CHECKLIST



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No contaminated water is observed
2.13 Drainage from maintenance area discharged via oil interceptor?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No oily wastewater is generated from recycling.
a) Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
b) Collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
2.15 Bulk cargo and materials packed properly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2.16 Temporary stockpiles covered during rainstorms?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No dusty stockpile is observed
2.17 Measures to prevent the washing away of sand/silt to drains?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No sand/silt is generated from the recycling process

3. Air Quality

	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) SP Licence conditions / monitoring requirements comply?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.2 Operate without generation of noticeable odour?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
a) If odour is detected, can the source be identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Odourous materials covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If odour control system is installed, is it operating normally?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.3 Dusty materials dampened prior to loading/unloading?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No loading/unloading of dusty materials is observed
3.4 Dust monitoring record available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
a) Monitoring frequency met the licence requirement?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Any exceedance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If exceedance is recorded, follow-up action taken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Crusher is enclosed and connected to dust collector
3.6 Open burning prohibited?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.7 Emission from chimney or powered plant free of black smoke?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.8 Vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
3.11 Air pollution control system properly maintained and function normally?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Obtained approval for the use of controlled refrigerant?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) If yes, record of refrigeration equipment service available?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3.14 Public road around site entrance kept clean and free from dust?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EcoPark Operation
SITE INSPECTION CHECKLIST



3.15 Materials transported on trucks covered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not Observed
3.16 Truck loads to a level within the side and tail boards?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not Observed
3.17 Stockpiles of dusty materials covered or regularly watered?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No stockpile of dusty material is observed
3.18 Major dust source(s):	<input type="checkbox"/> Wind erosion	<input type="checkbox"/> Vehicle/equipment movement		
	<input type="checkbox"/> Loading/unloading of materials	<input checked="" type="checkbox"/> Others: <u>n/a</u>		

4. Waste / Chemical Management

<u>General</u>	N/A	Yes	No	Remarks
4.1 Registered as chemical waste producer?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.3 Disposed of regularly and properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	In machinery testing stage
4.6 Collection of sludge by licensed collector at regular intervals?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required

Packaging of Chemical Waste

4.7 Stored in suitable container?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No chemical waste is observed
4.8 Container properly closed or sealed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.9 Spillage cleaned up immediately through the use of absorbent?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.10 Obtained approval for the use of chemical waste container >450L?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Labelling of Chemical Waste

4.11 Provision of chemical waste label?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a) Label is securely attached and visible?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Label is bilingual and in proper dimension?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Information is accurate and sufficient?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Storage of Chemical Waste

4.12 Proper "Chemical Waste" sign displayed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.13 Incompatible wastes separated by impermeable partition?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.16 Properly stored and locked in designated area with adequate ventilation?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.17 Storage area paved with concrete and kept clean and dry?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.18 Cover provided for outdoor storage area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.19 Chemical waste collected by licensed collector?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Liquid Waste Storage

4.20 Storage area provided with permeation-proof floor or surface?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
--	-------------------------------------	--------------------------	--------------------------	--

EcoPark Operation
SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage? _____

4.22 Walls or partitions of stacked container storage area constructed of impermeable material? _____

5. Landfill Gas (LFG) (within LFG Consultation Zone)

N/A	Yes	No	Remarks
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Outside LFG consultation zone
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

5.1 Alert workers and visitors of possible LFG hazards?

5.2 Smoking and open fires prohibited?

6. Others

N/A	Yes	No	Remarks
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not required
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

6.1 Works confined within lot boundaries?

6.2 Damage to surrounding areas avoided?

6.3 Site lighting designed to avoid glare to surrounding receivers?

6.4 Materials and machinery stored in an orderly manner?

6.5 Areas within lot for recycling activities paved with concrete?

6.6 Potential stagnant pools cleared and mosquito breeding prevented?

6.7 Valid calibration certificate for any monitoring equipment?

6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?

a) Storage area in compliance with the approved plan?

b) Storage area is securely locked?

c) Total storage capacity in compliance with relevant statutory requirement?

d) Proper labelling provided?

e) Dangerous goods properly packaged?

Remarks:

New Observations

- No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name T. K. HO

Name

May Wu

Name

TONY TSAI

Name:

Date: 2017/09/18

Date:

-3 OCT 2017

Date:

3-10-2017

Date:

Appendix 6.11

Tenant-specific Audit Checklists for the Reporting Quarter General EcoPark Checklists

EcoPark Operation
SITE INSPECTION CHECKLIST

Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

Follow-up from Previous Audits

SSK

- 1) While the construction work is temporarily suspended as advised by the operator, the tenant was reminded to provide hoarding along the site boundary before resuming the construction work.



(Observed on 31 July 2017)

New Observation

Cheong Hing

- No major environmental deficiency was observed.

On Fat Lung

- No major environmental deficiency was observed.

SSK

- No major environmental deficiency was observed.

WEEE Treatment and Recycling Facilities (WEEETRF)

- No major environmental deficiency was observed.

Other Areas

- No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:






Name T. K. HO

Name: **May Wu**

Name

Name:

Date: 2017/07/31

Date: **19 AUG 2017**

Date:

Date:

EcoPark Operation
SITE INSPECTION CHECKLIST

Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

Follow-up from Previous Audits

SSK

- 1) While the construction work is temporarily suspended as advised by the operator, the tenant was reminded to provide hoarding along the site boundary before resuming the construction work.



(Observed on 31 July 2017)



(Observed on 28 August 2017)

New Observation

On Fat Lung

- No major environmental deficiency was observed.

SSK

- No major environmental deficiency was observed.

WEEE Treatment and Recycling Facilities (WEEETRF)

- No major environmental deficiency was observed.

Other Areas

- No major environmental deficiency was observed.


Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:



Name Ronan CHAN

Name **May Wu**

Name

Name: Taurus Kwan

Date: 2017/08/28

Date: **12 SEP 2017**

Date:

Date: 2017/09/11

EcoPark Operation
SITE INSPECTION CHECKLIST

Inspection Date: Time: Inspected by:
 Lot Number: Tenant:

Weather

Condition: Sunny Fine Overcast Drizzle Rain Storm Hazy
 Temperature: °C Humidity: High Moderate Low
 Wind: Calm Light Breeze Strong

Follow-up from Previous Audits

SSK

- 1) While the construction work is temporarily suspended as advised by the operator, the tenant was reminded to provide hoarding along the site boundary before resuming the construction work.



(Observed on 28 August 2017)



(Observed on 18 September 2017)

New Observation

On Fat Lung

- No major environmental deficiency was observed.

SSK

- No major environmental deficiency was observed.

WEEE Treatment and Recycling Facilities (WEEETRF)

- No major environmental deficiency was observed.

Other Areas

- No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:






Name T. K. HO

Name **May Wu**

Name

Name:

Date: 2017/09/18

Date: **-3 OCT 2017**

Date:

Date: