Issue No. : Issue 1

Issue Date: October 2018

Project No.: 1260

ECOPARK OPERATION

QUARTERLY ENVIRONMENTAL MONITORING & AUDIT REPORT (JULY – SEPTEMBER 2018)

Prepared By:

ALLIED ENVIRONMENTAL CONSULTANTS LTD.

COMMERCIAL-IN-CONFIDENCE





Issue No. :

Issue 1

Issue Date:

October 2018

Project No.:

1260

ECOPARK OPERATION

QUARTERLY ENVIRONMENTAL MONITORING & AUDIT REPORT (JULY – SEPTEMBER 2018)

Prepared By:

ALLIED ENVIRONMENTAL CONSULTANTS LTD.

COMMERCIAL-IN-CONFIDENCE

Certified by:

Grace. M. H. KWOK

Environmental Team Leader

Verified by:

Eric M. K. CHING

Independent Environmental Checker

Approved by:

CALVIN S. K. LAU

Acting Principal Environmental

Protection Officer

Environmental Protection Department

Issue No. :

Issue 1

Issue Date:

October 2018

Project No.:

1260

ECOPARK OPERATION

QUARTERLY ENVIRONMENTAL MONITORING & AUDIT REPORT (JULY – SEPTEMBER 2018)

Prepared By:

ALLIED ENVIRONMENTAL CONSULTANTS LTD.

COMMERCIAL-IN-CONFIDENCE

Author: Various

Checked:

Rodney C. W. IP

MPhil, BEng (Hons), CEng, MIMechE, MHKIE, REA, BEAM Pro, MHKIEIA, MHKIOA, MIOA, MASA, MHKIQEP Approved:

Grace M. H. KWOK

BEng(Hons) FFHKIQEP MHKIEIA MIAIA MRAPA MISWA MHKIOA MAEE LEED AP BEAMPro CAP GB Faculty

This report has been prepared by Allied Environmental Consultants Limited with all reasonable skill, care and diligence within the terms of the Agreement with the client, incorporating our General Terms and Conditions of Business and taking account of the resources devoted to it by agreement with the client.

We disclaim any responsibility to the client and others in respect of any matters outside the scope of the above.

This report is confidential to the client and we accept no responsibility of whatsoever nature to third parties to whom this report, or any part thereof, is made known. Any such party relies upon the report at their own risk

TABLE OF CONTENTS

LI	ST O	F FIGURES	i
LI	ST O	F TABLES	iii
LI	ST O	F APPENDICES	ii
ΕX	KECU	TIVE SUMMARY	1
1	PR	OJECT BACKGROUND	4
	1.1	Project Overview	4
	1.2	Operation Programme	4
	1.3	Project Organization and Contact Personnel	5
2	SU	MMARY OF EM&A REQUIREMENT	8
	2.1	Monitoring Parameters	8
	2.2	Environmental Quality Performance Limits and EAP	8
	2.3	Environmental Audit of Non-Monitored Parameters	9
	2.4	Environmental Mitigation Measures	9
	2.5	Environmental Requirements in Tenancy Agreements	ç
3	OP	PERATION STATUS	11
	3.1	General	11
	3.2	Champway Technology Limited	11
	3.3	Shiu Wing Steel Limited	11
	3.4	Hong Kong Biomass (Wood) Collect and Recycle Company Limited	11
	3.5	Li Tong Group	12
	3.6	HP Telford Envirotech Group Limited	12
	3.7	WEEE Refurbishment at Lot P5	12
	3.8	Chung Yue Steel Group Company Limited	13
	3.9	K.Wah Construction Products Ltd.	13
	3.10	South China Reborn Resources (Zhongshan) Company Ltd.	13
	3.11	WEEE.PARK	13
	3.12	On Fat Lung Innovative Resources Ltd.	14
	3.13	Throughput Statistics	14
	3.14	Process Review	15
4	IM	PLEMENTATION STATUS OF ENVIRONMENTAL PROTECTION MEASURES	17
5	M	ONITORING RESULTS	18
	5.1	Monitoring Date, Time, Frequency and Duration	18
	5.2	Monitoring Methodology, Parameters and Equipment	18

AEC

	k Operation ly Environmental Monitoring & Audit Report (July – September 2018)	ii
<u>Quarter</u>	17 2. 17 1 September 2010)	
5.3	Results and Graphical Plots of Monitoring Parameters	19
6 SU	MMARY OF ENVIRONMENTAL AUDIT	21
6.1	General	21
6.2	Champway Technology Limited	21
6.3	Shiu Wing Steel Limited	22
6.4	Hong Kong Biomass (Wood) Collect and Recycle Company Limited	22
6.5	HP Telford Envirotech Group Limited	22
6.6	Chung Yue Steel Group Company Limited	23
6.7	K.Wah Construction Products Limited	23
6.8	South China Reborn Resources (Zhongshan) Company Limited.	24
6.9	E.Tech Management (HK) Limited.	25
6.10	WEEE.PARK	25
6.11	On Fat Lung Innovative Resources Limited	25
6.12	General Condition of EcoPark	26
	VIRONMENTAL COMPLAINTS, NOTIFICATION OF SUMMONS AND SUCCESSFUL	
PROSE	CUTION	28
7.1	Follow-up on Previous Environmental Complaint	28
7.2	New Environmental Complaint in the Reporting Period	28
8 CO	NCLUSIONS	29

LIST OF FIGURES

Figure 1-2 Organisation Chart of UPML Figure 1-3 Organisation Chart of EM&A Works (Operation) Figure 2-1 LFG Monitoring Locations within EcoPark Figure 3-1 Current Lot Usage within EcoPark Figure 5-1 Cleaning of Underground Utilities in September 2018	Figure 1-1	Location of EcoPark in Tuen Mun Area 38
Figure 2-1 LFG Monitoring Locations within EcoPark Figure 3-1 Current Lot Usage within EcoPark	Figure 1-2	Organisation Chart of UPML
Figure 3-1 Current Lot Usage within EcoPark	Figure 1-3	Organisation Chart of EM&A Works (Operation)
č	Figure 2-1	LFG Monitoring Locations within EcoPark
Figure 5-1 Cleaning of Underground Utilities in September 2018	Figure 3-1	Current Lot Usage within EcoPark
	Figure 5-1	Cleaning of Underground Utilities in September 2018

_____AEC

LIST OF TABLES

Table 1.1	EM&A Personnel Contact Details
Table 2.1	Operation Phase LFG Monitoring Locations in EcoPark
Table 2.2	Action Levels, Limit Levels and Event and Action Plan for LFG
Table 3.1	Throughput Statistics for the Reporting Quarter
Table 5.1	Sampling Schedule for the Quarterly LFG Monitoring
Table 5.2	Parameters and Measurement Ranges for LFG Monitoring
Table 5.3	Quarterly LFG Monitoring Results in the Reporting Quarter
Table 6.1	Environmental Audit Findings for Champway
Table 6.2	Environmental Audit Findings for Shiu Wing
Table 6.3	Environmental Audit Findings for HK Biomass
Table 6.4	Environmental Audit Findings for HP Telford
Table 6.5	Environmental Audit Findings for Chung Yue
Table 6.6	Environmental Audit Findings for K.Wah
Table 6.7	Environmental Audit Findings for South China
Table 6.8	Environmental Audit Findings for E.Tech
Table 6.9	Environmental Audit Findings for Alba IWS
Table 6.10	Environmental Audit Findings for On Fat Lung
Table 6.11	General EcoPark Audit Findings
Table 8.1	Throughput Statistics for the Reporting Quarter

LIST OF APPENDICES

Appendix 1	Environmental Mitigation Measures (from the Implementation Schedule)
Appendix 2	Environmental Requirements in Tenancy Agreements
Appendix 2.1	Environmental Requirements in Tenancy Agreements (Phase 1)
Appendix 2.2	Environmental Requirements in Tenancy Agreements (Phase 2)
Appendix 3	Material and Waste Throughputs
Appendix 3.1	Material and Waste Throughputs of the Reporting Quarter
Appendix 3.2	Updates of Previously-Reported Material and Waste Throughputs
Appendix 4	Calibration Certificate of Infrared Gas Analyser
Appendix 5	Laboratory Test Report and Graphical Plots of LFG Monitoring
Appendix 6	Tenant-Specific Audit Checklists for the Reporting Quarter
Appendix 6.1	Champway Technology Ltd
Appendix 6.2	Shiu Wing Steel Ltd
Appendix 6.3	Hong Kong Biomass (Wood) Collect and Recycle Company Ltd
Appendix 6.4	HP Telford Envirotech Group Ltd
Appendix 6.5	Chung Yue Steel Group Co Ltd
Appendix 6.6	K.Wah Construction Products Ltd
Appendix 6.7	South China Reborn Resources (Zhongshan) Co Ltd
Appendix 6.8	E.Tech Management (HK) Ltd
Appendix 6.9	Alba Integrated Waste Solutions (Hong Kong) Ltd
Appendix 6.10	On Fat Lung Innovative Resources Limited
Appendix 6.11	General EcoPark Checklists

_AEC

EXECUTIVE SUMMARY

General

EcoPark is a key element in the Government's waste management policy that aims at promoting the local recycling industry by providing long-term land at affordable rents, thereby encouraging investment in advanced technology and value-added recycling processes. EcoPark is being developed in two phases at site in Tuen Mun Area 38 as shown in *Figure 1-1*. The contract for the management of EcoPark – Contract No. *EP/SP/71/13 Provision of Management Services for EcoPark 2014* was awarded to Urban Property Management Limited (UPML) by Environmental Protection Department (EPD) effective from 30th October 2014.

UPML, the "Operator" of EcoPark, have appointed Allied Environmental Consultants Ltd. (AEC) as the Environmental Team (ET) to carry out the Environmental Monitoring and Audit (EM&A) works for the operation of EcoPark as required by the EM&A Manual and in accordance with the conditions of the Environmental Permit (EP) (EP-226/2005/F).

This is the forty-sixth (46th) quarterly EM&A report prepared for the operation phase of EcoPark and covers the quarter from July to September 2018. In the reporting quarter, there were eleven tenants in EcoPark Phase 1 and Phase 2, and one operator of WEEE Refurbishment and WEEE.PARK in EcoPark Phase 2. The details are provided as below:

Phase 1 tenants comprise:

- Champway Technology Limited (Champway) Waste cooking oil
- Shiu Wing Steel Limited (Shiu Wing) Waste metals
- Hong Kong Biomass (Wood) Collect and Recycle Company Ltd. (HK Biomass) Waste wood
- Li Tong Group (Li Tong) Waste Electrical and Electronic Equipment (WEEE) (Tenancy originally expired on 14th January 2018, but was extended to 28th November 2018 through two Supplemental Tenancy Agreements dated 27th February 2018 and 27th July 2018 respectively)
- HP Telford Envirotech Group Limited (HP Telford) Waste plastics

Phase 2 tenants and operator comprise:

- K.Wah Construction Products Ltd (K.Wah) Waste construction materials/waste glass
- E.Tech Management (HK) Ltd (E.Tech) WEEE
- On Fat Lung Innovative Resources Ltd (On Fat Lung) Waste rubber tyres
- Chung Yue Steel Group Company Ltd (Chung Yue) Waste metals
- SSK Metal Ltd (SSK) (Renamed to Hong Kong Battery Recycling Centre Ltd (HKBRC) with effect from 19 July 2018) Waste lead-acid batteries
- South China Reborn Resources (Zhongshan) Co Ltd (South China) Food waste

- WEEE Refurbishment operated by Alba Integrated Waste Solutions (Hong Kong) Ltd (WEEE Refurbishment) (Recycling activity at Lot P5 has been suspended after 4th June 2018 and possession of Lot P5 will be returned to EPD after site clearance) WEEE
- WEEE.PARK operated by Alba Integrated Waste Solutions (Hong Kong) Ltd (WEEE.PARK)
 WEEE

Recycling activities of WEEE.PARK and the following nine tenants were audited in the reporting quarter: Champway, Shiu Wing, HK Biomass, HP Telford, K.Wah, E.Tech, On Fat Lung, Chung Yue and South China. Lot under development by SSK (/ HKBRC) and Li Tong, and lot under clearance by WEEE Refurbishment were inspected but not audited under the EM&A programme during the reporting quarter, as no recycling activities had conducted. Lot of HP Telford was also inspected but not audited under the EM&A programme on 24 August 2018 due to inaccessibility. No recycling activity has been carried out in Li Tong since 1st November 2017, and demolition and lot reinstatement is in progress. Tenancy of Li Tong had originally expired on 14th January 2018, but was extended to 28th November 2018 through two Supplemental Tenancy Agreements dated 27th February 2018 and 27th July 2018 respectively. Recycling activity of WEEE Refurbishment at Lot P5 has been suspended after 4th June 2018 and possession of Lot P5 will be returned to EPD after site clearance. Operation of HK Biomass has been resumed since 10th July 2018.

In this reporting quarter, site inspections were conducted by the Operator and the ET on 18th July, 24th August and 18th September 2018. IEC also carried out random site audits on 18th July, 24th August and 18th September 2018. A quarterly joint site inspection was carried out by the Operator, the IEC and the ET on 24th August 2018.

Throughput of Materials / Waste Generated

The throughputs of WEEE.PARK and the nine active tenants in the reporting quarter are summarised below. Please note that product output plus waste disposal does not necessarily equal the waste input, due to material losses during processing and material retained within the lots.

Material Type	Waste Input (tonnes)	Product Output (4) (tonnes)	Waste Disposed ⁽⁴⁾ (tonnes)
Waste Organic Food	897	995	112
Waste Ferrous Metals	35,315	38,303	94
Waste Wood	327	353	-
Waste Electronics	395	326	28
Waste Plastics	n/a	n/a	n/a
Construction Waste	773	6,400	19
Waste Glass	67	0,400	19
Waste Rubber Tyres	n/a	n/a	n/a

Notes:

- 1) The throughput data presented above is the best available data and has been rounded off to the nearest whole tonne for presentation.
- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.
- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.
- 5) "-" in the column of waste disposal denotes zero quantity; while "n/a" denotes unavailable information.

Exceedances of Any Measured Action / Limit Levels

The northern part of EcoPark is located within the 250m Landfill Gas (LFG) Consultation Zone of Shiu Lang Shui Landfill. LFG monitoring during this quarter was undertaken on 18th September 2018 at five locations (three in Phase 1 and two in Phase 2). Exceedance of Action Level was recorded at Station EP2-2 in the reporting quarter and is summarised in the table below.

Station ID	Parameter	Recorded Level	Action Level	Limit Level	Status
EP2-2	Oxygen (% v/v)	18.9	< 19 %	< 18 %	Exceedance of Action Level

Ventilation enhancement was carried out in accordance with the Event Action Plan for LFG specified in Table 6.1 of the EM&A Manual to restore the concentration of O₂ to non-exceedance level. Although the cleaning of underground utilities had been carried out by the Operator on 31st August 2018, a layer of moist silt and withered leaves were observed inside the utility chamber, possibly due to the heavy rainfall occurred after the cleaning exercise (on 1st, 16th and 17th September 2018). With reference to similar exceedance events occurred previously, it is suspected that organic matters entered the underground chambers by heavy rain and accumulated inside the underground utilities, where microbial activity occurred and eventually increased O₂ consumption within the chamber during the decomposition of organic matter. The situation may exacerbate due to Typhoon Mangkhut that may triggered organic matter to hide inside underground utilities and further increased microbial activity inside underground utilities. There was no indication of the migration of LFG from Siu Lang Shui Landfill. As confirmed by the Operator, no underground work was being carried out within EcoPark. Based on the above findings, the exceedance of O₂ is not anticipated to impose any adverse impact on staffs/workers/environment in EcoPark. Nonetheless, the Operator continued to implement the cleaning programme of underground utilities for wet season, and the cleaning activity was carried out on 28th September 2018.

Summary of Complaints, Summons and Prosecutions

Number of complaints, summons and successful prosecutions in the reporting quarter are summarised below.

• Complaints: Zero.

• **Summons:** Zero.

Successful Prosecutions: Zero.

Reporting Changes

There is no change in the reporting quarter.

Future Key Issues

No key issues are anticipated in the next reporting quarter.

1 PROJECT BACKGROUND

1.1 Project Overview

- 1.1.1 In the document "A Policy Framework for the Management of Municipal Solid Waste (2005 –2014)", the government set out a comprehensive policy to support the recycling industry. This included allocating suitable land, encouraging research and development, introducing environmental legislation and providing effective support measures. In May 2013, the Environment Bureau launched "Hong Kong Blueprint for Sustainable Use of Resources 2013 2022", which promised continuing support for the recycling industry.
- 1.1.2 EcoPark was developed to support the local recycling industry by providing long-term land at affordable rents, thereby encouraging investment in advanced technology and value-added recycling processes.
- 1.1.3 EcoPark, as shown in *Figure 1-1*, has been developed in Tuen Mun Area 38 in two phases (Phase1 and Phase 2) under Contract *EP/SP/52/06 Development of EcoPark in Tuen Mun Area 38*, which was awarded to Kaden Construction Ltd by the Environmental Protection Department (EPD) in June 2006. Phase 1 construction was completed in July 2009 and Phase 2 construction was completed in November 2010.
- 1.1.4 The contract for the management of EcoPark Contract No. *EP/SP/71/13 Provision of Management Services for EcoPark 2014* was awarded to Urban Property Management Limited (UPML) by Environmental Protection Department (EPD) effective from 30th October 2014.
- 1.1.5 UPML, the "Operator" of EcoPark, has appointed Allied Environmental Consultants Ltd. (AEC) as the Environmental Team (ET) to carry out the Environmental Monitoring and Audit (EM&A) works for the operation of EcoPark as required by the EM&A Manual and in accordance with the conditions of the Environmental Permit (EP-226/2005/F). Mott MacDonald Hong Kong Limited (MottMac) has been appointed by the EPD as the Independent Environmental Checker (IEC) for the Project. The ET and the IEC carry out the EM&A works for EcoPark as required by the EM&A Manual and in accordance with the conditions of the Environmental Permit (EP).

1.2 Operation Programme

- 1.2.1 In the reporting period, there were one operator of WEEE Refurbishment and WEEE.PARK and eleven tenants in EcoPark:
 - Nine active tenants (Champway, Shiu Wing, HK Biomass, HP Telford, Chung Yue, K.Wah, South China, E.Tech and On Fat Lung) who have carried out full recycling operations;
 - Waste Management Policy Group (WMG) of EPD has taken possession of Lot Nos.
 P2, P3, P4 and P5 and handed over to Alba Integrated Waste Solutions (Hong Kong)
 Ltd. (Alba IWS) to carry out operation of WEEE.PARK (at Lots Nos. P2, P3, P4)
 and WEEE Refurbishment (at Lot P5). Recycling activity of WEEE Refurbishment

- at Lot P5 has been suspended after 4th June 2018 and possession of Lot P5 will be returned to EPD after site clearance;
- One tenant (SSK / HKBRC) who is carrying out plant construction; and
- One tenant (Li Tong) whose tenancy was originally expired on 14th January 2018, but was extended to 28th November 2018 through two Supplemental Tenancy Agreements dated 27th February 2018 and 27th July 2018 respectively. No recycling activity has been carried out in Li Tong since 1st November 2017, and demolition and lot reinstatement is in progress.

1.3 Project Organization and Contact Personnel


1.3.1 Key personnel and contact particulars are summarised in *Table 1.1*.

Table 1.1 EM&A Personnel Contact Details

Position	Name	Email Address	Phone No.		
Project Proponent – EPD					
Principal EPO	Mr. Andy S.W. CHAN	andychan@epd.gov.hk	2872 1720		
Operator – UPML					
Project Manager	Ms. Raindy YIP	raindy.py.yip@urban.com.hk	2212 5900		
Park Manager	Ms. May WU	may.sm.wu@urban.com.hk	2212 5920		
IEC – Mott MacDo	IEC – Mott MacDonald				
IEC	Ir. Eric CHING	eric.ching@mottmac.com	2828 5757		
ET-AEC					
ET Leader	Ms. Grace KWOK	gk@aechk.com	2815 7028		

1.3.2 The organisational structure and lines of communication for the operation of EcoPark with respect to environmental management is given in *Figure 1-2* and *Figure 1-3* respectively.

Figure 1-1 Location of EcoPark in Tuen Mun Area 38



Issue 1______AEC

Figure 1-2 Organisation Chart of UPML





Figure 1-3 Organisation Chart of EM&A Works (Operation)



2 SUMMARY OF EM&A REQUIREMENT

2.1 Monitoring Parameters

- 2.1.1 Landfill Gas (LFG) is required to be monitored quarterly at service voids and utility boxes within EcoPark because the northern part of EcoPark lies within the 250m LFG Consultation Zone for Siu Lang Shui Landfill, which is located to the north of EcoPark.
- 2.1.2 Operational LFG monitoring has been carried out in Phase 1 after completion of construction in July 2009, commencing in the August to October 2009 quarter. In Phase 2, monitoring has been carried out after completion of construction in November 2010, commencing in the November 2010 to January 2011 quarter.
- 2.1.3 The location for LFG monitoring was not specified in the EM&A Manual since the final design of EcoPark was not available when the EM&A Manual was approved. Therefore, during a joint site inspection on 27th July 2009, three monitoring locations were identified and agreed as suitable monitoring locations by the former ET (SMEC Asia Ltd.), IEC (Atkins China Ltd.) and the Operator (Serco Guardian Joint Venture). Subsequently, two more monitoring locations in Phase 2 were proposed by the former ET and agreed by the IEC and Operator via email in January 2011. These five monitoring locations are listed in *Table 2.1* and shown in *Figure 2-1*.

Table 2.1 Operation Phase LFG Monitoring Locations in EcoPark

Monitoring Station ID	Туре	Locations
EP1-1 LFG vent pipe		Inside the landscaping area of Administration Building
EP1-2	Service void	PCCW below-ground chamber outside Lot EP08-01
EP1-3	Service void	HGC Broadband below-ground chamber outside Lot EP08-03
EP2-1	Service void	HGC Broadband below-ground chamber outside Lot P1
EP2-2	Service void	HGC Broadband below-ground chamber outside Lot P3

2.1.4 Routine LFG monitoring has been carried out on a quarterly basis. Should EPD alert the Operator that high LFG levels have been detected during monthly monitoring under the Siu Lang Shui Landfill restoration contract, the Operator may be required to increase LFG monitoring to monthly until such time as EPD inform the Operator that quarterly monitoring can be resumed. No detection of high LFG levels under Siu Lang Shui Landfill restoration contract was received from EPD in the reporting quarter.

2.2 Environmental Quality Performance Limits and EAP

2.2.1 The Action/Limit Levels and Event Action Plan (EAP) for LFG are shown in *Table 2.2* below. These refer to LFG detected in excavations, utilities and any enclosed on-site areas. No other A/L Levels or EAPs are specified in the EM&A Manual for the operation phase EM&A.

Table 2.2 Action Levels, Limit Levels and Event and Action Plan for LFG

Parameter	Level	Action
	Action Level <19% O2	• Ventilate trench/void to restore O ₂ to >19%
Oxygen (O ₂)	Limit Level <18% O ₂	 Stop works Evacuate personnel/prohibit entry Increase ventilation to restore O₂ to >19%
Methane	Action Level >10% LEL	 Post "No Smoking" signs Prohibit hot works Increase ventilation to restore CH₄ to <10% LEL
(CH ₄)	Limit Level >20% LEL	 Stop works Evacuate personnel/prohibit entry Increase ventilation to restore CH₄ to <10% LEL
Conform	Action Level >0.5% CO ₂	• Ventilate to restore CO ₂ to <0.5%
Carbon Dioxide (CO ₂)	Limit Level >1.5% CO ₂	 Stop works Evacuate personnel/prohibit entry Increase ventilation to restore CO₂ to <0.5%

2.3 Environmental Audit of Non-Monitored Parameters

- 2.3.1 Site inspections provide a direct means to trigger and enforce the environmental protection and pollution control measures specified in the Environmental Impact Assessment (EIA) Report. To examine operational practice, site inspections are to be undertaken by the ET once per month. The monthly inspection shall join with the random site inspection by the IEC where possible. A joint inspection by ET and IEC will be carried out at least once per quarter. Ad hoc site inspections are also carried out if significant environmental problems are identified. In addition, inspections may be required subsequent to receipt of environmental complaint, or as part of the investigation work, as specified in the EAP.
- 2.3.2 The following parameters are required to be audited as part of the operation phase EM&A program:
 - Air Quality
 - Water Quality
 - Waste Management
 - Land Contamination


2.4 Environmental Mitigation Measures

2.4.1 Environmental mitigation measures applicable to the operation phase EM&A as stated in the Implementation Schedule are summarised in *Appendix 1*.

2.5 Environmental Requirements in Tenancy Agreements

2.5.1 Environmental requirements specified in tenancy agreements are provided in *Appendix 2*.

Figure 2-1 LFG Monitoring Locations within EcoPark



Issue 1_____AEC

3 OPERATION STATUS

3.1 General

- 3.1.1 The location of lots within EcoPark, the current usage and tenant names are shown in *Figure 3-1*. A summary of waste throughputs is provided in *Section 3.13*. Brief descriptions of the active tenants are provided from *Sections 3.2* to *3.12*.
- 3.1.2 In the reporting quarter:
 - No recycling activity has been carried out in Li Tong since 1st November 2017, and demolition and lot reinstatement is in progress. Tenancy of Li Tong originally expired on 14th January 2018, but was extended to 28th November 2018 through two Supplemental Tenancy Agreements dated 27th February 2018 and 27th July 2018 respectively;
 - HK Biomass has resumed the operation since 10th July 2018;
 - SSK / HKBRC carried out plant design; and
 - Recycling activity of WEEE Refurbishment at Lot P5 has been suspended after 4th June 2018 and possession of Lot P5 will be returned to EPD after site clearance.

3.2 Champway Technology Limited

- **Lot No.:** T5 (Phase 1)
- **Lot Size:** Approx. 6,000m²
- Activity: Recycling of Organic Waste (Waste Cooking Oil)
- **Recycling Process:** Turn waste cooking oil into biodiesel by extraction, neutralisation, separation and distillation.
- 3.2.1 In this reporting quarter, waste cooking oil was recycled. Also, the tenant adopted "tankered away" approach for handling of industrial effluent arising from biodiesel production instead of discharging into foul sewer.

3.3 Shiu Wing Steel Limited

- **Lot No.:** T2, T3 (Phase 1)
- Lot Size: Approx. 9,500m²
- **Activity:** Recycling of Waste Metals
- **Recycling Process:** Turn waste metals into light ferrous scrap and heavy ferrous scrap by sorting, baling and shearing.
- 3.3.1 In this reporting quarter, waste metal was recycled.

3.4 Hong Kong Biomass (Wood) Collect and Recycle Company Limited

12

• **Lot No.:** T4 (Phase 1)

• **Lot Size:** Approx. 5,000m²

• Activity: Recycling of Waste Wood

- **Recycling Process:** Recycle waste wood to wood fuel pellets. Ferrous metals will be separated by magnets.
- 3.4.1 In this reporting quarter, waste wood was recycled since 10th July 2018.

3.5 Li Tong Group

• **Lot No.:** T6 (Phase 1)

• Lot Size: Approx. 6,500m²

• **Activity:** Recycling of WEEE

- Recycling Process: Manually dismantling of WEEE into metals (ferrous materials, aluminium, etc.) and non-metals (fibres, plastics, etc.). Manually dismantling of Cathode Ray Tube (CRT) glass and Liquid Crystal Display (LCD) panels would be carried out upon request.
- 3.5.1 In this reporting quarter, there has been no recycling activity since 1st November 2017, and demolition and lot reinstatement is in progress. The tenancy originally expired on 14th January 2018, but was extended to 28th November 2018 through two Supplemental Tenancy Agreements dated 27th February 2018 and 27th July 2018.

3.6 HP Telford Envirotech Group Limited

• **Lot No.:** T1 (Phase 1)

• Lot Size: Approx. 5,000m²

• Activity: Recycling of Waste Plastics

• Recycling Process: Sorting, shredding and baling of waste plastics

3.6.1 In this reporting quarter, waste plastic was recycled.

3.7 WEEE Refurbishment at Lot P5

• Lot No.: P5 (Phase 2)

• Lot Size: Approx. 5,000 m²

• Activity: Recycling of WEEE

- **Recycling Process:** WEEE will be sorted on site first. WEEE suitable for reuse will be repaired and refurbished, whilst those irreparable / not suitable for repair will be collected by local contractors designated by WMG.
- 3.7.1 In this reporting quarter, WEEE was recycled until 4th June 2018. Recycling operation ceased and Lot P5 will be returned to EPD after site clearance.

3.8 Chung Yue Steel Group Company Limited

• **Lot No.:** P13 (Phase 2)

• **Lot Size:** Approx. 100,000 m²

• **Activity:** Recycling of Waste Metals

- **Recycling Process:** Turn waste metals into non-ferrous scrap, light ferrous scrap and heavy ferrous scrap by sorting, baling and shearing
- 3.8.1 In this reporting quarter, waste metal was recycled.

3.9 K.Wah Construction Products Ltd.

• **Lot No.:** P11 (Phase 2)

• **Lot Size:** Approx. 10,000 m²

• Activity: Recycling of Waste Construction Materials/Waste Glass

- **Recycling Process:** Waste construction materials and waste glass will be crushed and delivered to the concrete mixing plant for blending and poured into block machine for casting. The blocks will then be cured, washed and packaged.
- 3.9.1 In this reporting quarter, waste construction materials and waste glasses were recycled.

3.10 South China Reborn Resources (Zhongshan) Company Ltd.

• **Lot No.:** P12 (Phase 2)

• **Lot Size:** Approx. 9,000 m²

• Activity: Recycling of Organic Waste (Food Waste)

- **Recycling Process:** Food waste will be segregated. The recyclable portion will undergo deodorisation, dewatering, shredding, fermentation and drying to produce high protein animal feed for livestock farming and aquaculture.
- 3.10.1 In this reporting quarter, food waste was recycled. Also, the tenant adopted "tankered away" approach for handling of industrial effluent arising from the recycling of food waste instead of discharging into foul sewer.

3.11 WEEE.PARK

• Lot No.: P2, P3, P4 (Phase 2)

• **Lot Size:** Approx. 30,000 m²

• Activity: Recycling of WEEE

• **Recycling Process:** Four major types of WEEE (i.e. refrigerator and freezers, air conditioners, e-scrap, TV and computer screens) will be recycled. The recycling processes include separation of insulation/backlighting/plastic/various metals,

recovery of screen/monitor stand/refrigerant/oil/hazardous materials, and shredding of casing.

3.11.1 In this reporting quarter, WEEE was recycled.

3.12 On Fat Lung Innovative Resources Ltd.

• **Lot No.:** P8 (Phase 2)

• **Lot Size:** Approx. 4,400 m²

• Activity: Recycling of Waste Rubber Tyres and WEEE

- **Recycling Process:** Waste rubber tyres will be shredded into rubber powder and processed to form rubber bricks. WEEE will be dismantled/shredded and recovered for reusable components.
- 3.12.1 In this reporting quarter, waste rubber tyres were recycled.

3.13 Throughput Statistics

- 3.13.1 For the active recyclers, most of the incoming waste materials and outgoing products were delivered by land transportation, except for the metals from Chung Yue were delivered by both marine and land transportation.
- 3.13.2 The throughputs of WEEE.PARK and the nine active tenants are summarised in *Table 3.1* below. Please note that product output plus waste disposal does not necessarily equal the waste input, due to material losses during processing and material retained within the lot.

Table 3.1 Throughput Statistics for the Reporting Quarter

Material Type	Waste Input (tonnes) Product Output (4) (tonnes)		Waste Disposed (4) (tonnes)	
Waste Organic Food	897	995	112	
Waste Ferrous Metals	35,315	38,303	94	
Waste Wood	327	353	-	
Waste Electronics	395	326	28	
Waste Plastics	n/a	n/a	n/a	
Construction Waste	773	6.400	19	
Waste Glass	67	6,400	19	
Waste Rubber Tyres	n/a	n/a	n/a	


Notes:

- 1) The throughput data presented above is the best available data and has been rounded off to the nearest whole tonne for presentation.
- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.
- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.
- 5) "-" in the column of waste disposal denotes zero quantity; while "n/a" denotes unavailable information.

3.13.3 Detailed throughput figures of the reporting quarter are provided in *Appendix 3.1*. Updated throughput figures of the previous months are provided in *Appendix 3.2*.

3.14 Process Review

- 3.14.1 Process Review, and maybe Design Audit (DA) where required, had been conducted for each recycling process to be operated within EcoPark to confirm its compliance with the findings and recommendations of the EIA report and the conditions of the EP.
- 3.14.2 Since 2008, twenty two process reviews and three DAs had been approved. Among those, fourteen process reviews and three DAs are related to the current recycling processes in EcoPark as of September 2018. In the reporting period, one process review for HP Telford was approved. Full set of the completed PRCs and DAs are submitted separately to relevant authorities in EPD.



4 IMPLEMENTATION STATUS OF ENVIRONMENTAL PROTECTION MEASURES

- 4.1.1 Environmental mitigation measures applicable to the operation phase EM&A as stated in the implementation schedule are summarised in *Appendix 1*. Environmental requirements specified in tenancy agreements are summarised in *Appendix 2*.
- 4.1.2 By the end of September 2018, WEEE.PARK and nine tenants (Champway, Shiu Wing, HK Biomass, HP Telford, K.Wah, E.Tech, Chung Yue, South China and On Fat Lung) were under full operation.
- 4.1.3 Appropriate environmental protection measures are in place at all lots.

5 MONITORING RESULTS

5.1 Monitoring Date, Time, Frequency and Duration

5.1.1 As described in *Section 2.1*, operational LFG monitoring is conducted quarterly at five monitoring locations, three in Phase 1 and two in Phase 2. In this reporting quarter, monitoring was undertaken on 18th September 2018. Monitoring details are shown *Table 5.1* below.

Table 5.1 Sampling Schedule for the Quarterly LFG Monitoring

Station ID	Sampling Date	Time	Duration	Ambient Air Temp.	Weather
EP1-1	18 th September 2018	10:10	2 minutes	28°C	Fine
EP1-2		9:50	2 minutes	28°C	Fine
EP1-3		9:45	2 minutes	28°C	Fine
EP2-1		9:55	2 minutes	28°C	Fine
EP2-2		10:00	2 minutes	28°C	Fine

5.2 Monitoring Methodology, Parameters and Equipment

5.2.1 The LFG monitoring requirement and methodology are stipulated in *Section 6* of the EM&A Manual. The LFG monitoring parameters and their measurement ranges are detailed in *Table 5.2* below.

Table 5.2 Parameters and Measurement Ranges for LFG Monitoring

Parameters	Measurement Ranges
Methane (CH ₄)	0 – 100% LEL & 0-100% v/v
Oxygen (O ₂)	0 – 25% v/v
Carbon Dioxide (CO ₂)	0 – 100% v/v
Barometric Pressure	mBar (absolute)

- 5.2.2 LFG monitoring shall be carried out using intrinsically-safe, portable multi-gas monitoring instruments. The gas monitoring equipment shall:
 - 1. Where possible, comply with BS 6020 and be approved by BASEEFA as intrinsically safe, suitable for use in a Zone 2 are to BS 5345;
 - 2. Be capable of continuous monitoring of methane, oxygen and carbon dioxide;
 - 3. Be capable of continuous barometric pressure and gas pressure measurements;
 - 4. Normally operate in diffusion mode unless required for spot sampling, when it should be capable of operating by means of an aspirator or pump;

- 5. Have low battery, fault and over range indication incorporated;
- 6. Store monitoring data, and shall be capable of being down-loaded directly to a PC; and
- 7. Measure in the following ranges:

- Methane 0 - 100% LEL & 0 - 100% v/v

- Oxygen 0-25% v/v- Carbon dioxide 0-100% v/v

Barometric pressure mBar (absolute)

5.3 Results and Graphical Plots of Monitoring Parameters

- 5.3.1 One InfraRed Gas Analyser Model GA5000 (serial number G501982) was used for LFG measurements. The gas analyser is calibrated every 6 months. *Appendix 4* presents the calibration records of the monitoring equipment.
- 5.3.2 LFG monitoring results are summarised in *Table 5.3* and compared with the Action and Limit Levels tabulated in *Table 2.2*. Graphical plots of the monitoring results are also provided in *Appendix 5*.

Table 5.3 Quarterly LFG Monitoring Results in the Reporting Quarter

		Monitoring Results					
Station ID	Sampling Date	Methane (% v/v)	Methane (% LEL)	Oxygen (% v/v)	Carbon Dioxide (% v/v)	Barometric Pressure (mBar)	
EP1-1		0.0	0	20.1	< 0.1	1017	
EP1-2	18 th	0.0	0	20.0	< 0.1	1017	
EP1-3	September	0.0	0	20.1	< 0.1	1017	
EP2-1	2018	0.0	0	20.0	< 0.1	1017	
EP2-2		0.0	0	18.9	0.2	1017	

5.3.3 Exceedance of Action Level was recorded at Station EP2-2 in the reporting quarter. The status of exceedance is summarised as below:

Station ID	Parameter	Recorded Level	Action Level	Limit Level	Status
EP2-2	Oxygen (% v/v)	18.9	< 19%	< 18%	Exceedance of Action Level

5.3.4 Upon record of the exceedance, investigation was carried out immediately with representatives from the Operator and IEC. Although the cleaning of underground utilities had been carried out by the Operator on 31st August 2018, a layer of moist silt and withered leaves were observed inside the utility chamber, possibly due to the heavy rainfall occurred after the cleaning exercise (on 1st, 16th and 17th September 2018). With reference to similar exceedance events occurred previously, it is suspected that organic

matters entered the underground chambers by heavy rain and accumulated inside the underground utilities, where microbial activity occurred and eventually increased O_2 consumption within the chamber during the decomposition of organic matter. The situation may exacerbate due to Typhoon Mangkhut that may triggered organic matter to hide inside underground utilities and further increased microbial activity inside underground utilities.

- 5.3.5 In accordance with the Event Action Plan for LFG specified in *Table 2.2*, ventilation enhancement was carried out to restore the concentration of O_2 . Measurement was conducted after the ventilation enhancement to confirm the restoration of O_2 level to non-exceedance level (i.e. 19.5% v/v).
- 5.3.6 No exceedance of any parameter was recorded at other monitoring stations and no CH₄ was recorded at any monitoring station. There is no indication of the migration of LFG from Siu Lang Shui Landfill.
- 5.3.7 As advised by the Operator, no underground work was being carried out within EcoPark. Based on the above findings, the exceedance of O₂ is not anticipated to impose any adverse impact on staffs/workers/environment in EcoPark. Nonetheless, the Operator continued to implement the cleaning programme of underground utilities for wet season, and the cleaning activity was carried out on 28th September 2018 as shown in *Figure 5-1* in order to ensure the underground chamber is clean and free from unwanted organic matter.
- 5.3.8 The LFG levels will be checked during the next quarterly LFG monitoring in December 2018.

Figure 5-1 Cleaning of Underground Utilities in September 2018





6 SUMMARY OF ENVIRONMENTAL AUDIT

6.1 General

- 6.1.1 In the reporting quarter, WEEE.PARK and nine active tenants were under full operation. As such, specific site inspections were only carried out at the lots of WEEE.PARK and these nine tenants. For the vacant lots or lots of those tenants not currently in operation, general site inspections were conducted. General site inspection was also conducted for lot of HP Telford, since the lot was inaccessible on 24th August 2018.
- 6.1.2 Environmental audits based on the approved site inspection checklist were carried out by the Operator and the ET on 18th July, 24th August and 18th September 2018. IEC random site audits were also carried out on 18th July and 18th September 2018. A quarterly joint site inspection was carried out by the Operator, the IEC and the ET on 24th August 2018. The completed audit checklists for tenants are provided in *Appendix 6*.

6.2 Champway Technology Limited

6.2.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.1* below. The completed checklists for Champway are given in *Appendix 6.1*.

Table 6.1 Environmental Audit Findings for Champway

Date	Item	Comment	Status				
Observations I	Observations From Previous Reporting Quarters						
15 Mar 2017	The concerned area mentioned with abovementioned oil stain was not provided with permeation-proof floor and partition. As advised by the tenant, the area was used as temporary storage and the containers would be gradually removed from the concerned area within the next two months tentatively.	The tenant was reminded to implement sufficient preventive measures to avoid any accidental spillage during material transfer.	Enclosed storage tanks had been provided in previous months to gradually replace the old glycerin storage containers. During site inspection on 18 September 2018, chemical stain was observed in the storage area after removal of the old storage containers. While the container removal is in progress, the tenant was reminded to clear the chemical stain and implement sufficient measures during material transfer to avoid, or contain if any, accidental spillage. The containers pending removal should be well maintained to avoid potential leakage until completion of the removal process, which will be monitored in the next audit.				

Date	Item	Comment	Status		
Observations From This Reporting Quarter					
18 Jul 2018	No new critical issue was identified.				
24 Aug 2018	No new critical issue was identified.				
18 Sep 2018	No new critical issu	e was identified.			

6.3 Shiu Wing Steel Limited

6.3.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.2* below. The completed checklists for Shiu Wing are given in *Appendix 6.2*.

Table 6.2 Environmental Audit Findings for Shiu Wing

Date	Item	Comment	Status		
Observations From Previous Reporting Quarters					
None					
Observations I	Observations From This Reporting Quarter				
18 Jul 2018	No new critical issue was identified.				
24 Aug 2018	No new critical issue was identified.				
18 Sep 2018	No new critical issue w	as identified.			

6.4 Hong Kong Biomass (Wood) Collect and Recycle Company Limited

6.4.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.3* below. The completed checklist for HK Biomass is given in *Appendix 6.3*.

Table 6.3 Environmental Audit Findings for HK Biomass

Date	Item	Comment	Status			
Observations .	Observations From Previous Reporting Quarters					
None						
Observations .	Observations From This Reporting Quarter					
18 Jul 2018	8 Jul 2018 No new critical issue was identified.					
24 Aug 2018	No new critical issue was identified.					
18 Sep 2018	No new critical issue w	vas identified.				

6.5 HP Telford Envirotech Group Limited

6.5.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.4* below. The completed checklists for HP Telford are given in *Appendix 6.4*.

Table 6.4 Environmental Audit Findings for HP Telford

Date	Item	Comment	Status				
Observations I	Observations From Previous Reporting Quarters						
None							
Observations I	From This Reporting Q	Quarter					
18 Jul 2018	Oil stain was observed near the perimeter drain at the lot entrance.	The tenant was requested to remove oil stain to prevent stormwater from chemical contamination.	As observed during site inspection on 24 August 2018, oil stain near the perimeter drain at the lot entrance had been removed.				
18 Sep 2018	No new critical issue was identified.						

6.6 Chung Yue Steel Group Company Limited

6.6.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.5* below. The completed checklists for Chung Yue are given in *Appendix 6.5*.

Table 6.5 Environmental Audit Findings for Chung Yue

Date	Item	Comment	Status			
Observations I	Observations From Previous Reporting Quarters					
None						
Observations I	From This Reporti	ng Quarter				
18 Jul 2018	No new critical issue was identified.					
24 Aug 2018	No new critical issue was identified.					
18 Sep 2018	No new critical	issue was identified.				

6.7 K.Wah Construction Products Limited

6.7.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.6* below. The completed checklists for K.Wah are given in *Appendix 6.6*.

Table 6.6 Environmental Audit Findings for K.Wah

Date	Item	Comment	Status	
Observations	From Previous Repor	ting Quarters		
None				
Observations	From This Reporting	Quarter		
18 Jul 2018	Oil stain was observed on the ground of stocking areas.	The tenant was requested to remove oil stain to prevent stormwater from chemical contamination during rain season.	As observed during site inspection on 24 August 2018, oil stain on the ground of stocking areas had been removed.	
24 Aug 2018	Inappropriate labels for chemical waste were shown on the surface of containers in chemical waste storage area.	The tenant should provide proper chemical waste label in accordance with Schedule 2 of Waste Disposal (Chemical Waste) (General) Regulation (Cap. 354C) for better identification.	During site inspection on 18 September 2018, inappropriate chemical waste labels were still observed. The observation will be followed-up in the next audit.	
18 Sep 2018	No new critical issue was identified.			

6.8 South China Reborn Resources (Zhongshan) Company Limited.

6.8.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in Table 6.7 below. The completed checklists for South China are given in Appendix 6.7.

Table 6.7 Environmental Audit Findings for South China

Date	Item	Comment	Status			
Observations I	From Previous Repo	orting Quarters				
None						
Observations I	From This Reportin	g Quarter				
18 Jul 2018	No new critical is	sue was identified.				
24 Aug 2018	Dirty water was observed inside and near the stormwater manholes.	The tenant was requested to remove dirty water immediately from the concerned manholes and the ground. Besides, the tenant was reminded to carry out loading/unloading activities in designeated area to avoid potential leaking of dirty water, and to ensure all wastewater should be properly collected and stored.	As observed during site inspection on 18 Sep 2018, the tenant had removed the dirty water inside and near the stormwater manholes. And it was observed that no loading/unloading activities were carried out in non-designated area.			
18 Sep 2018	No new critical is	No new critical issue was identified.				

AEC

6.9 E.Tech Management (HK) Limited.

6.9.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.8* below. The completed checklists for E.Tech are given in *Appendix 6.8*.

Table 6.8 Environmental Audit Findings for E.Tech

Date	Item	Comment	Status		
Observations .	From Previous Repor	ting Quarters			
None					
Observations .	From This Reporting	Quarter			
18 Jul 2018	No new critical issu	ne was identified.			
24 Aug 2018	It is observed that rubbish and debris had been accumulated inside the perimeter drain near a catchpit, and so the stagnant dirty water had been induced.	According to the retification photos provided by the Operator on 24 August 2018, cleaning activity of the perimeter drainage was carried out, and the rubbish and dirty water were removed from the drain.	During site inspection on 18 September 2018, it was confirmed that no accumulation of rubbish or dirty water were observed in the perimeter drainage and good drainage condition has been maintained after cleaning activity.		
18 Sep 2018	No new critical issue was identified.				

6.10 WEEE.PARK

6.10.1 Audit observations from this reporting quarter are summarised in *Table 6.9* below. The completed checklists for WEEE.PARK are given in *Appendix 6.9*.

Table 6.9 Environmental Audit Findings for Alba IWS

Date	Item	Comment	Status		
Observations I	Observations From Previous Reporting Quarters				
None					
Observations I	Observations From This Reporting Quarter				
18 Jul 2018	3 Jul 2018 No new critical issue was identified.				
24 Aug 2018	No new critical issue was identified.				
18 Sep 2018	No new critical issue was identified.				

6.11 On Fat Lung Innovative Resources Limited

6.11.1 Audit observations from this reporting quarter are summarised in *Table 6.10* below. The completed checklists for On Fat Lung are given in *Appendix 6.10*.

Table 6.10 Environmental Audit Findings for On Fat Lung

Date	Item Comment		Status	
Observations From Previous Reporting Quarters				
None	None			
Observations From This Reporting Quarter				
18 Jul 2018	No new critical issue was identified.			
24 Aug 2018	No new critical issue was identified.			
18 Sep 2018	No new critical issue was identified.			

6.12 General Condition of EcoPark

6.12.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.11* below. The completed checklists of general site inspection for EcoPark are given in *Appendix 6.11*.

Table 6.11 General EcoPark Audit Findings

Date	Item	Comment	Status	
Observations From Previous Reporting Quarters				
25 Jan 2017	Vegetation is observed inside and near the perimeter drainage near the entrance of the Lot P5 (WEEE Refurbishment).	The tenant should clear the vegetation to avoid potential blockage of the channel.	As observed during inspection on 18 th September 2018, it was observed that part of the extended vegetation had been removed from the rear part of perimeter drain. The tenant was reminded to clear the remaining vegetation that were inside the perimeter drainage near the lot entrance in order to prevent potential blockage of the drainage channel. The observation will be followed-up in the next audit.	
17 Feb 2017	The tenant of SSK (/ HKBRC) was requested to provide hoarding of not less than 2.4m where site boundary adjoins road or service lane according to Clause 13(c) of the Schedule of Air Pollution Control (Construction Dust) Regulation.	(Same as the item)	The tenant was requested to provide hoarding along the site boundary. The observation will be followed-up in the next audit.	

Issue 1_____AEC

Date	Item	Comment	Status
30 Nov 2017	Open stockpile of dusty materials was observed in the lot of SSK (/ HKBRC).	The tenant should cover the stockpile with impervious sheet to avoid potential dust dispersal.	Open stockpile of dusty materials was observed during site inspection on 18th July 2018. Although open stockpile of dusty materials was not further observed during site inspection on 24th August 2018 and 18th September 2018, the tenant was also reminded to implement the required dust control measures and to notify the Authority for carrying out notifiable work, for satisfying with the requirements stipulated in the Air Pollution Control Ordinance, in particular Air Pollution Control (Construction Dust) Regulation. The observation will be followed-up in the next audit.
19 Apr 2018	During site inspection, no wastewater treatment facility was provided for collection of construction wastewater in the lot of SSK (/ HKBRC).	The tenant should apply for a Discharge License under Water Pollution Control Ordiance (WPCO) and establish a construction site drainage system, including provision of wastewater treatment facilities to ensure wastewater is treated effectively prior to discharge and compliance with WPCO.	No discharge license and wastewater treatment system was observed during site inspection. The observation will be followed-up in the next audit.
Observations From This Reporting Quarter			
18 Jul 2018	No new critical issue was identified.		
24 Aug 2018 18 Sep 2018	No new critical issue was identified. No new critical issue was identified.		

Issue 1_ ___AEC

7 ENVIRONMENTAL COMPLAINTS, NOTIFICATION OF SUMMONS AND SUCCESSFUL PROSECUTION

7.1 Follow-up on Previous Environmental Complaint

Wastewater Treatment at South China received on 26th October 2016

- 7.1.1 Flow meters were installed at various points of the wastewater treatment system, e.g. incoming pipe for the storage tank at 3/F, the outgoing pipe of the treatment tank for recycling, the wastewater collection pipes for washing area at G/F, etc. The flow data was recorded to monitor the quantity of wastewater generated from different areas. Prior to the proper functioning of the wastewater treatment plant (WTP), the wastewater was collected and transported to designated treatment facility by a licenced collector as a temporary measure.
- 7.1.2 Upgrade of the WTP is proposed by the tenant to introduce additional treatment process. The proposal is being updated by the tenant and would be submitted for further review.
- 7.1.3 The case will be followed up in the next reporting period to ensure the wastewater treatment system will function properly for handling of the wastewater. The tenant was reminded that no wastewater shall be discharged until the testing of treatment system is completed with the discharge quality in full compliance with the discharge licence.

7.2 New Environmental Complaint in the Reporting Period

7.2.1 By the end of September 2018, no complaint, notification of summons or successful prosecutions related to recycling activities was received in this reporting quarter.

8 CONCLUSIONS

- 8.1.1 This is the forty-sixth (46th) quarterly EM&A report prepared for the operation phase of EcoPark and covers the reporting quarter from July to September 2018. The recycling activities are audited on a monthly basis and the results are summarised in this report. In the reporting quarter, there were eleven tenants in EcoPark Phase 1 and Phase 2, and one operator of WEEE Refurbishment and WEEE.PARK in EcoPark Phase 2.
- 8.1.2 The ET has conducted monthly site inspections while the IEC has carried out full site inspection on quarterly basis and random site audits on monthly basis, and some general observations have been made. The approved checklist has been used in the monthly site inspections for various tenants.
- 8.1.3 The throughputs of WEEE.PARK and the nine active tenants in the reporting quarter are summarised in *Table 8.1*. Please note that product output plus waste disposal do not necessarily equal the waste input, due to material losses during processing and material retained within the lots.

Table 8.1 Throughput Statistics for the Reporting Quarter

Material Type	Waste Input (tonnes)	Product Output (4) (tonnes)	Waste Disposed (4) (tonnes)	
Waste Organic Food	897	995	112	
Waste Ferrous Metals	35,315	38,303	94	
Waste Wood	327	353	1	
Waste Electronics	395	326	28	
Waste Plastics	n/a	n/a	n/a	
Construction Waste	773	6.400	10	
Waste Glass	67	6,400	19	
Waste Rubber Tyres	n/a	n/a	n/a	

Notes:

- The throughput data presented above is the best available data and has been rounded off to the nearest whole tonne
 for presentation.
- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.
- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.
- 5) "-" in the column of waste disposal denotes zero quantity; while "n/a" denotes unavailable information.
- 8.1.4 LFG monitoring during the reporting quarter was undertaken on 18th September 2018 at five locations (three in Phase 1 and two in Phase 2). Exceedance of Action Level was recorded at Stations EP2-2 in the reporting quarter and are summarised in the table below.

Station ID	Parameter	Recorded Level	Action Level	Limit Level	Status
EP2-2	Oxygen (% v/v)	18.9	< 19%	< 18%	Exceedance of Action Level


- 8.1.5 Ventilation enhancement was carried out in accordance with the Event Action Plan for LFG specified in *Table 2.2* to restore the concentrations of O₂ to non-exceedance level. Although the cleaning of underground utilities had been carried out by the Operator on 31st August 2018, a layer of moist silt and withered leaves were observed inside the utility chamber, possibly due to the heavy rainfall occurred after the cleaning exercise (on 1st, 16th and 17th September 2018). With reference to similar exceedance events occurred previously, it is suspected that organic matters entered the underground chambers by heavy rain and accumulated inside the underground utilities, where microbial activity occurred and eventually increased O2 consumption within the chamber during the decomposition of organic matter. The situation may exacerbate due to Typhoon Mangkhut that may triggered organic matter to hide inside underground utilities and further increased microbial activity inside underground utilities. There was no indication of the migration of LFG from Siu Lang Shui Landfill. As confirmed by the Operator, no underground work was being carried out within EcoPark. Based on the above findings, the exceedance of O₂ is not anticipated to impose any adverse impact on staffs/workers/environment in EcoPark. Nonetheless, the Operator continued to implement the cleaning programme of underground utilities for wet season, and the cleaning activity was carried out on 28th September 2018.
- 8.1.6 Numbers of complaints, summons and successful prosecutions in the reporting quarter are summarised below:

• Complaints: Zero.

• Summons: Zero.

• Successful Prosecutions: Zero.

8.1.7 In the next reporting quarter, LFG monitoring in operation phase for Phase 1 and Phase 2 will be continued.



Issue 1_____AEC

EIA Ref.	EM&A Ref.	Environmental Protection Measures Identified in the Implementation Schedule that are Applicable to the Operation Phase of EcoPark	Location / Duration of Measures / Timing of Completion of Measures	Implementation Agent	Relevant Legislation and Guidelines
General					
5.5.23 to 5.5.25, 10.2.24 & 10.2.37	4.2.5 to 4.2.8	The Operator shall develop and implement an Emergency Response Plan (ERP) that lists the procedures to be followed in case of fire, fuel or chemical spillage or other emergency within the EcoPark.	Throughout the duration of the operation.	Operator	
12.2	7.2	No process shall be allowed to operate within EcoPark without approval from WFBU. Approval will be based on the ten-step Process Review, which may include a Design Audit if deemed to be necessary.	Throughout the duration of the operation.	ET IEC Project Proponent	
	8.1.2	All reports (including Process Review Checklists and any Design Audits) shall be prepared and certified by the ET, verified by the IEC and approved by the Project Proponent.	Throughout the duration of construction works until construction is substantially completed. Throughout the duration of the operation.	ET IEC Project Proponent	
12.3	7.3	The Operator shall prepare and implement an Environmental Management Plan (EMP) to define mechanisms for achieving the environmental requirements specified in the EIA, EP and in statutory regulations.	Throughout the duration of the operation.	Operator	
Air Quality	,				
13.2		The Operator shall ensure that EcoPark "base case" assumptions for air quality shown in Table 13.1 of the Final EIA Report are met by tenants, as a whole.	Throughout the duration of the operation.	Operator	Table 13.1 of the Final EIA Report
Water Qua	lity				
5.4.11 & 5.6.7		To minimise the chance of accidental spillage during loading and unloading, and thereby reduce marine water quality impacts, well established cargo handling guidelines should be followed.	Adjacent to EcoPark marine frontage when loading or unloading goods.	Operator Operators of bulk carriers	Sections 5 & 6 of IMO Code of Practice for the Safe Loading/ Unloading of Bulk Carriers

AEC Issue 1


EIA Ref.	EM&A Ref.	Environmental Protection Measures Identified in the Implementation Schedule that are Applicable to the Operation Phase of EcoPark	Location / Duration of Measures / Timing of Completion of Measures	Implementation Agent	Relevant Legislation and Guidelines
5.5.19		Contaminated water collected in the surface drainage systems shall be treated at the WTF or other appropriate treatment facility.	Within EcoPark throughout the life of the facility.	Operator	
5.5.23 to 5.5.25	4.2.5 to 4.2.7	An Emergency Response Plan (ERP) will be formulated to address various accident scenarios. The ERP will be certified by the Environmental Team (ET) and verified by the Independent Environmental Checker (IEC) under the operation EM&A programme.	Within EcoPark throughout the life of the facility.	Operator	
5.6.4		For uncovered areas where recovery process identified as causing potentially high level of contamination are located, stop-logs will be installed in the perimeter drainage system to isolate contamination.	Within EcoPark throughout the life of the facility.	Operator	
	4.2.2	The ET should develop an audit checklist, with the agreement of the IEC, to ensure that each mitigation measure is implemented when appropriate and operated correctly when implemented.	Within EcoPark throughout the life of the facility.	ET with IEC	
Waste Man	agement				
6.8.7	5.2.4	The Operator should register with EPD as a chemical waste producer.	Within EcoPark throughout the life of the facility.	Operator	Waste Disposal (Chemical Waste) (General) Regulation
6.8.16		The dust collected by any air pollution control equipment installed by tenants must be tested to ensure compliance for landfill disposal.	Within EcoPark throughout the life of the facility.	Operator	Practice Note for disposal of dusty waste at landfills & Admission Ticket System
6.8.18 & 6.8.22	5.2.4	Sludge will be disposed of at WENT landfill, or at any future dedicated sludge treatment facility. Sludge will be collected by a Licensed collector at regular intervals, as determined by the operation of the WTF.	Within EcoPark throughout the life of the facility.	Operator	

AEC Issue 1_


EIA Ref.	EM&A Ref.	Environmental Protection Measures Identified in the Implementation Schedule that are Applicable to the Operation Phase of EcoPark	Location / Duration of Measures / Timing of Completion of Measures	Implementation Agent	Relevant Legislation and Guidelines
6.8.21	5.2.4	Chemical wastes shall be stored in appropriate containers in a covered area. "No Smoking" signs will be clearly displayed to prevent accidental ignition of flammable materials. Drip trays capable of storing 110% of the volume of the largest container will be used to mitigate possible leakage.	Within EcoPark throughout the life of the facility.	Operator	Code of Practice on the Packaging, Labelling and Storage of Chemical Wastes
	5.2.3 & 5.2.5	The ET should develop an audit checklist, with the agreement of the IEC, to ensure that each mitigation measure is implemented when appropriate and operated correctly when implemented.	Within EcoPark throughout the life of the facility.	ET with IEC	
6.8.7	5.2.4	The Operator should register with EPD as a chemical waste producer.	Within EcoPark throughout the life of the facility.	Operator	Waste Disposal (Chemical Waste) (General) Regulation
Prevention	of Contam	inated Land			
7.3.1	5.3.2	Any spillages of contaminating material shall be cleaned up immediately through the use of an absorbent. Any such used material should then be considered chemical waste and disposed of appropriately.	Within EcoPark throughout the life of the facility.	Operator	
7.3.3		Any areas within the lot to be used for recycling processes shall be concrete paved before recycling activities commence.	Within EcoPark throughout the life of the facility.	Operator	
7.3.5	5.3.2	During operation, the greatest risk of land contamination will come from storage of chemical wastes, therefore the measures should be followed:	Within EcoPark throughout the life of the facility.	Operator	
		 All chemical storage areas shall be provided with locks and be sited on sealed areas. The storage areas shall be surrounded by bunds with a capacity equal to 110% of the storage capacity of the largest tank to prevent spilled oil and chemicals from contaminating the ground. Chemical wastes will be collected, stored and disposed of in 			

EIA Ref.	EM&A Ref.	Environmental Protection Measures Identified in the Implementation Schedule that are Applicable to the Operation Phase of EcoPark	Location / Duration of Measures / Timing of Completion of Measures	Implementation Agent	Relevant Legislation and Guidelines
		accordance with the Regulation. Disposal of other construction waste will be undertaken by licensed contractors in accordance with applicable statutory requirements in the WDO.			
		Chemical wastes shall be handled according to the relevant code of practice. Spent chemicals shall be stored and collected by an approved operator for disposal at a licensed facility in accordance with the relevant regulation.			
Landfill Ga	ıs				
8.7.10 & 8.7.11	6.1.2	 Alert workers and visitors of possible LFG hazards Prohibit smoking and open fires on site Conduct regular (quarterly) LFG monitoring at mobile offices, equipment stores, etc. 	Within EcoPark throughout the life of the facility.	Operator	
	6.4.3	Following construction, routine monthly monitoring may be required at service voids and utility boxes. The monitoring requirement and specific locations of monitoring points shall be established based on the findings of the monitoring carried out during construction (i.e. if no LFG is detected during construction then no routine monitoring is required). The need for continued monitoring shall, however, be reviewed through discussion with EPD.	Within EcoPark throughout the life of the facility.	Operator	
Hazard to 1	Life		T		T
10.4.3		Building height limit within EcoPark shall be applied to structures within which people may work at elevated levels.	Within EcoPark throughout the life of the facility.	Operator	EIA Report Table 10.2
Landscape	and Visual				
9.4.4		It recommended that this commonality be promoted throughout EcoPark by the Operator and adopted by tenants, if practicable.	Within EcoPark throughout the life of the facility.	Operator	

AEC Issue 1_



Ssue 1______AEC



Issue 1______AEC

NERAL ENVIRONMENTAL RESPONSIBILITIES

- The Tenant shall at its own cost(s) comply with and shall ensure that the Premises is used, designed, constructed, operated and maintained in accordance with:-
 - (a) All relevant Ordinances, by-laws, regulations, statutory technical memorandums, codes of practice, rules, non-statutory guidance notes, schemes and abatement notices for the time being in force in Hong Kong including those relating to the environment and governing the control of any form of pollution (see specific Ordinances mentioned hereinbelow) and licensing requirements under relevant Ordinances and regulations.
 - (b) All information, mitigation measures, prohibitions, restrictions, recommendations and requirements under the Environmental Impact Assessment Report for Development of an EcoPark in Tuen Mun Area 38 with Appendices, i.e. the EIA Report (Register No.: AEIAR-086/2005) dated April 2005, the Final EM&A Manual dated April 2005, the application documents including all attachments (Application No. AEP-226/2005) and other relevant documents in the Register (or in any other places, any internet websites or by any other means as specified by the Director), including the prohibitions and mitigation measures for processes in Table 14.1 and the material throughputs, processes and remarks in Table B.1 of the EIA Report (in so far as applicable).
 - (c) All information, conditions, submissions, mitigation measures, orders, notices, requirements, prohibitions, restrictions and time limits under the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 (including updated information about the Permit, any amended permit and any further permit) and all mitigation measures recommended and to be recommended in submissions that shall be deposited with or approved by the Director as a result of permit conditions contained in the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 (including updated information about the Permit, any amended permit and any further permit). The Tenant shall refer to, inter alia, Conditions 4.1 to 4.14 (and Annexes A and B) and Conditions 3.7 and 3.8 (and Figures 2 and 3) of the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 regarding measures to mitigate air quality impact, measures to mitigate hazard to life impact, measures to prevent land contamination, measures to mitigate landfill gas hazard, maintenance of landscape and visual measures (see also hereinbelow regarding Condition 5 of the Environmental Permit and specified Ordinances).
 - (d) All information, conditions, submissions, mitigation measures, orders, notices and requirements under on going surveillance and monitoring activities during all stages of the Project and during the tenancy under the Tenancy Agreement (e.g. any additional mitigation measures recommended and to be recommended under the Process Review and Design Audit (carried out and to be carried out in accordance with the EM&A Manual) for various environmental impacts including, but not limited to,

- noise pollution, air quality, hazard to life, landfill gas hazard, landscape and visual measures, waste management and land contamination).
- (e) All recommendations referred to in the documents of the EIAO Register which are not expressly referred to in Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 and any amended Environmental Permit (unless expressly excluded or impliedly amended in the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 and any amended Environmental Permit).
- 9.2 Further to Condition Nos. 6 and 8 hereinabove, the Tenant shall at its own cost provide relevant environmental monitoring data, information, documents and assistance to the Director and/or the Environmental Protection Department and shall permit authorised representatives of the Environmental Protection Department to access, inspect, take samples and monitor the Premises and operations for the Process Review and the Design Audit carried out and/or to be carried out pursuant to Conditions 4.1 and 5 of the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 (and any updated Permit, amended permit and further permit).
- 9.3 If the Tenant's operations (i.e. activities and facilities for recovery and/or recycling and/or reprocessing) are not covered by the EIA Report and/or deviate from the development parameters mentioned in inter alia the EIA Report, the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 (including the parameters at Annex A) and/or any environmental licence (e.g. the Water Treatment Facility ("WTF") Discharge Licence), and if additional mitigation measures are not available or are not effective in the opinion of the Director, to ensure compliance with the EIA Report, the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 (including any updated Permit, amended permit and further permit) and the relevant environmental licence(s), the Tenant shall comply with any modified parameters and/or the Tenant shall immediately modify its operations in such a way that the findings and requirements of the EIA Report, the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 (including any updated Permit, amended permit and further permit) and the environmental licence(s) are complied with and shall immediately cease to continue the offending part of the operations or activity in question.
- 9.4 The Tenant shall at its own cost(s) apply for, obtain, renew, maintain and comply with all the relevant licences related to compliance with all relevant Ordinances, by-laws, regulations, statutory technical memorandums, codes of practice, rules, non-statutory guidance notes, schemes, abatement notices and the environmental permits for the time being in force in Hong Kong (including those relating to the environment and governing the control of any form of pollution). The Tenant shall obtain, renew and comply with all the said licences within the relevant time limits (in any event, within one (1) calendar month of the date of signing and/or execution of the Tenancy Agreement), shall comply with all abatement notices, orders, directions and requests of the relevant authorities and public officers and shall be responsible for paying all relevant fees, costs, fines and penalties.

- 9.5 The Tenant shall not do anything or omit to do anything which would cause, contribute to or involve a breach or potential breach by the Director relating to any of the matters mentioned in Conditions 9.1 to 9.4 hereinabove (and other Conditions hereinbelow).
- The Tenant shall fully indemnify the Government and/or the Director for any fees, costs, damages, expenses, fines, penalties, losses and claims arising (a) out of any breach of any of the matters mentioned in inter alia Conditions 9.1 to 9.4 hereinabove (and other Conditions hereinbelow) or (b) from the use of the Premises or (c) out of any works carried out at any time during the term to or at the Premises or (d) out of anything now or during the term attached to or projecting from the Premises or (e) from any neglect or default by the Tenant or by its respective servants or agents or by any express licensee of the Tenant.

SPECIFIC ENVIRONMENTAL RESPONSIBILITIES

Air Pollution

- Save with an appropriate exemption under the Air Pollution Control Ordinance (Cap. 311 of the Laws of Hong Kong) any regulations made thereunder and any amending legislation, the Tenant shall not install or permit or suffer to be installed upon the Premises or any part thereof or any building(s) or structure(s) or part of any building(s) or structure(s) erected or to be erected thereon any furnace, oven, chimney or flue or any other combustion equipment or use or permit or suffer to be used any fuel or any method or process of manufacture or treatment that might in any circumstance result in, cause or contribute to the discharge or emission of any pollutant or any noxious, harmful or corrosive matter, whether it be in the form of gas, smoke, liquid, solid or otherwise (including but not limited to air pollutant as defined in Section 2 of the Air Pollution Control Ordinance (Cap. 311 of the Laws of Hong Kong)), which exists or which is imminent, without the prior written approval of the Director.
- 11. No alteration to the installation and method of manufacture shall be made without the prior written consent of the Director. In any event, the Tenant shall at its own cost(s) comply with, inter alia, Conditions 4.2 to 4.7 and Annex A of the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 regarding design, installation and operation of chimney, location of fresh air intakes and use of ultra-low sulphur or other cleaner fuel(s) as agreed by the Director (and the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate air quality impact), good practices and relevant provisions of the EIA Report and Final EM&A Manual.

Noise Pollution

12. The Tenant shall take all necessary measures as may be required by and to the satisfaction of the Director to ensure that the operation of all plant and equipment, installed or used on the Premises or in any building(s) or structure(s) erected or to be erected thereon, will not result, not cause and/or will not contribute any noise (which exists or which is imminent) which disturbs or annoys the residents or occupiers of any adjoining or neighbouring lot or lots or premises, or causes and/or contributes to

disturbance to the general public under the Noise Control Ordinance (Cap. 400 of the Laws of Hong Kong) any regulations made thereunder and any amending legislation.

13. The decision of the Director as to whether any such plant and equipment are causing disturbance or annoyance as aforesaid shall be final and binding on the Tenant.

Waste Management

- 14. The Tenant shall not permit, allow or suffer any fuel or chemical and any sewage, waste water or effluent containing sand, cement, silt or any suspended or dissolved material to flow, escape or run from the Premises onto any adjoining land or allow any waste matter which does not form part of the recovery and/or recycling and/or reprocessing operation or is not part of the final product of such operation to be deposited, kept, held or stored anywhere within the Premises and other areas of EcoPark. The Tenant shall at its own cost(s) have all such matters and all waste arising from recycling activities, chemical waste arising from maintenance of plant and equipment, sewage sludge (from WTF) and general daily waste from the operation removed from the Premises or any building(s) or structure(s) or any part of any building(s) or structure(s) erected or to be erected thereon in a proper manner to the satisfaction of the Director.
- In any event, the Tenant shall at its own cost(s) comply with, inter alia, Conditions 4.11 and 4.12 of the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 regarding paving all areas of the Premises with concrete/using concrete hardstanding and siting all fuel tanks and chemical storage areas on the specified sealed areas, respectively (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to prevent land contamination). The Tenant shall at its own cost(s) comply with relevant provisions of the Waste Disposal Ordinance (Cap.354 of the Laws of Hong Kong) good practices and relevant provisions of the EIA Report and Final EM&A Manual.

Water Pollution

In the event that the Tenant produces, generates, permits, causes, allows or suffers any discharge which is subject to control under the Water Pollution Control Ordinance (Cap. 358 of the Laws of Hong Kong) any regulations made thereunder and any amending legislation, and is not covered by a WTF Discharge Licence issued under the Water Pollution Control Ordinance (Cap. 358 of the Laws of Hong Kong) the Tenant shall apply to the Director for a licence and comply with the terms and conditions stipulated in the licence and the WTF Discharge Licence at the Tenant's own cost(s). Otherwise, the Tenant is not allowed to discharge directly or indirectly or to produce, generate, permit, cause, allow or suffer any discharge into any public sewer, stormwater drain, channel, stream-course, sea or any area inside or outside the Premises any trade effluent or foul or contaminated water or cooling or hot water. Subject to the said licence from the Director and WTF Discharge Licence, the Tenant shall at its own cost(s) separate, collect, discharge and send all process or industrial wastewater to the WTF for treatment to the standard required for discharge into a sewer leading to the sewage treatment works at Pillar Point or other treatment works specified in the licence.

- 17. Subject to obtaining advance written approval of the Director, the Tenant shall at its own cost(s) provide, install, operate and maintain its own waste water pre-treatment plants within the Premises if such process or industrial wastewater could not meet the influent limits / exceeds the maximum influent criteria of the WTF (in accordance with paragraph 7.2.9 of the Final E&MA Manual). The Tenant shall at its own cost(s) separate, collect, discharge and send all domestic wastewater (i.e. other than process or industrial wastewater) to the Pillar Point Sewage Treatment Works directly for treatment or other treatment works specified in the licence.
- 18. In any event, the Tenant shall prevent any spilled materials from entering the surface water drainage system and prevent contamination of the sea at its own cost(s) by, inter alia, providing, installing, operating and maintaining stop-logs or interceptors in the surface water drainage system and at the marine frontage area, respectively, or as required by the licence. The Tenant shall at its own cost comply with relevant provisions of the Dumping at Sea Ordinance (Cap 466 of the Laws of Hong Kong) good practices and relevant provisions of the EIA Report and Final EM&A Manual.

Hazard to Life Impact


- 19. To mitigate hazard to life impact, the Tenant shall comply with, inter alia, Conditions 4.8 to 4.10 of the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate hazard to life impact) and shall not:-
 - (a) Bring, keep, store or transport chlorine within the Premises and other areas of EcoPark;
 - (b) Bring, keep, store, locate or transport dangerous goods, substances and fuels supporting combustion including oxygen, acetylene, hydrogen peroxide, rubber tyres and diesel within 10 metres from the boundary of the site of EcoPark; and
 - (c) Exceed the building height restrictions for buildings on the Premises which are on/near the western boundary of the site of EcoPark as mentioned in Annex B to the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 (including any updated Permit, amended permit and further permit).

Landfill Gas Hazard

20. To mitigate landfill gas hazard, the Tenant shall at its own cost(s) comply with, inter alia, Condition 4.13 of the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit – Application No.VEP-221/2006 regarding raising clear of the ground all buildings and enclosed structures as specified in inter alia Condition 3.7 (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate hazard to life impact).

Landscape and Visual Impacts

To mitigate landscape and visual impacts, the Tenant shall at its own cost(s) comply with, inter alia, Condition 4.14 of the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit — Application No.VEP-221/2006 regarding maintaining landscape, planting, treatment and mitigation measures as specified in inter alia Condition 3.8 and Figure 3 (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate landscape and visual impacts).



Issue 1_____AEC

Compliance of Environmental Legislation

5. The Tenant shall comply with and observe all Ordinances, by-laws, regulations and rules for the time being in force in Hong Kong governing the control of any form of pollution, including air, noise, water and waste pollution, and for the protection of the environment.

Air Pollution

6. Save with an appropriate exemption under the Air Pollution Control Ordinance (Cap. 311) any regulations made thereunder and any amending legislation, the Tenant shall not install or permit or suffer to be installed upon the Premises or any part thereof or any building(s) or structure(s) or part of any building(s) or structure(s) erected or to be erected thereon any furnace, oven, chimney or flue or any other combustion equipment or use or permit or suffer to be used any fuel or any method or process of manufacture or treatment that might in any circumstance result in, cause or contribute to the discharge or emission of any pollutant or any noxious, harmful or corrosive matter, whether it be in the form of gas, smoke, liquid, solid or otherwise (including but not limited to air pollutant as defined in Section 2 of the Air Pollution Control Ordinance

(Cap. 311), which exists or which is imminent, without the prior written approval of the Director.

Water Pollution

- 7. (a) In the event that the Tenant produces, generates, permits, causes, allows or suffers any discharge which is subject to control under the Water Pollution Control Ordinance (Cap. 358) any regulations made thereunder and any amending legislation, the Tenant shall apply to the Director for a licence and comply with the terms and conditions stipulated in the licence at the Tenant's own cost(s). Otherwise, the Tenant is not allowed to discharge directly or indirectly or to produce, generate, permit, cause, allow or suffer any discharge into any public sewer, storm-water drain, channel, stream-course, sea or any area inside or outside the Premises any trade effluent or foul or contaminated water or cooling or hot water. Subject to the said licence from the Director, the Tenant shall at its own cost(s) separate, collect, and discharge all process or industrial wastewater which comply with the standard required for discharge into a sewer leading to the sewage treatment works at Pillar Point or other treatment works specified in the licence.
 - (b) Subject to obtaining advance written approval of the Director, the Tenant shall at its own cost(s) provide, install, operate and maintain its own waste water pretreatment plants within the Premises if such process or industrial wastewater could not meet the standard required for discharge into a sewer leading to the sewage treatment works at Pillar Point or other treatment works specified in the licence. The Tenant shall at its own cost(s) separate, collect, discharge and send all domestic wastewater (i.e. other than process or industrial wastewater) to the Pillar Point Sewage Treatment Works directly for treatment or other treatment works specified in the licence.
 - (c) In any event, the Tenant shall prevent any spilled materials from entering the surface water drainage system and prevent contamination of the sea at its own cost(s) by, inter alia, providing, installing, operating and maintaining stop-logs or interceptors in the surface water drainage system and at the marine frontage area, respectively, or as required by the licence. The Tenant shall at its own cost comply with relevant provisions of the Dumping at Sea Ordinance (Cap. 466) good practices and relevant provisions of the EIA Report and Final EM&A Manual.

Waste Management

- 8. (a) The Tenant shall at its own cost(s) comply with relevant provisions of the Waste Disposal Ordinance (Cap. 354).
 - (b) The Tenant shall not permit, allow or suffer any fuel or chemical and any sewage, waste water or effluent containing sand, cement, silt or any suspended or dissolved material to flow, escape or run from the Premises onto any adjoining land or allow any waste matter which does not form part of the recovery and/or recycling and/or reprocessing operation or is not part of the final product of such operation to be deposited, kept, held or stored anywhere within the Premises and other areas of EcoPark. The Tenant shall at its own cost(s) have all such matters and all materials arising from recycling activities, chemical materials arising from maintenance of plant and equipment, sewage sludge (from wastewater treatment facilities, if any) and general daily waste from the operation removed from the Premises or any building(s) or structure(s) or any part of any building(s) or structure(s) erected or to be erected thereon in a proper manner to the satisfaction of the Landlord and/or the Director.

Noise Pollution

- 9. (a) The Tenant shall take all necessary measures as may be required by and to the satisfaction of the Landlord and/or the Director to ensure that the operation of all plant and equipment, installed or used on the Premises or in any building(s) or structure(s) or any part of any building(s) or structure(s) erected or to be erected thereon, will not result, not cause and/or will not contribute any noise (which exists or which is imminent) which disturbs or annoys the residents or occupiers of any adjoining or neighbouring lot or lots or premises, or causes and/or contributes to disturbance to the general public under the Noise Control Ordinance (Cap. 400) any regulations made thereunder and any amending legislation.
 - (b) The decision of the Landlord or the Director as to whether any such plant and equipment are causing disturbance or annoyance as aforesaid shall be final and binding on the Tenant.

Landfill Gas Hazard

To mitigate landfill gas hazard, the Tenant shall at its own cost(s) comply with, inter alia, Condition 4.13 of the Environmental Permit No. EP-226/2005/A regarding raising clear of the ground all buildings and enclosed structures as specified in inter alia

Condition 3.7 (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate hazard to life impact).

EcoPark Being Within the 250m Consultation Zone of Siu Lang Shui Landfill

- 11. (a) The Tenant acknowledges that the EcoPark is within the 250m Consultation Zone of the Siu Lang Shui Landfill and that the Premises may be affected by problems associated with migrating landfill gas and undertakes to provide suitable precautionary or protection measures at his own expense to control these potential hazards.
 - (b) The Tenant shall ensure all personnel entering the Premises and all visitors to the Premises are aware of the potential hazards of the landfill gas by posting suitable warning notices of the potential hazards at his own expense.
 - (c) All buildings and enclosed structures, including temporary offices, temporary stores and the administration building, within the 250m Consultation Zone of the Siu Lang Shui Landfill shall be provided with the following measure(s):
 - (i) buildings shall be raised clear of the ground with a clear separation distance (as measured from the highest point on the ground surface to the underside of the lowest floor joist) of at least 500mm; or
 - (ii) a low-gas permeability membrane shall be applied to the surface of any wall or floor slab that rests on or is below ground. A gravel-fill vent system shall be provided such that passive venting is achieved around the perimeter of the structure. In addition, other building materials, such as dense well-compacted concrete or steel shuttering which provide a measure of resistance to gas permeation, shall be used to achieve gas protection.
 - (d) The Tenant shall ensure that the electrical equipment used on the Premises shall be intrinsically safe. Welding, flame-cutting or other hot works shall be confined to the open areas of the Premises and shall be at least 15m away from any ground-level confined space.
 - (e) No drilling, trenching and excavation shall be allowed on the Premises. During any construction work, the Tenant shall observe the guidelines recommended in Chapter 8 of the "Landfill Gas Hazard Assessment Guidance Note" published by the Department of Environmental Protection. In particular, no smoking, naked

flames and all other sources of ignition shall be allowed within 15m of any ground-level confined space.

Hazard to Life Impact

- 12. To mitigate hazard to life impact, the Tenant shall comply with, inter alia, Conditions 4.8 to 4.10 of the Environmental Permit No. EP-226/2005/A (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate hazard to life impact) and shall not:-
 - (a) bring, keep, store or transport chlorine within the Premises and other areas of EcoPark;
 - (b) bring, keep, store, locate or transport dangerous goods, substances and fuels supporting combustion including oxygen, acetylene, hydrogen peroxide, rubber tyres and diesel within 10 metres from the boundary of the site of EcoPark; and
 - (c) exceed the building height restrictions for buildings on the Premises which are on/near the western boundary of the site of EcoPark as mentioned in Annex B to the Environmental Permit No. EP-226/2005/A (including any updated Permit, amended permit and further permit).


Landscape and Visual Impacts

13. To mitigate landscape and visual impacts, the Tenant shall at its own cost(s) comply with, inter alia, Condition 4.14 of the Environmental Permit No. EP-226/2005/A regarding maintaining landscape, planting, treatment and mitigation measures as specified in inter alia Condition 3.8 and Figure 3 (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate landscape and visual impacts).

Environmental Permits Relating to EcoPark

14. The Tenant hereby declares, confirms and acknowledges that it is fully aware that, pursuant to the Environmental Impact Assessment Ordinance (Cap.499), the Director has the right to grant, amend or revoke environmental permit(s) or to grant further or amended environmental permit(s) relating to the lots comprising the EcoPark and any other lots but that such right may be challenged by third parties on justifiable grounds. The Tenant hereby undertakes to waive all its rights and remedies for any loss, damages, cost and expenses whatsoever which it may sustain and/or incur directly or

indirectly as a result of the grant, amendment or revocation of the environmental permit(s) or the consequential grant of further or amended environmental permit(s), including but not limited to any right to terminate this Lease and/or to make any claim against the Landlord and/or the Director for any compensation whatsoever.



Issue 1______AEC



Table A3.1-1 Recycling of Waste Organic Food

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
July 2018	435 ⁽⁵⁾	470 ⁽⁵⁾	48 ⁽⁵⁾
August 2018	462 ⁽⁵⁾	525 ⁽⁵⁾	64 ⁽⁵⁾
September 2018	n/a	n/a	n/a

Table A3.1-2 Recycling of Waste Ferrous Metal

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
July 2018	15,907	18,881	40
August 2018	16,587	16,601	54
September 2018	2,821 ⁽⁵⁾	2,821 ⁽⁵⁾	_(5)

Table A3.1-3 Recycling of Waste Wood

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
July 2018	182	150	-
August 2018	145	203	-
September 2018	n/a	n/a	n/a

Table A3.1-4 Recycling of Waste Electronics

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
July 2018	163	148	9
August 2018	231	177	19
September 2018	$1^{(5)}$	1 ⁽⁵⁾	$0^{(5)}$

Table A3.1-5 Recycling of Waste Plastic

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
July 2018	n/a	n/a	n/a
August 2018	n/a	n/a	n/a
September 2018	n/a	n/a	n/a

Issue 1_____AEC

Table A3.1-6 Recycling of Waste Glass and Construction Waste

	Waste Inp	ut (tonnes)	Product	Waste
Date	Construction Waste	Glass	Output ⁽⁴⁾ (tonnes)	Disposal ⁽⁴⁾ (tonnes)
July 2018	773	67	6,400	19
August 2018	n/a	n/a	n/a	n/a
September 2018	n/a	n/a	n/a	n/a

Table A3.1-7 Recycling of Waste Rubber Tyres

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
July 2018	n/a	n/a	n/a
August 2018	n/a	n/a	n/a
September 2018	n/a	n/a	n/a

Notes:

- 1) The throughput data presented in Tables A3.1-1 to A3.1-7 has been rounded off to the nearest whole tonne for presentation.
- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.
- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.
- 5) The presented throughput is the best available data.
- 6) "-" in the column of waste disposal denotes zero quantity; while "n/a" denotes unavailable information.



Table A3.2-1 Recycling of Waste Organic Food

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
June 2018	349	312	35

Table A3.2-2 Recycling of Waste Wood

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
June 2018	69	25	-

Table A3.2-3 Recycling of Waste Electronics

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
May 2018	209	271	13
June 2018	164	289	12

Table A3.2-4 Recycling of Waste Glass and Construction Waste


	Waste Inp	ut (tonnes)	Product	Waste
Date	Construction Waste	Glass	Output ⁽⁴⁾ (tonnes)	Disposal ⁽⁴⁾ (tonnes)
June 2018	1,459	108	6,639	42

Table A3.2-5 Recycling of Waste Rubber Tyres

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
May 2018	9	10	-
June 2018	8	-	-

Notes:

- 1) The throughput data in Tables A3.2-1 to A3.2-6 supersede the same batch of the throughput data in previous Quarterly Environmental Monitoring & Audit Reports. The presented data has been rounded off to the nearest whole tonne for presentation.
- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.
- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.
- 5) "-" in the column of waste disposal denotes zero quantity; while "n/a" denotes unavailable information.



Issue 1______AEC

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong. Tel : +852 2450 8233 Fax : +852 2450 6138 E-mail : matlab@fugro.com Website : www.fugro.com



REPORT ON CALIBRATION OF INFRA RED GAS ANALYSER

Client

Fugro Technical Services Limited.

Sample description

One sample of Infra Red Gas Analyser (GA5000)

Sample identification

E / 084 / 2

Serial number

G501982

Test required

Calibration

Date of calibration

15/05/2018

Next calibration date

14/11/2018

Method used

In-house method (Comparison with Standard Gas)

Results:

Parameters	Standard Gas Concentration,	Infra Red Gas Analyser Reading,	Deviation,
	% volume	% volume	% volume
Methane (CH₄)	1.00	1.0	0.00
Carbon dioxide (CO ₂)	1.00	1.8	0.8
Oxygen (O ₂)	16.0	15.4	-0.6

Calibrated by : _____


C. F. Leung

Certified by :

Approved Signatory Raymond K. F. Wong Manager – Chemical & Enyironmental

Date
** End of Report **

Note: This report refers only to the sample(s) tested.



Issue 1______AEC

Quarterly Landfill Gas Monitoring Results

								Me	asurement	Results		A	Action Leve	el]	Limit Leve	l		
Monitoring Station ID	Monitoring Locations	Date	Weather Conditions	Temperature (°C)	Start Time	End Time	Met	hane	Oxygen	Carbon Dioxide	Barometric Pressure	Methane	Oxygen	Carbon Dioxide	Methane	Oxygen	Carbon Dioxide	Remarks	
							% v/v	% LEL	% v/v	% v/v	mBar (absolute)	% LEL	% v/v	% v/v	% LEL	% v/v	% v/v		
EP1-1	Inside the landscaping area of Administration Building			28	10:10	10:12	0.0	0	20.1	< 0.1	1017							Nil	
EP1-2	PCCW below-ground chamber outside Lot T2			28	9:50	9:52	0.0	0	20.0	< 0.1	1017							Nil	
EP1-3	HGC Broadband below-ground chamber outside Lot T3			28	9:45	9:47	0.0	0	20.1	< 0.1	1017							Nil	
EP2-1	HGC Broadband below-ground chamber outside Lot P1			28	9:55	9:57	0.0	0	20.0	< 0.1	1017							Nil	
EP2-2	HGC Broadband below-ground chamber outside Lot P3	- 18 Sep 2018 Fine		Fine	28	10:00	10:02	0.0	0	<u>18.9</u>	0.2	1017	>10	<19	>0.5	>20	<18	>1.5	Nil
EP2-2	HGC Broadband below-ground chamber outside Lot P3		28	10:05	10:07	0.0	0	19.5	< 0.1	1017			7 0.0	>20	\10		Re-measurement after the initial measurement to confirm the rectification of O ₂ exceedance to non-exceedance level after ventilation enhancement.		

Notes:

⁽¹⁾ Underlined figure indicates an exceedance of Action Level

⁽²⁾ Shaded area indicates an exceedance of Limit Level

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong. Tel : +852 2450 8233 Fax : +852 2450 6138 E-mail : matlab@fugro.com Website : www.fugro.com



Report No.

144799EN182375A



Page 1 of 1

Test Report on Landfill Monitoring

Information Supplied by Client

Client

: Allied Environmental Consultants Ltd.

Client's address

19/F, Kwan Chart Tower, 6 Tonnochy Road,

Wan Chai, Hong Kong

Project

Landfill Gas Monitoring at Eco Park, Tuen Mun

Sample description

Five samples of gas

Sampling location

EP1-1 Inside the Landscaping area of Administration Building EP1-2 PCCW below–ground chamber outside Lot EP08-01

EP1-3 HGC Broadband below–ground chamber outside Lot EP08-03

EP2-1 HGC Broadband below-ground chamber outside Lot P1 EP2-2 HGC Broadband below-ground chamber outside Lot P3

Test required

For all locations -

In-situ measurement of methane, carbon dioxide, oxygen and

barometric pressure

Laboratory Information

Date of in-situ testing

18/09/2018

Test method used

Measured by Infra Red Gas Analyser GA5000

Results:

Sampling	Sampling	Barometric	Met	hane	Carbon	Oxygen,
location	time	pressure, mbar	%v/v	%LEL	dioxide, %v/v	%v/v
EP1-1	10:10	1017	0.0	0	<0.1	20.1
EP1-2	09:50	1017	0.0	0	<0.1	20.0
EP1-3	09:45	1017	0.0	0	<0.1	20.1
EP2-1	09:55	1017	0.0	0	<0.1	20.0
EP2-2	10:00	1017	0.0	0	0.2	18.9
EP2-2 (retest)	10:05	1017	0.0	0	<0.1	19.5

Remarks: 1. A calibration certificate of the monitoring equipment is attached for reference.

2. A layout plan showing the sampling location is also attached for reference.

3. This report is to supersede our former report #144799EN182375.

Supervised by :	K.F. Wong	Certified b	Approved Signatory : HO Kin Man, John ssistant General Manager – Laboratories
		. .	0/100

** End of Report *

Note: This report refers only to the sample(s) tested.

EP1-1

Date	Methan	Methane (% LEL)			Oxygen (% v/v)			oxide (%	v/v)	Barometric Pressure (mBar)
Date	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement
22 Dec 2017	0	10	20	19.8	19	18	0.7	0.5	1.5	1024
22 Dec 2017*	0	10	20	20.2	19	18	0.1	0.5	1.5	1024
21 Mar 2018	0	10	20	20.3	19	18	0.4	0.5	1.5	1021
20 Jun 2018	0	10	20	19.8	19	18	0.1	0.5	1.5	1008
18 Sep 2018	0	10	20	20.1	19	18	< 0.1	0.5	1.5	1017

EP1-2

Date	Methano	e (% LE	L)	Oxyge	Oxygen (% v/v)			Carbon Dioxide (% v/v)		
Date	Measurement	Action Level	Limit Level	Measurement Action Limit Level Level Measurement		Measurement	Action Level	Limit Level	Measurement	
22 Dec 2017	0	10	20	20.1	19	18	0.1	0.5	1.5	1024
21 Mar 2018	0	10	20	20.2	19	18	0.1	0.5	1.5	1021
20 Jun 2018	0	10	20	19.8	19	18	< 0.1	0.5	1.5	1008
18 Sep 2018	0	10	20	20.0	19	18	< 0.1	0.5	1.5	1017

EP1-3

Date	Methane (% LEL)			Oxyge	Oxygen (% v/v)			Carbon Dioxide (% v/v)			
Date	Measurement	Action Level	Limit Level	Measurement	easurement Action Limit Level Level		Measurement	Action Level	Limit Level	Measurement	
22 Dec 2017	0	10	20	20.4	19	18	0.2	0.5	1.5	1024	
21 Mar 2018	0	10	20	20.2	19	18	0.2	0.5	1.5	1021	
20 Jun 2018	2	10	20	19.8	19	18	< 0.1	0.5	1.5	1008	
18 Sep 2018	0	10	20	20.1	19	18	< 0.1	0.5	1.5	1017	


EP2-1

Date	Methane (% LEL)			Oxyge	Oxygen (% v/v)			Carbon Dioxide (% v/v)			
	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement	
22 Dec 2017	0	10	20	20.5	19	18	0.2	0.5	1.5	1024	
21 Mar 2018	0	10	20	19.8	19	18	0.4	0.5	1.5	1021	
20 Jun 2018	0	10	20	19.9	19	18	< 0.1	0.5	1.5	1008	
18 Sep 2018	0	10	20	20.0	19	18	< 0.1	0.5	1.5	1017	


EP2-2


Date	Methane (% LEL)			Oxygen (% v/v)			Carbon Dioxide (% v/v)			Barometric Pressure (mBar)
	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement
22 Dec 2017	0	10	20	20.5	19	18	0.2	0.5	1.5	1024
21 Mar 2018	0	10	20	19.8	19	18	0.2	0.5	1.5	1021
20 Jun 2018	0	10	20	19.9	19	18	< 0.1	0.5	1.5	1008
18 Sep 2018	0	10	20	18.9	19	18	0.2	0.5	1.5	1017
18 Sep 2018*	0	10	20	19.5	19	18	< 0.1	0.5	1.5	1017


^{*} Re-measurement was carried out after the initial measurement to confirm the rectification of exceedance after ventilation enhancement.




* Re-measurement was carried out after the initial measurement to confirm the rectification of exceedance after ventilation enhancement.













^{*} Re-measurement was carried out after the initial measurement to confirm the rectification of exceedance after ventilation enhancement.




* Re-measurement was carried out after the initial measurement to confirm the rectification of exceedance after ventilation enhancement.













^{*} Re-measurement was carried out after the initial measurement to confirm the rectification of exceedance after ventilation enhancement.




* Re-measurement was carried out after the initial measurement to confirm the rectification of exceedance after ventilation enhancement.













^{*} Re-measurement was carried out after the initial measurement to confirm the rectification of exceedance after ventilation enhancement.




* Re-measurement was carried out after the initial measurement to confirm the rectification of exceedance after ventilation enhancement.











^{*} Re-measurement was carried out after the initial measurement to confirm the rectification of O_2 exceedance after ventilation enhancement.




Issue 1_____AEC



Issue 1 AEC



	Inspection Date: 2018/07/18 Time: 10:20 Lot Number: T5 Tenant: Champway	Inspec	ted by:	David	I TSANG
Wea	<u>ither</u>				
	Condition: Sunny Fine Overcast Drizzle ✓ Temperature: 28 °C Humidity: ✓ High Wind: Calm ✓ Light Breeze Strong	Rain Moder	rate		Storm Hazy Low
<u>1. G</u>	<u>eneral</u>	N/A	Yes	No	Remarks
1.2	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date?	✓ ✓ ✓			EP for tenant is not required UPML's Environmental Policy is followed UPML's EMP is followed
1.5	Emergency Response Plan (ERP) documented? (a) Drill or training records available? All recycling processes in operation have been approved by WFBU?	✓ ✓			UPML's ERP is followed Subject to tenant's provision
1.6	Any record of complaint or prosecution?			√	
	Valid Effluent Discharge Licence available?	N/A	Yes	No	Remarks Prohibition of discharging wastewater to communal sewer by the enforcement unit of EPD Self-monitoring; no sampling
	a) Sampling record available?b) Monitoring frequency met the licence requirement?c) Monitoring result comply with the licence requirement?d) If exceedance is recorded, any follow-up action taken?	✓ ✓ ✓			was requested by the authority Self-monitoring when required
2.2	Provision of wastewater treatment facility (WTF) prior to discharge? a) Adequate capacity? b) Properly maintained and function normally?				Wastewater is tanked away For temporary storage tank Outlet is blocked
2.32.42.5	Surface run-off control measures in place and adequately maintained? Surface run-off discharging into drainage system? All manholes covered?		✓ ✓		
	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		✓		
2.7	Storage of materials and equipment located away from water bodies?		<u>√</u>		
2.8					
	Processes or activities with high risk of contamination located under covered area? Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓			Stop-logs are available for use by tenant if needed
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	√			Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?		√		Wastewater is tanked away
2.13	Drainage from maintenance area discharged via oil interceptor?		✓		-
	a) Oil and grease removed regularly?		✓		
	b) Collected by licensed collector?		✓		
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?		✓		N. I. d. I. d.
2.16	Temporary stockpiles covered during rainstorms?	✓			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓			No sand/silt is generated from the recycling process
3. A	ir Quality	N/A	Yes	No	Remarks Valid license had been obtained
3.1	Valid Specified Process (SP) Licence available for all specified process?		✓		which valid period is ranging from Feb 2018 to Feb 2023.
	a) SP Licence conditions / monitoring requirements comply?		√		Quarterly reporting on quantity of raw material and product (up to Jan 2018)
3.2	Operate without generation of noticeable odour?	✓			No operation is observed during inspection
	a) If odour is detected, can the source be identified?	√			
	b) Odourous materials covered?		✓		
	c) If odour control system is installed, is it operating normally?	√			The system is switched off as there is no operation
3.3	Dusty materials dampened prior to loading/unloading?	√			No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	✓			
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	√			No dust-generating activity is observed
3.6	Open burning prohibited?		√		
3.7	Emission from chimney or powered plant free of black smoke?		√		
3.8	Vehicles and equipment switched off while not in use?		√		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	√			Not required
3.11	Air pollution control system properly maintained and function normally?		✓		Regular replacement of activated carbon filter
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	√			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		✓		

EcoPark Operation SITE INSPECTION CHECKLIST



3.14 Public road around site entrance kept clean and free from dust?	
3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
Loading/unloading of materials	Others: n/a
4. Waste / Chemical Management	
<u>General</u>	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not observed
Packaging of Chemical Waste	
4.7 Stored in suitable container?	No chemical waste is observed
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or providing trays capable of storing 110% of the volume of the largest container (if quantity >5	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	

SITE INSPECTION CHECKLIST



4.20 Storage area provided with permeation-proof floor or surface?		✓	Follow-up Observation (1)
4.21 Capacity of retention structure sufficient to accommodate contents of the largest containe 20% volume of the material in storage?	er or 🗸		
4.22 Walls or partitions of stacked container storage area constructed of impermeable material	?	✓	Follow-up Observation (1)
5. Landfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes	No	Remarks
5.1 Alert workers and visitors of possible LFG hazards?	√		Outside LFG consultation zone
5.2 Smoking and open fires prohibited?			
6. Others	N/A Yes	No	Remarks
6.1 Works confined within lot boundaries?	√		
6.2 Damage to surrounding areas avoided?	✓		
6.3 Site lighting designed to avoid glare to surrounding receivers?	✓		
6.4 Materials and machinery stored in an orderly manner?	✓		
6.5 Areas within lot for recycling activities paved with concrete?	✓		
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	✓		For source sampling; Not
6.7 Valid calibration certificate for any monitoring equipment?	✓		provided provided
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓		Subject to tenant's
a) Storage area in compliance with the approved plan?	✓		information provision
b) Storage area is securely locked?	✓		
c) Total storage capacity in compliance with relevant statutory requirement?	√		
d) Proper labelling provided?	✓		
e) Dangerous goods properly packaged?			

Remarks:

Follow-up from Previous Audits

1) The temporary storage area for containers was not provided with permeation-proof floor. Enclosed storage tanks had been provided in previous months to gradually replace the old glycerin storage containers. While the container removal is in progress, the tenant was reminded to implement sufficient measures during material transfer to avoid, or to contain accidental spillage, if any. The containers pending removal should be well maintained to avoid potential leakage until completion of the removal process, which will be monitored in the next audit.

SITE INSPECTION CHECKLIST





(Observed on 20 June 2018)



(Observed on 18 July 2018)

New Observations

· No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name David TSANG

Date: 2018/07/18

Name

Date:

May Wu

e: 1 3 AUG 2018

Name Kenji Wong


Date: 20 Aug 2018

Name:

Date:



	Inspection Date: 2018/08/24 Time: 10:20 Lot Number: T5 Tenant: Champway	Inspected by:		n CHAN I TSANG
Wea	<u>ther</u>			
	Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 29 °C Humidity: ✓ High Wind: ✓ Calm Light Breeze Strong	Rain Moderate	-	Storm Hazy Low
<u>1. G</u>	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	$\overline{}$		EP for tenant is not required
1.2	Environmental Policy documented?			UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?			UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?			UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?			
1.6	Any record of complaint or prosecution?		✓	
2. W	ater Quality	N/A Yes	No	Remarks Prohibition of discharging
2.1	Valid Effluent Discharge Licence available?	✓		wastewater to communal sewer by the enforcement unit of EPD
	a) Sampling record available?	✓		Self-monitoring; no sampling was requested by the authority
	b) Monitoring frequency met the licence requirement?	✓		Self-monitoring when required
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	✓		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓		Wastewater is tanked away
	a) Adequate capacity?	✓		For temporary storage tank
	b) Properly maintained and function normally?	✓		Outlet is blocked
2.3	Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?	✓		
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	✓		
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?	✓		
2.9	Processes or activities with high risk of contamination located under covered area?			0. 1
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	/		Stop-logs are available for use by tenant if needed
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?			Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?		✓		Wastewater is tanked away
2.13	Drainage from maintenance area discharged via oil interceptor?		√		Outlet of oil interceptor is blocked and water is tankered away.
	a) Oil and grease removed regularly?		√		
	b) Collected by licensed collector?		√		
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?		√		
2.16	Temporary stockpiles covered during rainstorms?	√			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	√			No sand/silt is generated from the recycling process
3. A	ir Quality	N/A	Yes	No	Remarks Valid license had been obtained
3.1	Valid Specified Process (SP) Licence available for all specified process?		√		which valid period is ranging from Feb 2018 to Feb 2023.
	a) SP Licence conditions / monitoring requirements comply?		✓		Quarterly reporting on quantity of raw material and product (up to Jan 2018)
3.2	Operate without generation of noticeable odour?		✓		
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?		√		
	c) If odour control system is installed, is it operating normally?		√		
3.3	Dusty materials dampened prior to loading/unloading?	✓			No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	✓			
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	√			No dust-generating activity is observed
3.6	Open burning prohibited?		√		
3.7	Emission from chimney or powered plant free of black smoke?		√		
3.8	Vehicles and equipment switched off while not in use?		√		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	√			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	√			Not required
3.11	Air pollution control system properly maintained and function normally?		√		Regular replacement of activated carbon filter
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		√		

EcoPark Operation SITE INSPECTION CHECKLIST



3.14 Public road around site entrance kept clean and free from dust?	
3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion Ve	chicle/equipment movement
Loading/unloading of materials Ot	hers: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	Verified via quarterly
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	report report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not observed
Packaging of Chemical Waste	No chemical waste is
4.7 Stored in suitable container?	observed
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provide drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	

SITE INSPECTION CHECKLIST



4.20 Storage area provided with permeation-proof floor or surface?		√	Follow-up Observation (1)
4.21 Capacity of retention structure sufficient to accommodate contents of the largest containe 20% volume of the material in storage?	er or 🗸		
4.22 Walls or partitions of stacked container storage area constructed of impermeable materia	1?	✓	Follow-up Observation (1)
5. Landfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes	No	Remarks Outside LFG consultation
5.1 Alert workers and visitors of possible LFG hazards?	✓		zone
5.2 Smoking and open fires prohibited?	√		
6. Others	N/A Yes	No	Remarks
6.1 Works confined within lot boundaries?	✓		
6.2 Damage to surrounding areas avoided?	✓		
6.3 Site lighting designed to avoid glare to surrounding receivers?	√		
6.4 Materials and machinery stored in an orderly manner?	✓		
6.5 Areas within lot for recycling activities paved with concrete?	✓		
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	✓		For source sampling; Not
6.7 Valid calibration certificate for any monitoring equipment?	√		provided provided
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓		Subject to tenant's
a) Storage area in compliance with the approved plan?	√		information provision
b) Storage area is securely locked?	✓		
c) Total storage capacity in compliance with relevant statutory requirement?	✓		
d) Proper labelling provided?	✓		
e) Dangerous goods properly packaged?	✓		

Remarks:

Follow-up from Previous Audits

1) The temporary storage area for containers was not provided with permeation-proof floor. Enclosed storage tanks had been provided in previous months to gradually replace the old glycerin storage containers. While the container removal is in progress, the tenant was reminded to implement sufficient measures during material transfer to avoid, or to contain accidental spillage, if any. The containers pending removal should be well maintained to avoid potential leakage until completion of the removal process, which will be monitored in the next audit.

SITE INSPECTION CHECKLIST





(Observed on 18 July 2018)

(Observed on 24 August 2018)

New Observations

· No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name Ronan CHAN

Date: 2018/08/24

Name

May Wu

Date:

13 SEP 2018

Name Kenji Wong


Date: 19 Sep 2018

Name: Hazel CHEUNG

Date: 2018/09/10



	Inspection Date: 2018/09/18 Time: 10:20 Lot Number: T5 Tenant: Champway	Inspecte	d by:		n CHAN I TSANG	
Wea	<u>ther</u>					
	Condition: Sunny ✓ Fine Overcast Drizzle Temperature: 28 °C Humidity: ✓ High Wind: ✓ Calm Light Breeze Strong	Rain Moderat	e		Storm Low	Hazy
<u>1. G</u>	<u>eneral</u>	N/A	Yes	No	Remarks	
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	√			EP for tena required	nt is not
	Environmental Policy documented?				UPML's Er Policy is fo	vironmental llowed
	Environmental Management Plan (EMP) kept up-to-date?	✓			UPML's EN	MP is followed
1.4	Emergency Response Plan (ERP) documented?	✓				RP is followed
	(a) Drill or training records available?	✓			Subject to to provision	enant's
1.5	All recycling processes in operation have been approved by WFBU?		√			
1.6	Any record of complaint or prosecution?			√		
<u>2. W</u>	<u>ater Quality</u>	N/A	Yes	No	Remarks Prohibition of	
2.1	Valid Effluent Discharge Licence available?		✓		wastewater to the enforcement	communal sewer by nt unit of EPD
	a) Sampling record available?	√			was requested	ng; no sampling d by the authority
	b) Monitoring frequency met the licence requirement?	✓			Self-monitor required	oring when
	c) Monitoring result comply with the licence requirement?	✓				
	d) If exceedance is recorded, any follow-up action taken?	√				
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓			Wastewate	r is tanked away
	a) Adequate capacity?		✓		For tempor	ary storage tank
	b) Properly maintained and function normally?	√			Outlet is bl	ocked
2.3	Surface run-off control measures in place and adequately maintained?		✓			
2.4	Surface run-off discharging into drainage system?		✓			
2.5	All manholes covered?		✓			
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		✓			
2.7	Storage of materials and equipment located away from water bodies?		✓			
2.8	Drainage system well maintained to prevent flooding or overflow?		✓			
2.9	Processes or activities with high risk of contamination located under covered area?		✓		Ct 1	
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓			use by tena	re available for nt if needed
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓			Replaceme observed	nt activity is not



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?		✓		Wastewater is tanked away
2.13	Drainage from maintenance area discharged via oil interceptor?		√		Outlet of oil interceptor is blocked and water is tankered away.
	a) Oil and grease removed regularly?		√		
	b) Collected by licensed collector?		√		
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?		√		
2.16	Temporary stockpiles covered during rainstorms?	√			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	√			No sand/silt is generated from the recycling process
3. A	ir Quality	N/A	Yes	No	Remarks Valid license had been obtained
3.1	Valid Specified Process (SP) Licence available for all specified process?		√		which valid period is ranging from Feb 2018 to Feb 2023.
	a) SP Licence conditions / monitoring requirements comply?		✓		Quarterly reporting on quantity of raw material and product (up to Jan 2018)
3.2	Operate without generation of noticeable odour?		✓		
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?		√		
	c) If odour control system is installed, is it operating normally?		√		
3.3	Dusty materials dampened prior to loading/unloading?	✓			No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	✓			
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	√			No dust-generating activity is observed
3.6	Open burning prohibited?		√		
3.7	Emission from chimney or powered plant free of black smoke?		√		
3.8	Vehicles and equipment switched off while not in use?		√		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	√			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	√			Not required
3.11	Air pollution control system properly maintained and function normally?		√		Regular replacement of activated carbon filter
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		√		

EcoPark Operation SITE INSPECTION CHECKLIST



3.14 Public road around site entrance kept	clean and free from dust?		✓		
3.15 Materials transported on trucks covered	ed?	✓			Not observed
3.16 Truck loads to a level within the side	and tail boards?	✓			Not observed No stockpile of dusty
3.17 Stockpiles of dusty materials covered	or regularly watered?	✓			material is observed
3.18 Major dust source(s): Wind	erosion	Vehicle/ed	quipment	move	ment
Loadin	ng/unloading of materials	✓ Others:	n/a		
4 Wests /Chamical Management					
4. Waste / Chemical Management					
<u>General</u>		N/A	Yes	No	Remarks
4.1 Registered as chemical waste produce					
4.2 Sufficient receptacles (e.g. rubbish bir	ns) available?		<u> </u>		
4.3 Disposed of regularly and properly?			✓		
4.4 Sorting of materials on-site for reuse of	or disposal to designated outlet?		✓		Verified via quarterly
4.5 Records of quantities of waste general	ted, recycled and disposed properly kept?		✓		report
4.6 Collection of sludge by licensed colle	ctor at regular intervals?	✓			Not observed
Packaging of Chemical Waste					No chemical waste is
4.7 Stored in suitable container?		✓			observed
4.8 Container properly closed or sealed?		✓			
4.9 Spillage cleaned up immediately through	ugh the use of absorbent?	✓			
4.10 Obtained approval for the use of chem	nical waste container >450L?	✓			
Labelling of Chemical Waste					
4.11 Provision of chemical waste label?		✓			
a) Label is securely attached and visib	ole?	✓			
b) Label is bilingual and in proper din	nension?	✓			
c) Information is accurate and sufficie	ent?	✓			
Storage of Chemical Waste					
4.12 Proper "Chemical Waste" sign display	yed?	✓			
4.13 Incompatible wastes separated by imp	permeable partition?	✓			
4.14 Containers kept in cabinet or receptace drip trays capable of storing 110% of	le of suitable material (if quantity <50L), the volume of the largest container (if quantity = 10 the largest container).				
4.15 Enclosed on 3 sides with no less than of containers?	2m in height or height of tallest container	r∕stack ✓			
4.16 Properly stored and locked in designa	ted area with adequate ventilation?	✓			
4.17 Storage area paved with concrete and	kept clean and dry?	✓			
4.18 Cover provided for outdoor storage ar	ea?	√			
4.19 Chemical waste collected by licensed	collector?	✓			

SITE INSPECTION CHECKLIST



4.20 Storage area provided with permeation-proof floor or surface?		√	Follow-up Observation (1)
4.21 Capacity of retention structure sufficient to accommodate contents of the largest contained 20% volume of the material in storage?	er or 🗸		
4.22 Walls or partitions of stacked container storage area constructed of impermeable material	1?	√	Follow-up Observation (1)
5. Landfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes	s No	Remarks Outside LFG consultation
5.1 Alert workers and visitors of possible LFG hazards?	✓		zone
5.2 Smoking and open fires prohibited?			
6. Others	N/A Yes	. No	Remarks
6.1 Works confined within lot boundaries?	✓		
6.2 Damage to surrounding areas avoided?	✓		
6.3 Site lighting designed to avoid glare to surrounding receivers?	✓		
6.4 Materials and machinery stored in an orderly manner?	✓		
6.5 Areas within lot for recycling activities paved with concrete?			
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	✓		Francisco Maria
6.7 Valid calibration certificate for any monitoring equipment?	✓		For source sampling; Not provided
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?			Subject to tenant's
a) Storage area in compliance with the approved plan?	√		information provision
b) Storage area is securely locked?	✓		
c) Total storage capacity in compliance with relevant statutory requirement?			
d) Proper labelling provided?			
e) Dangerous goods properly packaged?	✓		

Remarks:

Follow-up from Previous Audits

1) The temporary storage area for containers was not provided with permeation-proof floor. Enclosed storage tanks had been provided in previous months to gradually replace the old glycerin storage containers. During site inspection, chemical stain was observed in the storage area after removal of the old storage containers. While container removal are in progress, the tenant was reminded to clear the chemical stain and implement sufficient measures during material transfer to avoid, or to contain accidental spillage. The containers pending removal should be also well maintained to avoid potential leakage until completion of the removal process, which will be monitored in the next audit.

SITE INSPECTION CHECKLIST





(Observed on 24 August 2018)



(Observed on 18 September 2018)



(Observed on 18 September 2018)

New Observations

· No major environmental deficiency was observed.

Signatures:

ET Representative:

Name Ronan CHAN

Date: 2018/09/18

Operator Representative:

W

Name May Wu

Date: 24 SEP 2018

Tenant Representative:


Name Kenji Wong

Date: 03 Oct 2018

IEC Representative:

Name: Hazel CHEUNG

Date: 2018/09/24



Issue 1______AEC



	Inspection Date: 2018/07/18 Time: 9:30 Lot Number: T2 & T3 Tenant: Shiu Wing	Inspected by:	David	TSANG
Wea	Condition: Sunny Fine Overcast Drizzle Temperature: 28 °C Humidity: High Wind: Calm Light Breeze Strong	Rain Moderate	$\overline{}$	Storm Hazy Low
<u>1. G</u>	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓		EP for tenant is not required.
1.2	Environmental Policy documented?	✓		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?			UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?	✓		
1.6	Any record of complaint or prosecution?		√	
2. W	Vater Quality	N/A Yes	No	Remarks
2.1	Valid Effluent Discharge Licence available?			No wastewater is generated from recycling process
	a) Sampling record available?			
	b) Monitoring frequency met the licence requirement?			
	c) Monitoring result comply with the licence requirement?			
	d) If exceedance is recorded, any follow-up action taken?			
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?			
	a) Adequate capacity?			
	b) Properly maintained and function normally?			
2.3	Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?			
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?			Dogueling
2.9	Processes or activities with high risk of contamination located under covered area?	✓		Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	/		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	\checkmark		Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	√			No contaminated water was observed
2.13	Drainage from maintenance area discharged via oil interceptor?	√			Not required
	a) Oil and grease removed regularly?	√			
	b) Collected by licensed collector?	✓			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?		√		
2.15	Bulk cargo and materials packed properly?		√		No logo de la la
2.16	Temporary stockpiles covered during rainstorms?	√			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓			No sand/silt is generated from the recycling process
3. Ai	ir Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	√			Not required
	a) SP Licence conditions / monitoring requirements comply?	√			
3.2	Operate without generation of noticeable odour?		√		
	a) If odour is detected, can the source be identified?	√			
	b) Odourous materials covered?	√			
	c) If odour control system is installed, is it operating normally?	✓			
3.3	Dusty materials dampened prior to loading/unloading?		✓		
3.4	Dust monitoring record available?	√			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	√			
	c) If exceedance is recorded, follow-up action taken?	√			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		√		
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?		✓		
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?	√			Not required
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	√			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		✓		

EcoPark Operation SITE INSPECTION CHECKLIST



3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s):	3.15 Materials transported on trucks covered?	
3.18 Major dust source(s): Wind crosson Vehicle/equipment movement Valoading/unloading of materials Wind crosson Vehicle/equipment movement Vehicle/equipment movement Vehicle/equipment movement Vehicle/equipment movement Others: n/a 4. Waste Chemical Management General N/A Yes No Remarks No chemical waste is observed 4.1 Registered as chemical waste producer? 4.2 Sufficient receptacles (e.g. rubbish bins) available? 4.3 Disposed of regularly and property? 4.4 Sorting of materials on-site for reuse or disposal to designated outlet? 4.5 Records of quantities of waste generated, recycled and disposed properly kept? 4.6 Collection of sludge by licensed collector at regular intervals? Packaging of Chemical Waste 4.7 Stored in suitable container? 4.8 Container properly closed or sealed? 4.9 Spillage cleaned up immediately through the use of absorbent? 4.10 Obtained approval for the use of chemical waste container >4501.? 1.10 Obtained approval for the use of chemical waste container >4501.? 1.11 Provision of chemical waste label? 1.12 Proper "Chemical Waste 4.13 Incompatible wastes separated by impermeable partition? 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided are in cabinet or receptacle of suitable material (if quantity <50L), or provided are in cabinet or receptacle of suitable material (if quantity <50L), or provided are in cabinet or forceptacle of suitable material (if quantity <50L), or provided are in cabinet or forceptacle of suitable material (if quantity <50L), or provided are in cabinet or receptacle of suitable material (if quantity <50L), or provided are in cabinet or forceptacle of suitable material (if quantity <50L), or provided of containers?	3.16 Truck loads to a level within the side and tail boards?	
4. Waste / Chemical Management General N/A Yes No Remarks Not demical waste producer? 4.1 Registered as chemical waste producer? 4.2 Sufficient receptacles (e.g. rubbish bins) available? 4.3 Disposed of regularly and properly? 4.4 Sorting of materials on-site for reuse or disposal to designated outlet? 4.5 Records of quantities of waste generated, recycled and disposed properly kept? 4.6 Collection of sludge by licensed collector at regular intervals? 4.7 Stored in suitable container? 4.8 Container properly closed or sealed? 4.9 Spillage cleaned up immediately through the use of absorbent? 4.10 Obtained approval for the use of chemical waste container >450L? Labelling of Chemical Waste 4.11 Provision of chemical waste label? a) Label is securely attached and visible? b) Label is bilingual and in proper dimension? c) Information is accurate and sufficient? Storage of Chemical Waste 4.12 Proper "Chemical Waste" sign displayed? 4.13 Incompatible wastes separated by impermeable partition? 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided of quantity >50L)? 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	3.17 Stockpiles of dusty materials covered or regularly watered?	
4. Waste / Chemical Management General	3.18 Major dust source(s): Wind erosion Ve	hicle/equipment movement
General 4.1 Registered as chemical waste producer? 4.2 Sufficient receptacles (e.g., rubbish bins) available? 4.3 Disposed of regularly and properly? 4.4 Sorting of materials on-site for reuse or disposal to designated outlet? 4.5 Records of quantities of waste generated, recycled and disposed properly kept? 4.6 Collection of sludge by licensed collector at regular intervals? 4.7 Stored in suitable container? 4.8 Container properly closed or sealed? 4.9 Spillage cleaned up immediately through the use of absorbent? 4.9 Spillage cleaned up immediately through the use of absorbent? 4.10 Obtained approval for the use of chemical waste container >450L? 4.11 Provision of chemical Waste 4.11 Provision of chemical waste label? 4.12 Proper "Chemical waste and sufficient? 4.13 Incompatible wastes separated by impermeable partition? 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided a disposed with no less than 2m in height or height of tallest container / stack 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack 4.16 Collection of succurance of the state of tallest container for quantity >50L).	✓ Loading/unloading of materials Oth	hers: n/a
General 4.1 Registered as chemical waste producer? 4.2 Sufficient receptacles (e.g., rubbish bins) available? 4.3 Disposed of regularly and properly? 4.4 Sorting of materials on-site for reuse or disposal to designated outlet? 4.5 Records of quantities of waste generated, recycled and disposed properly kept? 4.6 Collection of sludge by licensed collector at regular intervals? 4.7 Stored in suitable container? 4.8 Container properly closed or sealed? 4.9 Spillage cleaned up immediately through the use of absorbent? 4.9 Spillage cleaned up immediately through the use of absorbent? 4.10 Obtained approval for the use of chemical waste container >450L? 4.11 Provision of chemical Waste 4.11 Provision of chemical waste label? 4.12 Proper "Chemical waste and sufficient? 4.13 Incompatible wastes separated by impermeable partition? 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided a disposed with no less than 2m in height or height of tallest container / stack 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack 4.16 Collection of succurance of the state of tallest container for quantity >50L).	A Wasta / Chamical Managament	
A.1. Registered as chemical waste producer? 4.2. Sufficient receptacles (e.g. rubbish bins) available? 4.3. Disposed of regularly and properly? 4.4. Sorting of materials on-site for reuse or disposal to designated outlet? 4.5. Records of quantities of waste generated, recycled and disposed properly kept? 4.6. Collection of sludge by licensed collector at regular intervals? 4.7. Stored in suitable container? 4.8. Container properly closed or sealed? 4.9. Spillage cleaned up immediately through the use of absorbent? 4.10 Obtained approval for the use of chemical waste container >450L? 1.11 Provision of chemical Waste 4.11 Provision of chemical waste label? 4.12 Proper "Chemical Waste 4.13 Incompatible wastes separated by impermeable partition? 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?		
4.2 Sufficient receptacles (e.g. rubbish bins) available? 4.3 Disposed of regularly and properly? 4.4 Sorting of materials on-site for reuse or disposal to designated outlet? 4.5 Records of quantities of waste generated, recycled and disposed properly kept? 4.6 Collection of sludge by licensed collector at regular intervals? 4.6 Collection of sludge by licensed collector at regular intervals? 4.7 Stored in suitable container? 4.8 Container properly closed or sealed? 4.9 Spillage cleaned up immediately through the use of absorbent? 4.10 Obtained approval for the use of chemical waste container >450L? Labelling of Chemical Waste 4.11 Provision of chemical waste label? 4.12 Proper "Chemical Waste 4.12 Proper "Chemical Waste 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container / stack of containers?		No chemical waste is
4.4 Sorting of materials on-site for reuse or disposal to designated outlet? 4.5 Records of quantities of waste generated, recycled and disposed properly kept? 4.6 Collection of sludge by licensed collector at regular intervals? 4.6 Collection of sludge by licensed collector at regular intervals? 4.7 Stored in suitable container? 4.8 Container properly closed or sealed? 4.9 Spillage cleaned up immediately through the use of absorbent? 4.10 Obtained approval for the use of chemical waste container >450L? 4.11 Provision of chemical Waste 4.11 Provision of chemical waste label? a) Label is securely attached and visible? b) Label is bilingual and in proper dimension? c) Information is accurate and sufficient? Storage of Chemical Waste 4.12 Proper "Chemical Waste" sign displayed? 4.13 Incompatible wastes separated by impermeable partition? 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided of containers? 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?		observed
4.4 Sorting of materials on-site for reuse or disposal to designated outlet? 4.5 Records of quantities of waste generated, recycled and disposed properly kept? 4.6 Collection of sludge by licensed collector at regular intervals? 4.7 Stored in suitable container? 4.8 Container properly closed or sealed? 4.9 Spillage cleaned up immediately through the use of absorbent? 4.10 Obtained approval for the use of chemical waste container >450L? 4.11 Provision of chemical Waste 4.11 Provision of chemical waste label? a) Label is securely attached and visible? b) Label is bilingual and in proper dimension? c) Information is accurate and sufficient? Storage of Chemical Waste 4.12 Proper "Chemical Waste" sign displayed? 4.13 Incompatible wastes separated by impermeable partition? 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container / stack of containers?		
4.5 Records of quantities of waste generated, recycled and disposed properly kept? 4.6 Collection of sludge by licensed collector at regular intervals? 4.7 Stored in suitable container? 4.8 Container properly closed or sealed? 4.9 Spillage cleaned up immediately through the use of absorbent? 4.10 Obtained approval for the use of chemical waste container > 450L? Labelling of Chemical Waste 4.11 Provision of chemical waste label? a) Label is securely attached and visible? b) Label is bilingual and in proper dimension? c) Information is accurate and sufficient? Storage of Chemical Waste 4.12 Proper "Chemical Waste" sign displayed? 4.13 Incompatible wastes separated by impermeable partition? 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container / stack of containers?	4.3 Disposed of regularly and properly?	
A.6 Collection of sludge by licensed collector at regular intervals? Packaging of Chemical Waste 4.7 Stored in suitable container? 4.8 Container properly closed or sealed? 4.9 Spillage cleaned up immediately through the use of absorbent? 4.10 Obtained approval for the use of chemical waste container >450L? Labelling of Chemical Waste 4.11 Provision of chemical waste label? a) Label is securely attached and visible? b) Label is bilingual and in proper dimension? c) Information is accurate and sufficient? Storage of Chemical Waste 4.12 Proper "Chemical Waste" sign displayed? 4.13 Incompatible wastes separated by impermeable partition? 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	Verified via quarterly
Packaging of Chemical Waste 4.7 Stored in suitable container? 4.8 Container properly closed or sealed? 4.9 Spillage cleaned up immediately through the use of absorbent? 4.10 Obtained approval for the use of chemical waste container >450L? Labelling of Chemical Waste 4.11 Provision of chemical waste label? a) Label is securely attached and visible? b) Label is bilingual and in proper dimension? c) Information is accurate and sufficient? Storage of Chemical Waste 4.12 Proper "Chemical Waste" sign displayed? 4.13 Incompatible wastes separated by impermeable partition? 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container / stack of containers?	4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ report
4.7 Stored in suitable container? 4.8 Container properly closed or sealed? 4.9 Spillage cleaned up immediately through the use of absorbent? 4.10 Obtained approval for the use of chemical waste container >450L? Labelling of Chemical Waste 4.11 Provision of chemical waste label? a) Label is securely attached and visible? b) Label is bilingual and in proper dimension? c) Information is accurate and sufficient? Storage of Chemical Waste 4.12 Proper "Chemical Waste" sign displayed? 4.13 Incompatible wastes separated by impermeable partition? 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
4.8 Container properly closed or sealed? 4.9 Spillage cleaned up immediately through the use of absorbent? 4.10 Obtained approval for the use of chemical waste container >450L? Labelling of Chemical Waste 4.11 Provision of chemical waste label? a) Label is securely attached and visible? b) Label is bilingual and in proper dimension? c) Information is accurate and sufficient? Storage of Chemical Waste 4.12 Proper "Chemical Waste" sign displayed? 4.13 Incompatible wastes separated by impermeable partition? 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	Packaging of Chemical Waste	
4.9 Spillage cleaned up immediately through the use of absorbent? 4.10 Obtained approval for the use of chemical waste container >450L? Labelling of Chemical Waste 4.11 Provision of chemical waste label? a) Label is securely attached and visible? b) Label is bilingual and in proper dimension? c) Information is accurate and sufficient? Storage of Chemical Waste 4.12 Proper "Chemical Waste" sign displayed? 4.13 Incompatible wastes separated by impermeable partition? 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	4.7 Stored in suitable container?	
4.10 Obtained approval for the use of chemical waste container >450L? Labelling of Chemical Waste 4.11 Provision of chemical waste label? a) Label is securely attached and visible? b) Label is bilingual and in proper dimension? c) Information is accurate and sufficient? Storage of Chemical Waste 4.12 Proper "Chemical Waste" sign displayed? 4.13 Incompatible wastes separated by impermeable partition? 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	4.8 Container properly closed or sealed?	
Labelling of Chemical Waste 4.11 Provision of chemical waste label? a) Label is securely attached and visible? b) Label is bilingual and in proper dimension? c) Information is accurate and sufficient? Storage of Chemical Waste 4.12 Proper "Chemical Waste" sign displayed? 4.13 Incompatible wastes separated by impermeable partition? 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	4.9 Spillage cleaned up immediately through the use of absorbent?	
4.11 Provision of chemical waste label? a) Label is securely attached and visible? b) Label is bilingual and in proper dimension? c) Information is accurate and sufficient? Storage of Chemical Waste 4.12 Proper "Chemical Waste" sign displayed? 4.13 Incompatible wastes separated by impermeable partition? 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	4.10 Obtained approval for the use of chemical waste container >450L?	
a) Label is securely attached and visible? b) Label is bilingual and in proper dimension? c) Information is accurate and sufficient? Storage of Chemical Waste 4.12 Proper "Chemical Waste" sign displayed? 4.13 Incompatible wastes separated by impermeable partition? 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	Labelling of Chemical Waste	
b) Label is bilingual and in proper dimension? c) Information is accurate and sufficient? Storage of Chemical Waste 4.12 Proper "Chemical Waste" sign displayed? 4.13 Incompatible wastes separated by impermeable partition? 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	4.11 Provision of chemical waste label?	
c) Information is accurate and sufficient? Storage of Chemical Waste 4.12 Proper "Chemical Waste" sign displayed? 4.13 Incompatible wastes separated by impermeable partition? 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	a) Label is securely attached and visible?	
Storage of Chemical Waste 4.12 Proper "Chemical Waste" sign displayed? 4.13 Incompatible wastes separated by impermeable partition? 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	b) Label is bilingual and in proper dimension?	
4.12 Proper "Chemical Waste" sign displayed? 4.13 Incompatible wastes separated by impermeable partition? 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided ✓ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	c) Information is accurate and sufficient?	
 4.13 Incompatible wastes separated by impermeable partition? 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided ✓ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	Storage of Chemical Waste	
 4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided ✓ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	4.12 Proper "Chemical Waste" sign displayed?	
drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)? 4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	4.13 Incompatible wastes separated by impermeable partition?	
of containers?		
4.16 Properly stored and locked in designated area with adequate ventilation?	4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?		
4.19 Chemical waste collected by licensed collector?	•	
Liquid Waste Storage	·	
4.20 Storage area provided with permeation-proof floor or surface?		

EcoPark Operation SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure 20% volume of the material in	e sufficient to accommodate com n storage?	tents of the largest conta	iner 🗸		
4.22	Walls or partitions of stacked	container storage area constructo	ed of impermeable mater	rial? ✓		
5. La	andfill Gas (LFG) (within LF	G Consultation Zone)		N/A Ye	es No	Remarks
5.1	Alert workers and visitors of j	possible LFG hazards?				
5.2	Smoking and open fires prohi	bited?				
<u>6. O</u>	<u>thers</u>			N/A Ye	es No	Remarks
6.1	Works confined within lot bo	undaries?				
6.2	Damage to surrounding areas	avoided?				
6.3	Site lighting designed to avoid	d glare to surrounding receivers?		√		
6.4	Materials and machinery store	ed in an orderly manner?				
6.5	Areas within lot for recycling	activities paved with concrete?				Covered by metal plates
6.6	Potential stagnant pools clear	ed and mosquito breeding prever	nted?			
6.7	Valid calibration certificate for	or any monitoring equipment?		√		Not required
6.8	Valid licence(s) obtained for a	manufacture or storage of danger	rous goods?	✓		Not required
	a) Storage area in compliance	with the approved plan?		✓		
	b) Storage area is securely loc	ked?		✓		
	c) Total storage capacity in co	ompliance with relevant statutory	requirement?	✓		
	d) Proper labelling provided?			✓		
	e) Dangerous goods properly	packaged?		✓		
Ren	narks:					
New	Observations Observations					
	No major environmental defic	ciency was observed.				
Sign	natures:					
ET F	Representative:	Operator Representative:	Tenant Represen	tative:	IEC Re	presentative:
C	David	M	20	9		2
Name	e David TSANG	Name May Wu	Name Aux	Wol	Name: H	lazel Cheung
Date:	2018/07/18	Date: 13 AUG 2018	Date: (4. 8	2018	Date: 20	18/08/10



	Inspection Date: 2018/08/24 Time: 9:30 Lot Number: T2 & T3 Tenant: Shiu Wing	Inspected by:	Ronan CHAN David TSANG
Wea	Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 29 °C Humidity: ✓ High Wind: ✓ Calm Light Breeze Strong	∏Rain ∏Moderate	Storm Hazy Low
<u>1. G</u>	<u>eneral</u>	N/A Yes	No Remarks
1.2 1.3 1.4	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented? (a) Drill or training records available? All recycling processes in operation have been approved by WFBU? Any record of complaint or prosecution?		EP for tenant is not required. UPML's Environmental Policy is followed UPML's EMP is followed UPML's ERP is followed Subject to tenant's provision
2. W	ater Quality	N/A Yes	No Remarks
2.1 2.2 2.3 2.4 2.5 2.6	Valid Effluent Discharge Licence available? a) Sampling record available? b) Monitoring frequency met the licence requirement? c) Monitoring result comply with the licence requirement? d) If exceedance is recorded, any follow-up action taken? Provision of wastewater treatment facility (WTF) prior to discharge? a) Adequate capacity? b) Properly maintained and function normally? Surface run-off control measures in place and adequately maintained? Surface run-off discharging into drainage system? All manholes covered? Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	V	No wastewater is generated from recycling process
2.72.82.92.10	Storage of materials and equipment located away from water bodies? Drainage system well maintained to prevent flooding or overflow? Processes or activities with high risk of contamination located under covered area? Installation of stop-logs in perimeter drainage system for uncovered areas where recovery		Recycling process has low risk of contamination Stop-logs are available for use by tenant if needed.
	process with potentially high level of contamination is carried out? Equipment oil and lubrication replacements performed only in bunded maintenance area?		Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	√			No contaminated water was observed
2.13	Drainage from maintenance area discharged via oil interceptor?	√			Not required
	a) Oil and grease removed regularly?	✓			
	b) Collected by licensed collector?	✓			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?		√		
2.15	Bulk cargo and materials packed properly?		✓		No dueto ete elevile ie
2.16	Temporary stockpiles covered during rainstorms?	✓			No dusty stockpile is observed No sand/silt is generated
2.17	Measures to prevent the washing away of sand/silt to drains?	√			from the recycling process
3. Ai	ir Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	√			Not required
	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?		✓		
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	√			
3.3	Dusty materials dampened prior to loading/unloading?		√		
3.4	Dust monitoring record available?	√			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	✓			
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		√		
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?		√		
3.8	Vehicles and equipment switched off while not in use?		√		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?	✓			Not required
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	√			
	a) Obtained approval for the use of controlled refrigerant?	√			
	b) If yes, record of refrigeration equipment service available?	√			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	√			
3.14	Public road around site entrance kept clean and free from dust?		√		



3.15 Materials transported on trucks covered?	Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed No dusty material is
3.17 Stockpiles of dusty materials covered or regularly watered?	✓ observed
3.18 Major dust source(s): Wind erosion Ve	ehicle/equipment movement
✓ Loading/unloading of materials Ot	hers: n/a
4. Waste / Chemical Management	
<u>General</u>	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provid drip trays capable of storing 110% of the volume of the largest container (if quantity >50	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	✓ □ □
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	

SITE INSPECTION CHECKLIST



4.21	4.21 Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage?						
4.22	Walls or partitions of stacked	container storage area constructed	l of impermeable mat	erial? ✓			
5. La	andfill Gas (LFG) (within LF	G Consultation Zone)		N/A Ye	es No	Remarks	
5.1	Alert workers and visitors of	possible LFG hazards?					
5.2	Smoking and open fires prohi	bited?					
6. O	thers_			N/A Ye	es No	Remarks	
6.1	Works confined within lot bo	undaries?					
6.2	Damage to surrounding areas	avoided?					
6.3	Site lighting designed to avoi	d glare to surrounding receivers?		✓			
6.4	Materials and machinery store	ed in an orderly manner?					
6.5	Areas within lot for recycling	activities paved with concrete?			√	Covered by metal plates	
6.6	Potential stagnant pools clear	ed and mosquito breeding prevente	ed?				
6.7	Valid calibration certificate for	or any monitoring equipment?		✓		Not required	
6.8	Valid licence(s) obtained for	manufacture or storage of dangero	us goods?	✓		Not required	
	a) Storage area in compliance	with the approved plan?		✓			
	b) Storage area is securely loc	eked?		V			
	c) Total storage capacity in co	ompliance with relevant statutory r	equirement?	V			
	d) Proper labelling provided?			V			
	e) Dangerous goods properly	packaged?		V			
Rem	narks:						
New	Observations Observations						
	No major environmental defic	ciency was observed.					
Sign	natures:						
ET F	Representative:	Operator Representative:	Tenant Represe	ntative:	IEC Re	presentative:	
	(A)		()	· -	6	2	
Name	e Ronan CHAN	Name May Wu	Name 0	x Wai	Name: H	azel CHEUNG	
Date:	2018/08/24	Date: 24 SEP 2018	Date: 26/	l boid	Date: 20	18/09/10	



	Inspection Date: 2018/09/18 Time: 9:30 Lot Number: T2 & T3 Tenant: Shiu Wing	Inspected by:	Ronan CHAN David TSANG
Wea	ther Condition: Sunny ✓ Fine Overcast Drizzle Temperature: 28 °C Humidity: ✓ High Wind: ✓ Calm Light Breeze Strong	∏Rain ∏Moderate	Storm Hazy Low
<u>1. G</u>	<u>eneral</u>	N/A Yes	No Remarks
1.2 1.3 1.4	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented? (a) Drill or training records available? All recycling processes in operation have been approved by WFBU? Any record of complaint or prosecution?		EP for tenant is not required. UPML's Environmental Policy is followed UPML's EMP is followed UPML's ERP is followed Subject to tenant's provision
2. W	ater Quality	N/A Yes	No Remarks
2.1 2.2 2.3 2.4 2.5 2.6	Valid Effluent Discharge Licence available? a) Sampling record available? b) Monitoring frequency met the licence requirement? c) Monitoring result comply with the licence requirement? d) If exceedance is recorded, any follow-up action taken? Provision of wastewater treatment facility (WTF) prior to discharge? a) Adequate capacity? b) Properly maintained and function normally? Surface run-off control measures in place and adequately maintained? Surface run-off discharging into drainage system? All manholes covered? Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	V	No wastewater is generated from recycling process
2.72.82.92.10	Storage of materials and equipment located away from water bodies? Drainage system well maintained to prevent flooding or overflow? Processes or activities with high risk of contamination located under covered area? Installation of stop-logs in perimeter drainage system for uncovered areas where recovery		Recycling process has low risk of contamination Stop-logs are available for use by tenant if needed.
2.11	process with potentially high level of contamination is carried out? Equipment oil and lubrication replacements performed only in bunded maintenance area?		Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	√			No contaminated water was observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓			Not required
	a) Oil and grease removed regularly?	✓			
	b) Collected by licensed collector?	✓			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?		√		
2.15	Bulk cargo and materials packed properly?		√		No dusty stockpile is
2.16	Temporary stockpiles covered during rainstorms?	✓			observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓			No sand/silt is generated from the recycling process
3. Ai	ir Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	√			Not required
	a) SP Licence conditions / monitoring requirements comply?	√			
3.2	Operate without generation of noticeable odour?		✓		
	a) If odour is detected, can the source be identified?	√			
	b) Odourous materials covered?	√			
	c) If odour control system is installed, is it operating normally?	✓			
3.3	Dusty materials dampened prior to loading/unloading?		√		
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	√			
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		✓		
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?		✓		
3.8	Vehicles and equipment switched off while not in use?		\checkmark		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?	✓			Not required
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	√			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		√		

EcoPark Operation SITE INSPECTION CHECKLIST




3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
✓ Loading/unloading of materials	Others: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks No chemical waste is
4.1 Registered as chemical waste producer?	observed observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	Verified via quarterly
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	report report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	V
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or providing trays capable of storing 110% of the volume of the largest container (if quantity >5	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	<pre></pre>
4.17 Storage area paved with concrete and kept clean and dry?	✓ □ □ □
4.18 Cover provided for outdoor storage area?	V
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	· · · — — — — — — — — — — — — — — — — —
4.20 Storage area provided with permeation-proof floor or surface?	

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure 20% volume of the material in	e sufficient to accommodate contern storage?	nts of the largest contain	iner 🗸		
4.22	Walls or partitions of stacked	container storage area constructed	of impermeable mater	rial? ✓		
5. La	andfill Gas (LFG) (within LF	G Consultation Zone)		N/A Yes	s No	Remarks
5.1	Alert workers and visitors of J	possible LFG hazards?		✓		
5.2	Smoking and open fires prohi	bited?				
<u>6. O</u>	thers_			N/A Yes	s No	Remarks
6.1	Works confined within lot box	undaries?		$\overline{}$		
6.2	Damage to surrounding areas	avoided?		✓		
6.3	Site lighting designed to avoid	d glare to surrounding receivers?		✓		
6.4	Materials and machinery store	ed in an orderly manner?		✓		
6.5	Areas within lot for recycling	activities paved with concrete?			√	Covered by metal plates
6.6	Potential stagnant pools cleared	ed and mosquito breeding prevente	d?	$\overline{}$		
6.7	Valid calibration certificate for	or any monitoring equipment?		√		Not required
6.8	Valid licence(s) obtained for i	manufacture or storage of dangerou	ıs goods?	√		Not required
	a) Storage area in compliance	with the approved plan?		√		
	b) Storage area is securely loc	ked?		√		
	c) Total storage capacity in co	ompliance with relevant statutory re	equirement?	√		
	d) Proper labelling provided?			✓		
	e) Dangerous goods properly	packaged?		√		
Rem	narks:					
New	Observations					
	No major environmental defic	ciency was observed.				
Sign	atures:					
ET F	Representative:	Operator Representative:	Tenant Represent	tative:	IEC Re	presentative:
_	(A)		(8)	, >	_/	
Name	Ronan CHAN	Name May Wu	Name Name	c Wai	Name:	
Date:	2018/09/18	Date: 24 SEP 2018	Date: 26/	12018	Date:	



Issue 1______AEC



	Inspection Date: 2018/07/18 Time: 10:45 Lot Number: T4 Tenant: Hong Kong Biomass (Wood)	Inspected by:	David	1 TSANG
Wea	<u>ither</u>			
	Condition: Sunny Fine Overcast Drizzle ✓ Temperature: 28 °C Humidity: ✓ High Wind: Calm ✓ Light Breeze Strong	Rain Moderate		Storm Hazy Low
<u>1. G</u>	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓		EP for tenant is not required
1.2	Environmental Policy documented?	✓		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?			
1.6	Any record of complaint or prosecution?		√	
				_
<u>2. W</u>	Vater Quality	N/A Yes	No	Remarks
2.1	Valid Effluent Discharge Licence available?	✓		No wastewater is generated from the recycling process
	a) Sampling record available?	✓		
	b) Monitoring frequency met the licence requirement?	✓		
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	✓		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓		
	a) Adequate capacity?	✓		
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?	✓		
2.4	Surface run-off discharging into drainage system?	✓		
2.5	All manholes covered?	✓		
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?			Decueling and the l
2.9	Processes or activities with high risk of contamination located under covered area?	✓		Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	√			No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓			Not required
	a) Oil and grease removed regularly?	✓			
	b) Collected by licensed collector?	✓			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?		√		
2.16	Temporary stockpiles covered during rainstorms?	✓			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	√			No sand/silt is generated from the recycling process
3. Ai	ir Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓			Not required
	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?		√		
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	✓			
3.3	Dusty materials dampened prior to loading/unloading?	✓			No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	√			
	b) Any exceedance?	√			
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		√		Via enclosure
3.6	Open burning prohibited?		√		
3.7	Emission from chimney or powered plant free of black smoke?		√		
3.8	Vehicles and equipment switched off while not in use?		√		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	√			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	√			Not required
3.11	Air pollution control system properly maintained and function normally?		√		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	√			
	a) Obtained approval for the use of controlled refrigerant?	√			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		√		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed No stockpile of dusty
3.17 Stockpiles of dusty materials covered or regularly watered?	material is observed
3.18 Major dust source(s): Wind erosion	ehicle/equipment movement
Loading/unloading of materials Of	thers:
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50).	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	



4.21 Capacity of retention structure 20% volume of the material	cture sufficient to accommodate contents of al in storage?	f the largest container	√			
	ked container storage area constructed of in	mpermeable material?	✓			
5. Landfill Gas (LFG) (within	LFG Consultation Zone)		N/A	Yes	No	Remarks
5.1 Alert workers and visitors	of possible LFG hazards?			✓		
5.2 Smoking and open fires pr	rohibited?			✓		
6. Others			N/A	Yes	No	Remarks
6.1 Works confined within lo	t boundaries?			✓		
6.2 Damage to surrounding ar	reas avoided?			√		
6.3 Site lighting designed to a	void glare to surrounding receivers?		√			
6.4 Materials and machinery s	stored in an orderly manner?			√		
6.5 Areas within lot for recycle	ling activities paved with concrete?			✓		
6.6 Potential stagnant pools c	leared and mosquito breeding prevented?			✓		
6.7 Valid calibration certification	te for any monitoring equipment?		√			No monitoring is required
6.8 Valid licence(s) obtained	for manufacture or storage of dangerous go	ods?	√			Not required
a) Storage area in complia	nce with the approved plan?		√			
b) Storage area is securely	locked?		√			
c) Total storage capacity i	n compliance with relevant statutory requir	rement?	√			
d) Proper labelling provid	ed?		✓			
e) Dangerous goods prope	erly packaged?		√			
Remarks:						
New Observations						
No major environmental c	leficiency was observed.					
Signatures:						
ET Representative:	Operator Representative:	Tepant Representativ	e:	IF	EC Re	presentative:
Name David TSANG	Name May Wu	Name (REUT /	g~	N:	ame:	
Date: 2018/07/18	Date: 1.3 A))G 7018	Date: 20 Aug		D:	ate:	



	7 A010/00/24			
	Inspection Date: 2018/08/24 Time: 10:45	Inspected by:		n CHAN I TSANG
	Lot Number: T4 Tenant: Hong Kong Biomass (Wood)	J 	Davio	IDANO
Wea	<u>ther</u>			
	Condition: Sunny Fine ✓ Overcast Drizzle	Rain		Storm Hazy
	Temperature: 29 °C Humidity: ✓ High	Moderate		Low
	Wind:			
<u>1. G</u>	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓		EP for tenant is not required
1.2	Environmental Policy documented?	✓		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed Subject to tenant's
	(a) Drill or training records available?	✓		provision provision
1.5	All recycling processes in operation have been approved by WFBU?	✓		
1.6	Any record of complaint or prosecution?		✓	
<u>2. W</u>	<u>ater Quality</u>	N/A Yes	No	Remarks
2.1	Valid Effluent Discharge Licence available?	✓		No wastewater is generated from the recycling process
	a) Sampling record available?	✓		
	b) Monitoring frequency met the licence requirement?	✓		
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	✓		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓		
	a) Adequate capacity?	✓		
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?	✓		
2.4	Surface run-off discharging into drainage system?	✓		
2.5	All manholes covered?	✓		
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?	✓		D
2.9	Processes or activities with high risk of contamination located under covered area?	√		Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	/		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	√			No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓			Not required
	a) Oil and grease removed regularly?	✓			
	b) Collected by licensed collector?	✓			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?		√		
2.16	Temporary stockpiles covered during rainstorms?	✓			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓			No sand/silt is generated from the recycling process
3. A	ir Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓			Not required
	a) SP Licence conditions / monitoring requirements comply?	√			
3.2	Operate without generation of noticeable odour?	√			No operation is observed during inspection
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	√			
	c) If odour control system is installed, is it operating normally?	✓			
3.3	Dusty materials dampened prior to loading/unloading?	√			No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	✓			
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	√			Dust-generating activity is not observed
3.6	Open burning prohibited?		√		
3.7	Emission from chimney or powered plant free of black smoke?	✓			No operation is observed during inspection
3.8	Vehicles and equipment switched off while not in use?		√		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	√			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?	√			No operation is observed during inspection
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	√			
	a) Obtained approval for the use of controlled refrigerant?	√			
	b) If yes, record of refrigeration equipment service available?	√			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		√		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed No stockpile of dusty
3.17 Stockpiles of dusty materials covered or regularly watered?	material is observed
3.18 Major dust source(s): Wind erosion	ehicle/equipment movement
Loading/unloading of materials Of	thers:
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50).	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	

SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage?									
4.22 Walls or partitions o	4.22 Walls or partitions of stacked container storage area constructed of impermeable material?								
5. Landfill Gas (LFG) (v	vithin LFG Consultation Zone)		N/A Ye	s No	Remarks				
5.1 Alert workers and vi	sitors of possible LFG hazards?								
5.2 Smoking and open fi	res prohibited?								
6. Others			N/A Ye	s No	Remarks				
6.1 Works confined with	nin lot boundaries?								
6.2 Damage to surround	ing areas avoided?								
6.3 Site lighting designe	d to avoid glare to surrounding receivers?		✓						
6.4 Materials and machi	nery stored in an orderly manner?								
6.5 Areas within lot for	recycling activities paved with concrete?								
6.6 Potential stagnant po	ools cleared and mosquito breeding prevented	d?							
6.7 Valid calibration cer	tificate for any monitoring equipment?		√		No monitoring is required				
6.8 Valid licence(s) obta	ined for manufacture or storage of dangerou	s goods?	✓		Not required				
a) Storage area in co	mpliance with the approved plan?		✓						
b) Storage area is see	curely locked?		✓						
c) Total storage capa	city in compliance with relevant statutory re	quirement?	✓						
d) Proper labelling p	rovided?		✓						
e) Dangerous goods	properly packaged?		✓						
Remarks:									
New Observations									
No major environme	ntal deficiency was observed.								
Signatures:									
ET Representative:	Operator Representative:	Tenant Represe	ntative:	IEC Re	presentative:				
A)		(e	۶	6	2				
Name Ronan CHAN	Name May Wu	Name (RENT	s y my	Name: F	Iazel CHEUNG				
Date: 2018/08/24	Date: 13/9/2018.	Date: 13/	1,2018	Date: 20	18/09/10				



	Inspection Date: 2018/09/18 Time: 10:45 Lot Number: T4 Tenant: Hong Kong Biomass (Wood)	Inspected by:		n CHAN I TSANG
Wea	<u>ther</u>			
	Condition: Sunny ✓ Fine Overcast Drizzle	Rain		Storm Hazy
	Temperature: 28 °C Humidity: ✓ High	Moderate		Low
	Wind: Calm Light Breeze Strong			
<u>1. G</u>	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓		EP for tenant is not required
1.2	Environmental Policy documented?	✓		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	√		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	√		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?	✓		
1.6	Any record of complaint or prosecution?		√	
<u>2. W</u>	ater Quality	N/A Yes	No	Remarks No wastewater is generated
2.1	Valid Effluent Discharge Licence available?	✓		from the recycling process
	a) Sampling record available?	✓		
	b) Monitoring frequency met the licence requirement?	√		
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	√		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓		
	a) Adequate capacity?	✓		
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?	✓		
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?	✓		
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	✓		
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?			Recycling process has low
2.9	Processes or activities with high risk of contamination located under covered area?	✓		risk of contamination Stop-logs are available for
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓		use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	√		Replacement activity is not observed



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓			No contaminated water is observed
2.13 Drainage from maintenance area discharged via oil interceptor?	\checkmark			Not required
a) Oil and grease removed regularly?	√			
b) Collected by licensed collector?	✓			
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓			Not required
2.15 Bulk cargo and materials packed properly?		√		
2.16 Temporary stockpiles covered during rainstorms?	\checkmark			No dusty stockpile is observed
2.17 Measures to prevent the washing away of sand/silt to drains?	√			No sand/silt is generated from the recycling process
3. Air Quality	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	✓			Not required
a) SP Licence conditions / monitoring requirements comply?	✓			
3.2 Operate without generation of noticeable odour?	√			No operation is observed during inspection
a) If odour is detected, can the source be identified?	√			
b) Odourous materials covered?	✓			
c) If odour control system is installed, is it operating normally?	√			
3.3 Dusty materials dampened prior to loading/unloading?	✓			No loading/unloading of dusty materials is observed
3.4 Dust monitoring record available?	\checkmark			Not required
a) Monitoring frequency met the licence requirement?	√			
b) Any exceedance?	√			
c) If exceedance is recorded, follow-up action taken?	√			
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e enclosures or regular dampening)?	. 🗸			Dust-generating activity is not observed
3.6 Open burning prohibited?		√		
3.7 Emission from chimney or powered plant free of black smoke?	√			No operation is observed during inspection
3.8 Vehicles and equipment switched off while not in use?		√		
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	√			Not required
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11 Air pollution control system properly maintained and function normally?	✓			No operation is observed during inspection
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	· 🗸			
a) Obtained approval for the use of controlled refrigerant?	✓			
b) If yes, record of refrigeration equipment service available?	✓			
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14 Public road around site entrance kept clean and free from dust?		√		




3.15 Materials transported on trucks covered?	Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion V	ehicle/equipment movement
Loading/unloading of materials O	thers:
4. Waste / Chemical Management	
General	N/A Yes No Remarks No chemical waste is
4.1 Registered as chemical waste producer?	observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	Verified via quarterly
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	report report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provid drip trays capable of storing 110% of the volume of the largest container (if quantity >50	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure sufficient to accommodate contents of the largest of 20% volume of the material in storage?	container 🗸 📗						
4.22	3.22 Walls or partitions of stacked container storage area constructed of impermeable material?							
5. La	andfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Remarks						
5.1	Alert workers and visitors of possible LFG hazards?							
5.2	Smoking and open fires prohibited?							
6. O	thers_	N/A Yes No Remarks						
6.1	Works confined within lot boundaries?							
6.2	Damage to surrounding areas avoided?							
6.3	Site lighting designed to avoid glare to surrounding receivers?							
6.4	Materials and machinery stored in an orderly manner?							
6.5	Areas within lot for recycling activities paved with concrete?							
6.6	Potential stagnant pools cleared and mosquito breeding prevented?							
6.7	Valid calibration certificate for any monitoring equipment?	✓ No monitoring is required						
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓ Not required						
	a) Storage area in compliance with the approved plan?							
	b) Storage area is securely locked?							
	c) Total storage capacity in compliance with relevant statutory requirement?							
	d) Proper labelling provided?							
	e) Dangerous goods properly packaged?							
Rem	narks:							
New	Observations							
•	No major environmental deficiency was observed.							
Sign	natures:							
ET F		er O						
Name	Ronan CHAN Name May Wu Name (RG	Name: Hazel CHEUNG Date: 2018/09/24						
Date:	2018/09/18 Date: 24 SEP 2018 Date: 4	Date: 2018/09/24						




Issue 1_____AEC



	Inspection Date: 2018/07/18 Time: 9:40 Lot Number: T1 Tenant: HP Telford	Inspected by:	David	I TSANG
Wea	<u>ither</u>			
	Condition: Sunny Fine Overcast Drizzle ✓ Temperature: 28 °C Humidity: ✓ High Wind: Calm ✓ Light Breeze Strong	Rain Moderate	=	Storm Hazy Low
<u>1. G</u>	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	√		EP for tenant is not required.
1.2	Environmental Policy documented?	✓		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?			
1.6	Any record of complaint or prosecution?		√	
<u>2. W</u>	<u>ater Quality</u>	N/A Yes	No	Remarks
2.1	Valid Effluent Discharge Licence available?	√		No wastewater is generated from recycling process
	a) Sampling record available?	✓		
	b) Monitoring frequency met the licence requirement?	√		
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	√		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓		
	a) Adequate capacity?	✓		
	b) Properly maintained and function normally?	√		
2.3	Surface run-off control measures in place and adequately maintained?	✓		
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?	✓		
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		✓	New Observation (1)
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?			Degraling masses had
2.9	Processes or activities with high risk of contamination located under covered area?	✓		Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓			No contaminated water was observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓			Not required
	a) Oil and grease removed regularly?	✓			-
	b) Collected by licensed collector?	✓			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?		√		
2.16	Temporary stockpiles covered during rainstorms?	✓			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	√			No sand/silt is generated from the recycling process
3. A	ir Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓			Not required
	a) SP Licence conditions / monitoring requirements comply?	√			No operation is observed
3.2	Operate without generation of noticeable odour?	✓			during inspection
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	✓			N 1 1 / 1 1 / 6
3.3	Dusty materials dampened prior to loading/unloading?	✓			No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	✓			-
	c) If exceedance is recorded, follow-up action taken?	✓			N. day
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	✓			No dust-generating activity is observed.
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?	✓			No operation is observed during inspection
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	√			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	√			Not required
3.11	Air pollution control system properly maintained and function normally?	✓			
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	√			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		√		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed No cooler its of shorts
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion Ve	hicle/equipment movement
Loading/unloading of materials ✓ Oth	hers: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provide drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	

SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest contain 20% volume of the material in storage?	ner 🗸 📗
4.22 Walls or partitions of stacked container storage area constructed of impermeable materia	al? 🗸 📗
5. Landfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Remarks
5.1 Alert workers and visitors of possible LFG hazards?	
5.2 Smoking and open fires prohibited?	
6. Others	N/A Yes No Remarks
6.1 Works confined within lot boundaries?	
6.2 Damage to surrounding areas avoided?	
6.3 Site lighting designed to avoid glare to surrounding receivers?	
6.4 Materials and machinery stored in an orderly manner?	
6.5 Areas within lot for recycling activities paved with concrete?	
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	
6.7 Valid calibration certificate for any monitoring equipment?	✓ Not required
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓ Not required
a) Storage area in compliance with the approved plan?	<u> </u>
b) Storage area is securely locked?	
c) Total storage capacity in compliance with relevant statutory requirement?	<u> </u>
d) Proper labelling provided?	
e) Dangerous goods properly packaged?	

Remarks:

New Observations

1) Oil stain was observed near the perimeter drain at the lot entrance. The tenant was requested to remove oil stain to prevent stormwater from chemical contamination.



(Observed on 18 July 2018)

SITE INSPECTION CHECKLIST



Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name: Hazel Cheung

Name David TSANG

Date: 2018/07/18

Name May Wu

Date:

13 AUG 2018


lame MRS LEG

Date:

15-8-2018 Date: 2018/08/10



	Inspection Date: 2018/09/18 Time: 9:40	Inspected by	Rones	n CHAN
	Lot Number: T1 Tenant: HP Telford	1		I TSANG
Wea	<u>ather</u>			
	Condition: Sunny ✓ Fine Overcast Drizzle	Rain		Storm Hazy
	Temperature: 28 °C Humidity: ✓ High	Moderate		Low
	Wind: ✓ Calm Light Breeze Strong			
1. G	eneral_	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓		EP for tenant is not required.
1.2	Environmental Policy documented?	✓		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?	✓		
1.6	Any record of complaint or prosecution?		√	
<u>2. W</u>	Vater Quality	N/A Yes	No	Remarks No wastewater is generated
2.1	Valid Effluent Discharge Licence available?	✓		from recycling process
	a) Sampling record available?	✓		
	b) Monitoring frequency met the licence requirement?	✓		
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	✓		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	√		
	a) Adequate capacity?	✓		
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?	✓		
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?	✓		
2.8	Drainage system well maintained to prevent flooding or overflow?	√		D :-
2.9	Processes or activities with high risk of contamination located under covered area?	✓		Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	V		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	$\overline{}$		Replacement activity is not observed



	ater collected in the surface drainage system is treated at water treatment appropriate treatment facility?	√			No contaminated water was observed
2.13 Drainage from m	naintenance area discharged via oil interceptor?	√			Not required
a) Oil and grease	e removed regularly?	√			
b) Collected by	licensed collector?	√			
	andling Guideline to minimise the chance of accidental spillage during ading adjacent to marine frontage?	√			Not required
2.15 Bulk cargo and r	naterials packed properly?		✓		
2.16 Temporary stock	piles covered during rainstorms?	√			No dusty stockpile is observed
2.17 Measures to prev	vent the washing away of sand/silt to drains?	✓			No sand/silt is generated from the recycling process
3. Air Quality		N/A	Yes	No	Remarks
3.1 Valid Specified I	Process (SP) Licence available for all specified process?	✓			Not required
a) SP Licence co	nditions/monitoring requirements comply?	√			N
3.2 Operate without	generation of noticeable odour?	√			No operation is observed during inspection
a) If odour is det	ected, can the source be identified?	√			
b) Odourous mat	rerials covered?	√			
c) If odour contro	ol system is installed, is it operating normally?	√			
3.3 Dusty materials	dampened prior to loading/unloading?	√			No loading/unloading of dusty materials is observed
3.4 Dust monitoring	record available?	√			Not required
a) Monitoring fre	equency met the licence requirement?	√			
b) Any exceedan	ce?	√			
c) If exceedance	is recorded, follow-up action taken?	√			N. I.
	n measures provided where main dust-generating activities take place (i.e. gular dampening)?	√			No dust-generating activity is observed.
3.6 Open burning pro	ohibited?		✓		
3.7 Emission from cl	himney or powered plant free of black smoke?	√			No operation is observed during inspection
3.8 Vehicles and equ	sipment switched off while not in use?		✓		
	al for installation/alteration of furnace, oven or chimney consuming over lour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	√			Not required
	al for the use of liquid fuel with a viscosity point of ignition >30 equivalent viscosity?	√			Not required
3.11 Air pollution cor	ntrol system properly maintained and function normally?	✓			
3.12 Dust collected by compliance for la	y any air pollution control equipment installed by tenants tested to ensure andfill disposal?	√			
a) Obtained appr	oval for the use of controlled refrigerant?	√			
b) If yes, record	of refrigeration equipment service available?	✓			
3.13 Only ultra-low si	ulphur diesel is used for activities requiring liquid fuel?	✓			
3.14 Public road arou	nd site entrance kept clean and free from dust?		√		




3.15 Materials transported on trucks covered?	✓ <u> </u>	Not observed
3.16 Truck loads to a level within the side and tail boards?		Not observed No stockpile of dusty
3.17 Stockpiles of dusty materials covered or regularly watered?	/	material is observed
3.18 Major dust source(s): Wind erosion Vo	ehicle/equipment move	ement
Loading/unloading of materials On	thers: n/a	
4. Waste / Chemical Management		
General	N/A Yes No	Remarks
4.1 Registered as chemical waste producer?		No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?		
4.3 Disposed of regularly and properly?		
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?		
4.5 Records of quantities of waste generated, recycled and disposed properly kept?		Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	/	
Packaging of Chemical Waste		
4.7 Stored in suitable container?	✓ □ □	
4.8 Container properly closed or sealed?	✓ □ □	
4.9 Spillage cleaned up immediately through the use of absorbent?	✓	
4.10 Obtained approval for the use of chemical waste container >450L?	✓ □ □	
Labelling of Chemical Waste		
4.11 Provision of chemical waste label?	✓	
a) Label is securely attached and visible?	✓	
b) Label is bilingual and in proper dimension?	✓ □ □	
c) Information is accurate and sufficient?	✓	
Storage of Chemical Waste		
4.12 Proper "Chemical Waste" sign displayed?	✓	
4.13 Incompatible wastes separated by impermeable partition?		
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity $<$ 50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity $>$ 50 cm.		
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	V	
4.16 Properly stored and locked in designated area with adequate ventilation?	✓	
4.17 Storage area paved with concrete and kept clean and dry?		
4.18 Cover provided for outdoor storage area?	✓ □ □	
4.19 Chemical waste collected by licensed collector?	✓ □ □	
<u>Liquid Waste Storage</u>		
4.20 Storage area provided with permeation-proof floor or surface?	✓	

SITE INSPECTION CHECKLIST



4.21	4.21 Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage?								
4.22	.22 Walls or partitions of stacked container storage area constructed of impermeable material?								
5. L	andfill Gas (LFG) (within LF	G Consultation Zone)		N/A Yes	No Rei	marks			
5.1	Alert workers and visitors of p	oossible LFG hazards?		✓					
5.2	Smoking and open fires prohil	pited?							
<u>6. O</u>	thers			N/A Yes	No Rei	marks			
6.1	Works confined within lot box	undaries?		✓					
6.2	Damage to surrounding areas	avoided?		 ✓					
6.3	Site lighting designed to avoid	I glare to surrounding receivers?		√					
6.4	Materials and machinery store	d in an orderly manner?		✓					
6.5	Areas within lot for recycling	activities paved with concrete?		✓					
6.6	Potential stagnant pools cleared	ed and mosquito breeding prevente	ed?	✓					
6.7	Valid calibration certificate fo	r any monitoring equipment?		√	Not	required			
6.8	Valid licence(s) obtained for r	manufacture or storage of dangero	us goods?	√	Not	required			
	a) Storage area in compliance	with the approved plan?		√					
	b) Storage area is securely loc	ked?		√					
	c) Total storage capacity in co	mpliance with relevant statutory r	equirement?	√					
	d) Proper labelling provided?			√					
	e) Dangerous goods properly p	packaged?		V					
Ren	narks:								
New	Observations								
•	No major environmental defic	iency was observed.							
	natures:	Operator Penrocentativa	Tonant Panrasa	ntativa	IEC Danvac	ontativa			
EII	Representative:	Operator Representative:	Tenant Represe	шапуе:	IEC Represe	emauve:			
	(1)		25		/				
Name	e Ronan CHAN	Name May Wu	Name LEG A	trag TAK	Name:				
Date:	2018/09/18	Date: 2 4 SEP 2018	Date: 27 -	9- 2018	Date:				



Issue 1_____AEC




	Inspection Date: 2018/07/18 Time: 12:00 Lot Number: P13 Tenant: Chung Yue	Inspected by:	David	i TSANG
Wea	Condition: Sunny Fine Overcast Drizzle Temperature: 28 °C Humidity: High	Rain Moderate		Storm Hazy Low
1 G	Wind: Calm ✓ Light Breeze Strong eneral	N/A Yes	No	Remarks
1.1 1.2 1.3 1.4	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented? (a) Drill or training records available? All recycling processes in operation have been approved by WFBU?	V		EP for tenant is not required UPML's Environmental Policy is followed UPML's EMP is followed UPML's ERP is followed Subject to tenant's provision
1.6	Any record of complaint or prosecution?		✓	
	Valid Effluent Discharge Licence available?	N/A Yes	No	Remarks No wastewater is generated from recycling process
	a) Sampling record available?b) Monitoring frequency met the licence requirement?c) Monitoring result comply with the licence requirement?d) If exceedance is recorded, any follow-up action taken?	Y Y Y Y Y		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge? a) Adequate capacity? b) Properly maintained and function normally?	✓✓✓✓		
2.32.42.5	Surface run-off control measures in place and adequately maintained? Surface run-off discharging into drainage system? All manholes covered?			
2.62.72.8	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer? Storage of materials and equipment located away from water bodies? Drainage system well maintained to prevent flooding or overflow?			
2.9	Processes or activities with high risk of contamination located under covered area? Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓		Recycling process has low risk of contamination Stop-logs are available for use by tenant if needed
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	√		Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	√			No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	√			Not required
	a) Oil and grease removed regularly?	√			Not required
	b) Collected by licensed collector?	√			Not required
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?		✓		
2.15	Bulk cargo and materials packed properly?		√		
2.16	Temporary stockpiles covered during rainstorms?	√			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓			No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓			Not required
	a) SP Licence conditions / monitoring requirements comply?	√			
3.2	Operate without generation of noticeable odour?		√		
	a) If odour is detected, can the source be identified?	√			
	b) Odourous materials covered?	√			
	c) If odour control system is installed, is it operating normally?	√			
3.3	Dusty materials dampened prior to loading/unloading?		√		
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	√			
	b) Any exceedance?	√			
	c) If exceedance is recorded, follow-up action taken?	√			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		√		
3.6	Open burning prohibited?		√		
3.7	Emission from chimney or powered plant free of black smoke?		✓		
3.8	Vehicles and equipment switched off while not in use?		√		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	√			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	√			Not required
3.11	Air pollution control system properly maintained and function normally?	√			Not required
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	√			
	a) Obtained approval for the use of controlled refrigerant?	√			
	b) If yes, record of refrigeration equipment service available?	√			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	√			
3.14	Public road around site entrance kept clean and free from dust?		√		




3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
✓ Loading/unloading of materials	Others: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is generated during recycling
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or prodrip trays capable of storing 110% of the volume of the largest container (if quantity	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / sta of containers?	ck 🗸 🗌
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	✓ □ □ □



4.21 Capacity of retention structure sufficient to accommodate contents of the largest container						
20% volume of the material 4.22 Walls or partitions of stacket	an storage? ed container storage area constructe	ed of impermeable material?	? 🗸 🗀 🗀]		
5. Landfill Gas (LFG) (within 1	LFG Consultation Zone)		N/A Yes No	Remarks Outside LFG consultation		
5.1 Alert workers and visitors o	f possible LFG hazards?		✓	zone		
5.2 Smoking and open fires pro	hibited?]		
6. Others			N/A Yes No	Remarks		
6.1 Works confined within lot b	ooundaries?]		
6.2 Damage to surrounding area	as avoided?]		
6.3 Site lighting designed to avo	oid glare to surrounding receivers?		✓]		
6.4 Materials and machinery sto	ored in an orderly manner?]		
6.5 Areas within lot for recyclin	ng activities paved with concrete?]		
6.6 Potential stagnant pools clea	ared and mosquito breeding preven	ted?]		
6.7 Valid calibration certificate	for any monitoring equipment?		✓	Not required		
6.8 Valid licence(s) obtained fo	r manufacture or storage of danger	ous goods?	✓	Not required		
a) Storage area in compliance	ce with the approved plan?]		
b) Storage area is securely l	ocked?		✓]		
c) Total storage capacity in	compliance with relevant statutory	requirement?]		
d) Proper labelling provided	1?]		
e) Dangerous goods properl	y packaged?]		
Remarks:						
New Observations						
· No major environmental de	ficiency was observed.					
Signatures:						
ET Representative:	Operator Representative:	Tenant Representation	ve: IEC R	Representative:		
David	M	32				
Name David TSANG	Name May Wu	Name 3 7 18	Name:			
Date: 2018/07/18	Date: 13 AUG 2018	Date: 1 5 8 (18	Date:			



	Inspection Date: 2018/08/24 Time: 12:00 Lot Number: P13 Tenant: Chung Yue	Inspected by		n CHAN I TSANG
	Lot rumoer. 113 Tellant. Chang Luc			
Wea	<u>ather</u>			
	Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 29 °C Humidity: ✓ High Wind: ✓ Calm Light Breeze Strong	Rain Moderate		Storm Hazy Low
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?			EP for tenant is not required
1.2	Environmental Policy documented?			UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?			UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?			UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?	✓		
1.6	Any record of complaint or prosecution?		√	
<u>2. W</u>	Vater Quality	N/A Yes	No	Remarks No wastewater is generated
2.1	Valid Effluent Discharge Licence available?	✓		from recycling process
	a) Sampling record available?	√		
	b) Monitoring frequency met the licence requirement?	√		
	c) Monitoring result comply with the licence requirement?	√		
	d) If exceedance is recorded, any follow-up action taken?	✓		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓		
	a) Adequate capacity?	√		
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?	✓		
2.4	Surface run-off discharging into drainage system?	✓		
2.5	All manholes covered?			
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?	✓		
2.8	Drainage system well maintained to prevent flooding or overflow?	✓		D
2.9	Processes or activities with high risk of contamination located under covered area?	✓		Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	V		Stop-logs are available for use by tenant if needed
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?			Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	√			No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓			Not required
	a) Oil and grease removed regularly?	✓			Not required
	b) Collected by licensed collector?	✓			Not required
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?		√		
2.15	Bulk cargo and materials packed properly?		✓		
2.16	Temporary stockpiles covered during rainstorms?	✓			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	√			No sand/silt is generated from the recycling process
3. A	ir Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓			Not required
	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?		✓		
	a) If odour is detected, can the source be identified?	√			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	✓			
3.3	Dusty materials dampened prior to loading/unloading?		✓		
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	✓			
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		✓		
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?		✓		
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	√			Not required
3.11	Air pollution control system properly maintained and function normally?	✓			Not required
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	√			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	√			
3.14	Public road around site entrance kept clean and free from dust?		✓		



3.15 Materials transported on trucks covered?	
3.16 Truck loads to a level within the side and tail boards?	
3.17 Stockpiles of dusty materials covered or regularly watered?	No dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
✓ Loading/unloading of materials	Others: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is generated during recycling
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or produced the distribution of the largest container (if quantity capable of storing 110% of the volume of the largest container (if quantity capable of storing 110%).	•
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / s of containers?	stack 🗸 📗
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	✓ □ □
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	


SITE INSPECTION CHECKLIST




4.21	4.21 Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage?							
4.22	4.22 Walls or partitions of stacked container storage area constructed of impermeable material?							
<u>5. L</u>	andfill Gas (LFG) (within LF	G Consultation Zone)		N/A Ye	es No	Remarks Outside LFG consultation		
5.1	Alert workers and visitors of	possible LFG hazards?		√		zone		
5.2	Smoking and open fires prohi	bited?						
<u>6. O</u>	thers			N/A Ye	es No	Remarks		
6.1	Works confined within lot bo	undaries?						
6.2	Damage to surrounding areas	avoided?						
6.3	Site lighting designed to avoid	d glare to surrounding receivers?		√				
6.4	Materials and machinery store	ed in an orderly manner?						
6.5	Areas within lot for recycling	activities paved with concrete?						
6.6	Potential stagnant pools cleared	ed and mosquito breeding preven	ted?					
6.7	Valid calibration certificate for	or any monitoring equipment?		✓		Not required		
6.8	Valid licence(s) obtained for	manufacture or storage of danger	ous goods?	✓		Not required		
	a) Storage area in compliance	with the approved plan?		✓				
	b) Storage area is securely loc	eked?		√				
	c) Total storage capacity in co	ompliance with relevant statutory	requirement?	√				
	d) Proper labelling provided?			√				
	e) Dangerous goods properly	packaged?		✓				
Ren	narks:							
New	Observations							
	No major environmental defic	ciency was observed.						
Sign	natures:							
ET I	Representative:	Operator Representative:	Tenant Represe	ntative:	IEC Re	presentative:		
	A)		The state of the s	2/1	6	2		
Namo	e Ronan CHAN	Name May Wu	Name 3	ACT .	Name: H	lazel CHEUNG		
Date:	2018/08/24	Date: 1 3 SEP 2018	Date: \ 2 9	208	Date: 20	18/09/10		



	2010/00/10			
	Inspection Date: 2018/09/18 Time: 12:00	Inspected by:		n CHAN 1 TSANG
	Lot Number: P13 Tenant: Chung Yue		Duvio	. 10/11/0
Wea	<u>ather</u>			
	Condition: Sunny Fine Overcast Drizzle	Rain		Storm Hazy
	Temperature: 28 °C Humidity: ✓ High	Moderate		Low
	Wind: ✓ Calm Light Breeze Strong			
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓		EP for tenant is not required
1.2	Environmental Policy documented?	✓		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?	✓		
1.6	Any record of complaint or prosecution?		√	
<u>2. W</u>	Vater Quality	N/A Yes	No	Remarks
2.1	Valid Effluent Discharge Licence available?	✓		No wastewater is generated from recycling process
	a) Sampling record available?	✓		
	b) Monitoring frequency met the licence requirement?	√		
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	√		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓		
	a) Adequate capacity?	√		
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?	✓		
2.4	Surface run-off discharging into drainage system?	✓		
2.5	All manholes covered?			
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?			Decivoling may are been
2.9	Processes or activities with high risk of contamination located under covered area?	✓		Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓		Stop-logs are available for use by tenant if needed
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	√			No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓			Not required
	a) Oil and grease removed regularly?	√			Not required
	b) Collected by licensed collector?	√			Not required
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?		✓		
2.15	Bulk cargo and materials packed properly?		√		
2.16	Temporary stockpiles covered during rainstorms?	√			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	√			No sand/silt is generated from the recycling process
3. Ai	ir Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	√			Not required
	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?		√		
	a) If odour is detected, can the source be identified?	√			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	√			
3.3	Dusty materials dampened prior to loading/unloading?		✓		
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	√			
	b) Any exceedance?	√			
	c) If exceedance is recorded, follow-up action taken?	√			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		✓		
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?		✓		
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	√			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?	✓			Not required
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	√			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		√		



3.15 Materials transported on trucks covered?	Not observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
✓ Loading/unloading of materials	Others: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is generated during recycling
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or prodrip trays capable of storing 110% of the volume of the largest container (if quantity	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / star of containers?	ck 🗸 🗌
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	

SITE INSPECTION CHECKLIST




4.21	Capacity of retention structure sufficient to accom 20% volume of the material in storage?	modate contents of the l	argest container			·
4.22	Walls or partitions of stacked container storage are	ea constructed of impern	neable material?			
5. La	andfill Gas (LFG) (within LFG Consultation Zon	<u>ne)</u>	N/A	Yes	No	Remarks
5.1	Alert workers and visitors of possible LFG hazard	s?	✓			Outside LFG consultation zone
5.2	Smoking and open fires prohibited?			√		
<u>6. O</u>	thers_		N/A	Yes	No	Remarks
6.1	Works confined within lot boundaries?			✓		
6.2	Damage to surrounding areas avoided?			√		
6.3	Site lighting designed to avoid glare to surroundin	g receivers?	\checkmark			
6.4	Materials and machinery stored in an orderly manu	ner?		✓		
6.5	Areas within lot for recycling activities paved with	concrete?		√		
6.6	Potential stagnant pools cleared and mosquito bree	eding prevented?		√		
6.7	Valid calibration certificate for any monitoring equ	uipment?	\checkmark			Not required
6.8	Valid licence(s) obtained for manufacture or storage	ge of dangerous goods?	✓			Not required
	a) Storage area in compliance with the approved p	lan?	✓			
	b) Storage area is securely locked?		✓			
	c) Total storage capacity in compliance with releva	ant statutory requiremen	t? ✓			
	d) Proper labelling provided?		✓			
	e) Dangerous goods properly packaged?		✓			
Rem	arks:					
New	Observations					
	No major environmental deficiency was observed.					
Sign	atures:					
ET F	Representative: Operator Represent	rative: Tena	ant Representative:		IEC Re	presentative:
Nama	Ronan CHAN Name	Name	Z Z M		Name:	
railit	Konan CHAN May Wu	radille	イルリの		rame.	

Date: 36/9/2018

Date: 2018/09/18

Date:

24 SEP 2018




Issue 1_____AEC

EcoPark Operation SITE INSPECTION CHECKLIST



	2010/07/10			
	Inspection Date: 2018/07/18 Time: 11:35 Lot Number: P11 Tenant: K. Wah	Inspected by:	David	I TSANG
Wea	ther			
,,,	Condition: Sunny Fine Overcast Drizzle Temperature: 28 °C Humidity: High Wind: Calm Light Breeze Strong	Rain Moderate	=	Storm Hazy Low
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	\checkmark		EP for tenant is not required.
1.2	Environmental Policy documented?			UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?			
1.6	Any record of complaint or prosecution?		√	
2. W	ater Quality	N/A Yes	No	Remarks
2.1	Valid Effluent Discharge Licence available?	✓		Wastewater is reused.
	a) Sampling record available?	✓		
	b) Monitoring frequency met the licence requirement?	√		
	c) Monitoring result comply with the licence requirement?	√		
	d) If exceedance is recorded, any follow-up action taken?	√		Sedimentation pit is
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?			provided
	a) Adequate capacity?	✓		
	b) Properly maintained and function normally?			
2.3	Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?	✓		
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		✓	New Observation (1)
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?			
2.9	Processes or activities with high risk of contamination located under covered area?			Stop-logs are available for
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓		use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	t	✓		
2.13 Drainage from maintenance area discharged via oil interceptor?	✓			Not required
a) Oil and grease removed regularly?	✓			
b) Collected by licensed collector?	✓			
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓			Not required
2.15 Bulk cargo and materials packed properly?		√		
2.16 Temporary stockpiles covered during rainstorms?		✓		
2.17 Measures to prevent the washing away of sand/silt to drains?		√		
3. Air Quality	N/A	Yes	No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?		√		
a) SP Licence conditions / monitoring requirements comply?		✓		Quarterly reporting on quantity of raw material and product (up to Apr 2018)
3.2 Operate without generation of noticeable odour?		✓		
a) If odour is detected, can the source be identified?	√			
b) Odourous materials covered?	✓			
c) If odour control system is installed, is it operating normally?	✓			
3.3 Dusty materials dampened prior to loading/unloading?	✓			No loading/unloading is observed
3.4 Dust monitoring record available?		√		required by SP Licence (up to Jun 2018)
a) Monitoring frequency met the licence requirement?		√		
b) Any exceedance?	✓			No specific standard is provided in SP Licence
c) If exceedance is recorded, follow-up action taken?	✓			
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e enclosures or regular dampening)?	e	√		Enclousures and sprinkler system are provided
3.6 Open burning prohibited?		✓		
3.7 Emission from chimney or powered plant free of black smoke?		✓		
3.8 Vehicles and equipment switched off while not in use?		✓		
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming ove 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	er 🗸			
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	√			
3.11 Air pollution control system properly maintained and function normally?		√		Maintenance record to be provided
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensur compliance for landfill disposal?	re 🗸			
a) Obtained approval for the use of controlled refrigerant?	√			
b) If yes, record of refrigeration equipment service available?	✓			
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	√			
3.14 Public road around site entrance kept clean and free from dust?		\checkmark		



3.15 Materials transported on trucks covered?	✓ Not observed				
3.16 Truck loads to a level within the side and tail boards?	Not observed				
3.17 Stockpiles of dusty materials covered or regularly watered?					
3.18 Major dust source(s): Wind erosion Vo	ehicle/equipment movement				
Loading/unloading of materials Of	thers:				
4. Waste / Chemical Management					
General	N/A Yes No Remarks				
4.1 Registered as chemical waste producer?					
4.2 Sufficient receptacles (e.g. rubbish bins) available?	✓				
4.3 Disposed of regularly and properly?					
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?					
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	Verified via quarterly report				
4.6 Collection of sludge by licensed collector at regular intervals?					
Packaging of Chemical Waste					
4.7 Stored in suitable container?					
4.8 Container properly closed or sealed?					
4.9 Spillage cleaned up immediately through the use of absorbent?					
4.10 Obtained approval for the use of chemical waste container >450L?					
Labelling of Chemical Waste					
4.11 Provision of chemical waste label?					
a) Label is securely attached and visible?					
b) Label is bilingual and in proper dimension?					
c) Information is accurate and sufficient?					
Storage of Chemical Waste					
4.12 Proper "Chemical Waste" sign displayed?					
4.13 Incompatible wastes separated by impermeable partition?	Not observed				
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity $<50L$), or provide drip trays capable of storing 110% of the volume of the largest container (if quantity >50					
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?					
4.16 Properly stored and locked in designated area with adequate ventilation?					
4.17 Storage area paved with concrete and kept clean and dry?					
4.18 Cover provided for outdoor storage area?					
4.19 Chemical waste collected by licensed collector?					
Liquid Waste Storage					
4.20 Storage area provided with permeation-proof floor or surface?					

EcoPark Operation SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest cont 20% volume of the material in storage?	ainer or
4.22 Walls or partitions of stacked container storage area constructed of impermeable materials.	erial?
5. Landfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Remarks Outside LFG consultation
5.1 Alert workers and visitors of possible LFG hazards?	✓ zone
5.2 Smoking and open fires prohibited?	
<u>6. Others</u>	N/A Yes No Remarks
6.1 Works confined within lot boundaries?	
6.2 Damage to surrounding areas avoided?	
6.3 Site lighting designed to avoid glare to surrounding receivers?	
6.4 Materials and machinery stored in an orderly manner?	
6.5 Areas within lot for recycling activities paved with concrete?	
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	
6.7 Valid calibration certificate for any monitoring equipment?	Not provided
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	Not required
a) Storage area in compliance with the approved plan?	
b) Storage area is securely locked?	
c) Total storage capacity in compliance with relevant statutory requirement?	
d) Proper labelling provided?	
e) Dangerous goods properly packaged?	✓

SITE INSPECTION CHECKLIST



Remarks:

New Observations

1) Oil stain was observed on the ground of stocking areas. The tenant was requested to remove oil stain to prevent stormwater from chemical contamination during rain season.



(Observed on 18 July 2018)

Signatures:

ET Representative:

Name David TSANG

Date: 2018/07/18

Operator Representative:

Name

me MayWu

Date:

1 3 AUG 2018

Tenant Representative:

ame V2

Date


IEC Representative:

Name:

Date:



	Inspection Date: 2018/08/24 Time: 11:35	Inspected by	Dono	п СЦАМ
	Lot Number: P11 Tenant: K. Wah	Impected by		n CHAN I TSANG
Wea	<u>ather</u>			
	Condition: Sunny Fine ✓ Overcast Drizzle	Rain		Storm Hazy
	Temperature: 29 °C Humidity: ✓ High	Moderate		Low
	Wind:			
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓		EP for tenant is not required.
1.2	Environmental Policy documented?			UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?			UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?	✓		
1.6	Any record of complaint or prosecution?		√	
<u>2. W</u>	Vater Quality	N/A Yes	No	Remarks
2.1	Valid Effluent Discharge Licence available?	✓		Wastewater is reused.
	a) Sampling record available?	√		
	b) Monitoring frequency met the licence requirement?	√		
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	√		Sedimentation pit is
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?			provided
	a) Adequate capacity?	✓		
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?	✓		
2.4	Surface run-off discharging into drainage system?	✓		
2.5	All manholes covered?	✓		
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			Follow-up Observation (1)
2.7	Storage of materials and equipment located away from water bodies?	✓		-
2.8	Drainage system well maintained to prevent flooding or overflow?	✓		
2.9	Processes or activities with high risk of contamination located under covered area?	✓		Con land 111 C
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	V		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	$\overline{}$		Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?		✓		
2.13	Drainage from maintenance area discharged via oil interceptor?	✓			Not required
	a) Oil and grease removed regularly?	✓			
	b) Collected by licensed collector?	✓			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?		√		
2.16	Temporary stockpiles covered during rainstorms?	✓			Not observed
2.17	Measures to prevent the washing away of sand/silt to drains?		✓		Fall gradient is provided to avoid runoff from operation area to drain.
3. A	ir Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		✓		
	a) SP Licence conditions/monitoring requirements comply?		√		Quarterly reporting on quantity of raw material and product (up to Jul 2018)
3.2	Operate without generation of noticeable odour?		✓		
	a) If odour is detected, can the source be identified?	√			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	✓			
3.3	Dusty materials dampened prior to loading/unloading?		✓		
3.4	Dust monitoring record available?		✓		Measurement of 24-hr RSP required by SP Licence (up to Jul 2018)
	a) Monitoring frequency met the licence requirement?		√		
	b) Any exceedance?	✓			No specific standard is provided in SP Licence
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		√		Enclousures and sprinkler system are provided
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?		✓		
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	√			
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	√			
3.11	Air pollution control system properly maintained and function normally?		√		Maintenance record to be provided
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	√			
	a) Obtained approval for the use of controlled refrigerant?	√			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		✓		




3.15 Materials transported on trucks covered?	
3.16 Truck loads to a level within the side and tail boards?	
3.17 Stockpiles of dusty materials covered or regularly watered?	
3.18 Major dust source(s): Wind erosion ✓ Ve	ehicle/equipment movement
Loading/unloading of materials Ot	hers:
4. Waste / Chemical Management	
<u>General</u>	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	✓ □ □
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	New Observation (1)
c) Information is accurate and sufficient?	New Observation (1)
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	✓ Not observed
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provide drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	No chemical waste has been collected and removed from the lot. Licensed collector will be engaged when removal is arranged.
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	

EcoPark Operation SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest 20% volume of the material in storage?	container or
4.22 Walls or partitions of stacked container storage area constructed of impermeable	material?
5. Landfill Gas (LFG) (within LFG Consultation Zone)5.1 Alert workers and visitors of possible LFG hazards?5.2 Smoking and open fires prohibited?	N/A Yes No Remarks Outside LFG consultation zone
6. Others	N/A Yes No Remarks
6.1 Works confined within lot boundaries?	
6.2 Damage to surrounding areas avoided?	
6.3 Site lighting designed to avoid glare to surrounding receivers?	
6.4 Materials and machinery stored in an orderly manner?	
6.5 Areas within lot for recycling activities paved with concrete?	
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	
6.7 Valid calibration certificate for any monitoring equipment?	Not provided
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	Not required
a) Storage area in compliance with the approved plan?	
b) Storage area is securely locked?	
c) Total storage capacity in compliance with relevant statutory requirement?	
d) Proper labelling provided?	
e) Dangerous goods properly packaged?	

SITE INSPECTION CHECKLIST



Remarks:

Follow-up from Previous Audits

1) Oil stain on the ground of stocking areas had been removed.



(Observed on 18 July 2018)



(Observed on 24 August 2018)

New Observations

1) Inappropriate labels for chemical waste were shown on the surface of containers in chemical waste storage area. The tenant should provide proper chemical waste label in accordance with Schedule 2 of Waste Disposal (Chemical Waste) (General) Regulation (Cap. 354C) for better identification.



(Observed on 24 August 2018)

Signatures:

ET Representative:

Name Ronan CHAN

Date: 2018/08/24

Operator Representative:

Name May Wu

Date: 13 SEP 2018

Tenant Representative:

Name /

Date:


IEC Representative:

Name: Hazel CHEUNG

Date: 2018/09/10



	Inspection Date: 2018/08/24 Time: 11:35	Inspected by	Dono	п СЦАМ
	Lot Number: P11 Tenant: K. Wah	Impected by		n CHAN I TSANG
Wea	<u>ather</u>			
	Condition: Sunny Fine ✓ Overcast Drizzle	Rain		Storm Hazy
	Temperature: 29 °C Humidity: ✓ High	Moderate		Low
	Wind:			
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓		EP for tenant is not required.
1.2	Environmental Policy documented?			UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?			UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?	✓		
1.6	Any record of complaint or prosecution?		√	
<u>2. W</u>	Vater Quality	N/A Yes	No	Remarks
2.1	Valid Effluent Discharge Licence available?	✓		Wastewater is reused.
	a) Sampling record available?	√		
	b) Monitoring frequency met the licence requirement?	√		
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	√		Sedimentation pit is
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?			provided
	a) Adequate capacity?	✓		
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?	✓		
2.4	Surface run-off discharging into drainage system?	✓		
2.5	All manholes covered?	✓		
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			Follow-up Observation (1)
2.7	Storage of materials and equipment located away from water bodies?	✓		-
2.8	Drainage system well maintained to prevent flooding or overflow?	✓		
2.9	Processes or activities with high risk of contamination located under covered area?	✓		Granda and Hall S
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	V		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	$\overline{}$		Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?		✓		
2.13	Drainage from maintenance area discharged via oil interceptor?	✓			Not required
	a) Oil and grease removed regularly?	✓			
	b) Collected by licensed collector?	✓			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?		√		
2.16	Temporary stockpiles covered during rainstorms?	✓			Not observed
2.17	Measures to prevent the washing away of sand/silt to drains?		✓		Fall gradient is provided to avoid runoff from operation area to drain.
3. A	ir Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		✓		
	a) SP Licence conditions/monitoring requirements comply?		√		Quarterly reporting on quantity of raw material and product (up to Jul 2018)
3.2	Operate without generation of noticeable odour?		✓		
	a) If odour is detected, can the source be identified?	√			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	✓			
3.3	Dusty materials dampened prior to loading/unloading?		✓		
3.4	Dust monitoring record available?		✓		Measurement of 24-hr RSP required by SP Licence (up to Jul 2018)
	a) Monitoring frequency met the licence requirement?		√		
	b) Any exceedance?	✓			No specific standard is provided in SP Licence
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		√		Enclousures and sprinkler system are provided
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?		✓		
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	√			
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	√			
3.11	Air pollution control system properly maintained and function normally?		√		Maintenance record to be provided
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	√			
	a) Obtained approval for the use of controlled refrigerant?	√			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		✓		




3.15 Materials transported on trucks covered?	
3.16 Truck loads to a level within the side and tail boards?	
3.17 Stockpiles of dusty materials covered or regularly watered?	
3.18 Major dust source(s): Wind erosion ✓ Ve	ehicle/equipment movement
Loading/unloading of materials Ot	hers:
4. Waste / Chemical Management	
<u>General</u>	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	New Observation (1)
c) Information is accurate and sufficient?	New Observation (1)
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	✓ Not observed
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provide drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	No chemical waste has been collected and removed from the lot. Licensed collector will be engaged when removal is arranged.
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	

EcoPark Operation SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest 20% volume of the material in storage?	container or
4.22 Walls or partitions of stacked container storage area constructed of impermeable	material?
5. Landfill Gas (LFG) (within LFG Consultation Zone)5.1 Alert workers and visitors of possible LFG hazards?5.2 Smoking and open fires prohibited?	N/A Yes No Remarks Outside LFG consultation zone
6. Others	N/A Yes No Remarks
6.1 Works confined within lot boundaries?	
6.2 Damage to surrounding areas avoided?	
6.3 Site lighting designed to avoid glare to surrounding receivers?	
6.4 Materials and machinery stored in an orderly manner?	
6.5 Areas within lot for recycling activities paved with concrete?	
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	
6.7 Valid calibration certificate for any monitoring equipment?	Not provided
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	Not required
a) Storage area in compliance with the approved plan?	
b) Storage area is securely locked?	
c) Total storage capacity in compliance with relevant statutory requirement?	
d) Proper labelling provided?	
e) Dangerous goods properly packaged?	

SITE INSPECTION CHECKLIST



Remarks:

Follow-up from Previous Audits

1) Oil stain on the ground of stocking areas had been removed.



(Observed on 18 July 2018)



(Observed on 24 August 2018)

New Observations

1) Inappropriate labels for chemical waste were shown on the surface of containers in chemical waste storage area. The tenant should provide proper chemical waste label in accordance with Schedule 2 of Waste Disposal (Chemical Waste) (General) Regulation (Cap. 354C) for better identification.



(Observed on 24 August 2018)

Signatures:

ET Representative:

Name Ronan CHAN

Date: 2018/08/24

Operator Representative:

Name May Wu

Date: 13 SEP 2018

Tenant Representative:


Name /

Date:

IEC Representative:

Name: Hazel CHEUNG

Date: 2018/09/10



Issue 1_____AEC



	Inspection Date: 2018/07/18 Time: 9:50 Lot Number: P12 Tenant: South China	Inspected by: David TSANG
Wea	ther Condition: Sunny Fine Overcast Drizzle ✓ Temperature: 28 °C Humidity: ✓ High Wind: Calm ✓ Light Breeze Strong	Rain Storm Hazy Moderate Low
1. G	eneral	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented?	EP for tenant is not required. UPML's Environmental Policy is followed
	Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented? (a) Drill or training records available?	✓ UPML's EMP is followed ✓ UPML's ERP is followed ✓ Subject to tenant's provision
	All recycling processes in operation have been approved by WFBU? Any record of complaint or prosecution?	
<u>2. W</u>	ater Quality	N/A Yes No Remarks Prohibition of discharging
	Valid Effluent Discharge Licence available? a) Sampling record available? b) Monitoring frequency met the licence requirement? c) Monitoring result comply with the licence requirement? d) If exceedance is recorded, any follow-up action taken? Provision of wastewater treatment facility (WTF) prior to discharge? a) Adequate capacity? b) Properly maintained and function normally?	wastewater to communal sewer by the enforcement unit of EPD Discharge is suspended temporarily. Wastewater is tanked away. for temporary storage in the underground storage tank Wastewater is tanked away.
2.42.5	Surface run-off control measures in place and adequately maintained? Surface run-off discharging into drainage system? All manholes covered? Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	Manholes near the cleaning area are sealed ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
	Storage of materials and equipment located away from water bodies? Drainage system well maintained to prevent flooding or overflow? Processes or activities with high risk of contamination located under covered area?	Stop-logs are available for
	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out? Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓ use by tenant if needed. Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?		✓		Wastewater is tanked away
2.13	Drainage from maintenance area discharged via oil interceptor?	√			Wastewater is tanked away
	a) Oil and grease removed regularly?	√			
	b) Collected by licensed collector?	√			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?	√			Not required
2.16	Temporary stockpiles covered during rainstorms?	√			
2.17	Measures to prevent the washing away of sand/silt to drains?	✓			No sand/silt is generated from the recycling process
3. A	ir Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	√			
	a) SP Licence conditions / monitoring requirements comply?	√			
3.2	Operate without generation of noticeable odour?		√		
	a) If odour is detected, can the source be identified?	√			
	b) Odourous materials covered?		√		
	c) If odour control system is installed, is it operating normally?		√		Air curtain is operating and roller shutter is partially lowered.
3.3	Dusty materials dampened prior to loading/unloading?	✓			Dusty material is not observed
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	√			
	b) Any exceedance?	√			
	c) If exceedance is recorded, follow-up action taken?	√			Destarranting
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	√			Dust-generating activity is not observed
3.6	Open burning prohibited?		√		
3.7	Emission from chimney or powered plant free of black smoke?		√		
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	√			
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	√			
3.11	Air pollution control system properly maintained and function normally?		√		Regular replacement of activated carbon filter
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	√			
	a) Obtained approval for the use of controlled refrigerant?	√			
	b) If yes, record of refrigeration equipment service available?	√			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	√			
3.14	Public road around site entrance kept clean and free from dust?		✓		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed No stockpile of dusty
3.17 Stockpiles of dusty materials covered or regularly watered?	material is observed
3.18 Major dust source(s): Wind erosion Ve	ehicle/equipment movement
Loading/unloading of materials ✓ Of	thers: <u>n/a</u>
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	
Packaging of Chemical Waste	
4.7 Stored in suitable container?	<u> </u>
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	<u> </u>
4.10 Obtained approval for the use of chemical waste container >450L?	
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	<u> </u>
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	V
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
<u>Liquid Waste Storage</u>	
4.20 Storage area provided with permeation-proof floor or surface?	

SITE INSPECTION CHECKLIST



		sufficient to accommodate content	s of the largest container	r 🚺 🗀]			
	20% volume of the material in storage? 4.22 Walls or partitions of stacked container storage area constructed of impermeable material?							
5.1 Alert v	Gas (LFG) (within LF) workers and visitors of p ng and open fires prohil	oossible LFG hazards?		N/A Yes	No Remarks Outside LFG consultation zone			
6. Others				N/A Yes	No Remarks			
	confined within lot bou	undaries?			No Keniarks			
6.2 Damag	ge to surrounding areas	avoided?						
6.3 Site lig	ghting designed to avoid	glare to surrounding receivers?						
		d in an orderly manner?						
6.5 Areas	within lot for recycling	activities paved with concrete?						
6.6 Potent	ial stagnant pools cleare	ed and mosquito breeding prevented	?] [
6.7 Valid	calibration certificate fo	r any monitoring equipment?			Not provided			
6.8 Valid	licence(s) obtained for n	nanufacture or storage of dangerous	goods?	✓	Not required			
a) Stor	rage area in compliance	with the approved plan?						
b) Stor	rage area is securely loc	ked?		✓				
c) Tota	al storage capacity in co	mpliance with relevant statutory rec	quirement?	✓				
d) Proj	per labelling provided?			✓				
e) Dan	gerous goods properly p	packaged?		√				
Remarks:								
New Observ	vations							
	jor environmental defic	iency was observed.						
		,						
Signatures								
ET Represe	ntative:	Operator Representative:	Tenant Representati	ve:	IEC Representative:			
	avid	M	The		<u></u>			
Name David T	SANG	Name May Wu	Name Terence	Tsui	Name: Hazel Cheung			
Date: 2018/07	//18	Date: 13 AUG 2018	Date: 15 AUG 2	018	Date: 2018/08/10			



	2010/00/21		_	
	Inspection Date: 2018/08/24 Time: 9:50 Lot Number: P12 Tenant: South China	Inspected by:		n CHAN I TSANG
	Lot Number: P12 Tenant: South China			
Wea	<u>ther</u>			
	Condition: Sunny Fine V Overcast Drizzle	Rain		Storm Hazy
	Temperature: 29 °C Humidity: ✓ High	Moderate		Low
	Wind: Calm Light Breeze Strong			
<u>1. G</u>	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓		EP for tenant is not required. UPML's Environmental
1.2	Environmental Policy documented?	✓		Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?	✓		
1.6	Any record of complaint or prosecution?		✓	
<u>2. W</u>	ater Quality	N/A Yes	No	Remarks Prohibition of discharging
2.1	Valid Effluent Discharge Licence available?	✓		wastewater to communal sewer by the enforcement unit of EPD
	a) Sampling record available?		√	Discharge is suspended temporarily.
	b) Monitoring frequency met the licence requirement?	✓		
	c) Monitoring result comply with the licence requirement?	√		
	d) If exceedance is recorded, any follow-up action taken?	√		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?		√	Wastewater is tanked away.
	a) Adequate capacity?	✓		for temporary storage in the underground storage tank
	b) Properly maintained and function normally?		√	Wastewater is tanked away.
2.3	Surface run-off control measures in place and adequately maintained?	✓		
2.4	Surface run-off discharging into drainage system?	✓		Markalanandhadania
2.5	All manholes covered?	✓		Manholes near the cleaning area are sealed
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		√	New Observation (1)
2.7	Storage of materials and equipment located away from water bodies?	✓		
2.8	Drainage system well maintained to prevent flooding or overflow?			
2.9	Processes or activities with high risk of contamination located under covered area?			0. 1
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	/		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?			Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?		✓		Wastewater is tanked away
2.13	Drainage from maintenance area discharged via oil interceptor?	√			Wastewater is tanked away
	a) Oil and grease removed regularly?	√			
	b) Collected by licensed collector?	√			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?	√			Not required
2.16	Temporary stockpiles covered during rainstorms?	√			
2.17	Measures to prevent the washing away of sand/silt to drains?	✓			No sand/silt is generated from the recycling process
3. A	ir Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	√			
	a) SP Licence conditions / monitoring requirements comply?	√			
3.2	Operate without generation of noticeable odour?		√		
	a) If odour is detected, can the source be identified?	√			
	b) Odourous materials covered?		√		
	c) If odour control system is installed, is it operating normally?		√		Air curtain is operating and roller shutter is partially lowered.
3.3	Dusty materials dampened prior to loading/unloading?	✓			Dusty material is not observed
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	√			
	b) Any exceedance?	√			
	c) If exceedance is recorded, follow-up action taken?	√			Destarranting
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	√			Dust-generating activity is not observed
3.6	Open burning prohibited?		√		
3.7	Emission from chimney or powered plant free of black smoke?		√		
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	√			
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	√			
3.11	Air pollution control system properly maintained and function normally?		√		Regular replacement of activated carbon filter
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	√			
	a) Obtained approval for the use of controlled refrigerant?	√			
	b) If yes, record of refrigeration equipment service available?	√			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	√			
3.14	Public road around site entrance kept clean and free from dust?		✓		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion Ve	Phicle/equipment movement
Loading/unloading of materials	hers: n/a
4. Waste / Chemical Management	
<u>General</u>	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	<u> </u>
a) Label is securely attached and visible?	/
b) Label is bilingual and in proper dimension?	<u> </u>
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provide drip trays capable of storing 110% of the volume of the largest container (if quantity >50l	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage?	√			
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	√			
<u>5. La</u>	andfill Gas (LFG) (within LFG Consultation Zone)	N/A	Yes	No	Remarks Outside LFG consultation
5.1	Alert workers and visitors of possible LFG hazards?	✓			zone
5.2	Smoking and open fires prohibited?		✓		
<u>6. O</u>	thers	N/A	Yes	No	Remarks
6.1	Works confined within lot boundaries?		✓		
6.2	Damage to surrounding areas avoided?		✓		
6.3	Site lighting designed to avoid glare to surrounding receivers?	✓			
6.4	Materials and machinery stored in an orderly manner?		✓		
6.5	Areas within lot for recycling activities paved with concrete?		√		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		✓		
6.7	Valid calibration certificate for any monitoring equipment?	✓			Not provided
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓			Not required
	a) Storage area in compliance with the approved plan?	✓			
	b) Storage area is securely locked?	✓			
	c) Total storage capacity in compliance with relevant statutory requirement?	✓			
	d) Proper labelling provided?	✓			
	e) Dangerous goods properly packaged?	✓			

Remarks:

New Observations

1) Dirty water was observed inside and near the stormwater manholes. The tenant was requested to remove dirty water immediately from the concerned manholes and the ground. Besides, the tenant was reminded to carry out loading/unloading activities in designeated area to avoid potential leaking of dirty water, and to ensure all wastewater should be properly collected and stored.




(Observed on 24 August 2018)



(Observed on 24 August 2018)

SITE INSPECTION CHECKLIST



Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name Ronan CHAN

Date: 2018/08/24

Name May Wu


Date:

1 3 SEP 2018

Name Terence Tsui

Name: Hazel CHEUNG

Date: 2018/09/10



Inspection Date: 2018/09/18 Time: 9:50 Lot Number: P12 Tenant: South China	Inspected by: Ronan CHAN David TSANG	
Lot Number: P12 Tenant: South China	David 15/11/0	
Weather Condition: Sunny ✓ Fine Overcast Drizzle Temperature: 28 °C Humidity: ✓ High Wind: ✓ Calm Light Breeze Strong	Rain Storm Haz Moderate Low	у
1. General	N/A Yes No Remarks	
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	EP for tenant is not require	ed.
1.2 Environmental Policy documented?	UPML's Environmental Policy is followed	
1.3 Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed	
1.4 Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed	
(a) Drill or training records available?	Subject to tenant's provision	n
1.5 All recycling processes in operation have been approved by WFBU?		
1.6 Any record of complaint or prosecution?		
2. Water Quality	$N/A \qquad Yes \qquad No \qquad \underset{\text{Prohibition of discharging}}{Remarks}$	
2.1 Valid Effluent Discharge Licence available?	wastewater to communal sewer by the enforcement unit of EPD	/
a) Sampling record available?	Discharge is suspended temporarily.	
b) Monitoring frequency met the licence requirement?		
c) Monitoring result comply with the licence requirement?		
d) If exceedance is recorded, any follow-up action taken?		
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	✓ Wastewater is tanked away.	
a) Adequate capacity?	for temporary storage in the underground storage tank	
b) Properly maintained and function normally?	✓ Wastewater is tanked away.	
2.3 Surface run-off control measures in place and adequately maintained?		
2.4 Surface run-off discharging into drainage system?	Manholes near the cleaning	σ.
2.5 All manholes covered?	area are sealed	5
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	Follow-up Observation (1)	
2.7 Storage of materials and equipment located away from water bodies?		_
2.8 Drainage system well maintained to prevent flooding or overflow?		
2.9 Processes or activities with high risk of contamination located under covered area?	Stop-logs are available for	
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recoprocess with potentially high level of contamination is carried out?		
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance	Replacement activity is no observed	t



	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?		√		Wastewater is tanked away
2.13 I	Drainage from maintenance area discharged via oil interceptor?	\checkmark			Wastewater is tanked away
a	a) Oil and grease removed regularly?	✓			
ł	b) Collected by licensed collector?	√			
	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15 1	Bulk cargo and materials packed properly?	✓			Not required
2.16	Temporary stockpiles covered during rainstorms?	✓			N
2.17 1	Measures to prevent the washing away of sand/silt to drains?	✓			No sand/silt is generated from the recycling process
3. Air	· Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	√			
ä	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?		✓		
a	a) If odour is detected, can the source be identified?	√			
ł	b) Odourous materials covered?		√		
C	e) If odour control system is installed, is it operating normally?		✓		Air curtain is operating and roller shutter is partially lowered.
3.3 I	Dusty materials dampened prior to loading/unloading?	√			Dusty material is not observed
3.4 I	Dust monitoring record available?	✓			Not required
ä	a) Monitoring frequency met the licence requirement?	✓			
ł	b) Any exceedance?	√			
C	e) If exceedance is recorded, follow-up action taken?	√			
	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	√			Dust-generating activity is not observed
3.6	Open burning prohibited?		✓		
3.7 I	Emission from chimney or powered plant free of black smoke?		✓		
3.8	Vehicles and equipment switched off while not in use?		✓		
	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	√			
	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	√			
3.11	Air pollution control system properly maintained and function normally?		√		Regular replacement of activated carbon filter
	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	√			
í	a) Obtained approval for the use of controlled refrigerant?	✓			
ł	b) If yes, record of refrigeration equipment service available?	√			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14 I	Public road around site entrance kept clean and free from dust?		√		



3.15 Materials transported on trucks covered?	✓	Not observed
3.16 Truck loads to a level within the side and tail boards?	✓	Not observed No stockpile of dusty
3.17 Stockpiles of dusty materials covered or regularly watered?	/	material is observed
3.18 Major dust source(s): Wind erosion Ve	ehicle/equipment me	ovement
Loading/unloading of materials ✓ Ot	hers: n/a	
4. Waste / Chemical Management		_
<u>General</u>	N/A Yes N	
4.1 Registered as chemical waste producer?	✓	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?		<u> </u>
4.3 Disposed of regularly and properly?]
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	✓	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?		Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓	
Packaging of Chemical Waste		
4.7 Stored in suitable container?	✓]
4.8 Container properly closed or sealed?	✓]
4.9 Spillage cleaned up immediately through the use of absorbent?	✓]
4.10 Obtained approval for the use of chemical waste container >450L?	✓]
<u>Labelling of Chemical Waste</u>		
4.11 Provision of chemical waste label?	✓]
a) Label is securely attached and visible?	√]
b) Label is bilingual and in proper dimension?	✓]
c) Information is accurate and sufficient?	√]
Storage of Chemical Waste		
4.12 Proper "Chemical Waste" sign displayed?	✓]
4.13 Incompatible wastes separated by impermeable partition?	✓	<u> </u>
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provide drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)		□
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	/]
4.16 Properly stored and locked in designated area with adequate ventilation?	✓	
4.17 Storage area paved with concrete and kept clean and dry?		<u> </u>
4.18 Cover provided for outdoor storage area?	✓	
4.19 Chemical waste collected by licensed collector?	✓	
Liquid Waste Storage		
4.20 Storage area provided with permeation-proof floor or surface?	/	

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage?	√			
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	√			
<u>5. La</u>	andfill Gas (LFG) (within LFG Consultation Zone)	N/A	Yes	No	Remarks Outside LFG consultation
5.1	Alert workers and visitors of possible LFG hazards?	✓			zone
5.2	Smoking and open fires prohibited?		✓		
<u>6. O</u>	thers	N/A	Yes	No	Remarks
6.1	Works confined within lot boundaries?		✓		
6.2	Damage to surrounding areas avoided?		√		
6.3	Site lighting designed to avoid glare to surrounding receivers?	✓			
6.4	Materials and machinery stored in an orderly manner?		✓		
6.5	Areas within lot for recycling activities paved with concrete?		√		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		√		
6.7	Valid calibration certificate for any monitoring equipment?	✓			Not provided
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓			Not required
	a) Storage area in compliance with the approved plan?	✓			
	b) Storage area is securely locked?	✓			
	c) Total storage capacity in compliance with relevant statutory requirement?	✓			
	d) Proper labelling provided?	✓			
	e) Dangerous goods properly packaged?	✓			

Remarks:

Follow-up from Previous Audits

1) The tenant had removed the dirty water inside and near the stormwater manholes. And it was observed that no loading/unloading activities was carried out in non-designated area.





(Observed on 24 August 2018)

SITE INSPECTION CHECKLIST





(Observed on 18 September 2018)



(Observed on 18 September 2018)

New Observations

· No major environmental deficiency was observed.

Signatures:

ET Representative:

Name Ronan CHAN

Date: 2018/09/18

Operator Representative:

Name May Wu

Date: 24 SEP 2018

Tenant Representative:


Name Terence Tsui

Date: 2 6 SEP 2018

IEC Representative:

Name:

Date:



Issue 1_____AEC



	Inspection Date: 2018/07/18 Time: 11:15 Lot Number: P14 Tenant: E.Tech	Inspected by:	David	1 TSANG
Wea	<u>ither</u>			
	Condition: Sunny Fine Overcast Drizzle ✓ Temperature: 28 °C Humidity: ✓ High Wind: Calm ✓ Light Breeze Strong	Rain Moderate		Storm Hazy Low
<u>1. G</u>	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	√		EP for tenant is not required.
1.2	Environmental Policy documented?	✓		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	√		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?			
1.6	Any record of complaint or prosecution?		√	
<u>2. W</u>	<u>Vater Quality</u>	N/A Yes	No	Remarks
2.1	Valid Effluent Discharge Licence available?	√		No wastewater is generated from recycling process
	a) Sampling record available?	✓		
	b) Monitoring frequency met the licence requirement?	√		
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	✓		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓		
	a) Adequate capacity?	✓		
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?	✓		
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?			
2.9	Processes or activities with high risk of contamination located under covered area?			Cton long and and it is
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓			No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	√			Not required
	a) Oil and grease removed regularly?	√			Not required
	b) Collected by licensed collector?	✓			Not required
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?	√			
2.16	Temporary stockpiles covered during rainstorms?	√			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	√			No sand/silt is generated from the recycling process
3. A	<u>ir Quality</u>	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓			Not required
	a) SP Licence conditions / monitoring requirements comply?	√			
3.2	Operate without generation of noticeable odour?		√		
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	√			
	c) If odour control system is installed, is it operating normally?	✓			
3.3	Dusty materials dampened prior to loading/unloading?	✓			No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	√			
	c) If exceedance is recorded, follow-up action taken?	√			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		√		Crusher is enclosed and connected to dust collector
3.6	Open burning prohibited?		√		
3.7	Emission from chimney or powered plant free of black smoke?		✓		
3.8	Vehicles and equipment switched off while not in use?		√		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	√			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	√			Not required
3.11	Air pollution control system properly maintained and function normally?		√		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	√			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	√			
3.14	Public road around site entrance kept clean and free from dust?		✓		



3.15 Materials transported on trucks covered?	✓ <u> </u>	Not Observed				
3.16 Truck loads to a level within the side and tail boards?	√ □ □	Not Observed No stockpile of dusty				
3.17 Stockpiles of dusty materials covered or regularly watered?	√	material is observed				
3.18 Major dust source(s): Wind erosion Ve	ehicle/equipment mov	ement				
Loading/unloading of materials On	thers: n/a					
4. Waste / Chemical Management						
<u>General</u>	N/A Yes No	Remarks				
4.1 Registered as chemical waste producer?]				
4.2 Sufficient receptacles (e.g. rubbish bins) available?]				
4.3 Disposed of regularly and properly?]				
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?		To be verified via quarterly				
4.5 Records of quantities of waste generated, recycled and disposed properly kept?		report report				
4.6 Collection of sludge by licensed collector at regular intervals?	/	Not required				
Packaging of Chemical Waste						
4.7 Stored in suitable container?]				
4.8 Container properly closed or sealed?]				
4.9 Spillage cleaned up immediately through the use of absorbent?	✓	No spillage observed				
4.10 Obtained approval for the use of chemical waste container >450L?	/]				
<u>Labelling of Chemical Waste</u>						
4.11 Provision of chemical waste label?]				
a) Label is securely attached and visible?]				
b) Label is bilingual and in proper dimension?]				
c) Information is accurate and sufficient?]				
Storage of Chemical Waste						
4.12 Proper "Chemical Waste" sign displayed?		Incompatible wastes are				
4.13 Incompatible wastes separated by impermeable partition?	√ □ □	not observed				
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity $<$ 50L), or provide drip trays capable of storing 110% of the volume of the largest container (if quantity $>$ 50]				
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?]				
4.16 Properly stored and locked in designated area with adequate ventilation?]				
4.17 Storage area paved with concrete and kept clean and dry?]				
4.18 Cover provided for outdoor storage area?]				
4.19 Chemical waste collected by licensed collector?]				
<u>Liquid Waste Storage</u>						
4.20 Storage area provided with permeation-proof floor or surface?	V	No storage of liquid waste				

SITE INSPECTION CHECKLIST



	Capacity of retention structure 20% volume of the material in	sufficient to accommodate contestorage?	ents of the largest containe	r 🚺 🗌		No storage of liquid waste	
4.22 V	Walls or partitions of stacked	container storage area constructed	d of impermeable material	? 🗸		No storage of liquid waste	
5.1 A	ndfill Gas (LFG) (within LF) Alert workers and visitors of positions and open fires prohibited.	ossible LFG hazards?		N/A Ye		Remarks Outside LFG consultation zone Remarks	
6.2 II 6.3 S 6.4 M 6.5 A 6.6 F 6.7 V 6.8 V	Materials and machinery store Areas within lot for recycling Potential stagnant pools cleared Valid calibration certificate for Valid licence(s) obtained for recycling Storage area in compliance (s) Storage area is securely located to the Area (securely located to the Area (s	glare to surrounding receivers? d in an orderly manner? activities paved with concrete? d and mosquito breeding prevent r any monitoring equipment? manufacture or storage of dangero with the approved plan? ked? mpliance with relevant statutory in	ous goods?			Not required Not required	
Remarks: New Observations No major environmental deficiency was observed.							
0	epresentative:	Operator Representative:	Tenant Representati	ve:	IEC Re	presentative:	
Date: 2	018/07/18	Date: 13 AUG 2018	Date: (5 -8 -	18	Date:		




	2010/00/24			
	Inspection Date: 2018/08/24 Time: 11:15	Inspected by:		n CHAN I TSANG
	Lot Number: P14 Tenant: E.Tech		David	. 15/11/0
Wea	<u>ather</u>			
	Condition: Sunny Fine ✓ Overcast Drizzle	Rain		Storm Hazy
	Temperature: 29 °C Humidity: ✓ High	Moderate		Low
	Wind: Calm Light Breeze Strong	_		
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	V		EP for tenant is not required.
1.2	Environmental Policy documented?	✓		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	√		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?			
1.6	Any record of complaint or prosecution?		√	
<u>2. W</u>	Vater Quality	N/A Yes	No	Remarks
2.1	Valid Effluent Discharge Licence available?	√		No wastewater is generated from recycling process
	a) Sampling record available?	√		
	b) Monitoring frequency met the licence requirement?	√		
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	√		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓		
	a) Adequate capacity?	✓		
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?			
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		✓	New Observation (1)
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?			
2.9	Processes or activities with high risk of contamination located under covered area?			Cton logs 111 6
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓			No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓			Not required
	a) Oil and grease removed regularly?	✓			Not required
	b) Collected by licensed collector?	✓			Not required
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?	✓			N. I. d. I. d.
2.16	Temporary stockpiles covered during rainstorms?	✓			No dusty stockpile is observed No sand/silt is generated
2.17	Measures to prevent the washing away of sand/silt to drains?	√			from the recycling process
3. A	ir Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	√			Not required
	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?		✓		
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	✓			N. I. J. J. J. G.
3.3	Dusty materials dampened prior to loading/unloading?	✓			No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	√			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	✓			
	c) If exceedance is recorded, follow-up action taken?	✓			Couch on its an elected and
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		✓		Crusher is enclosed and connected to dust collector
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?		√		
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?		✓		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		✓		

EcoPark Operation SITE INSPECTION CHECKLIST



3.15 Materials transported on trucks covered?	Not Observed
3.16 Truck loads to a level within the side and tail boards?	Not Observed No stockpile of dusty
3.17 Stockpiles of dusty materials covered or regularly watered?	material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
Loading/unloading of materials	Others: n/a
4. Waste / Chemical Management	
<u>General</u>	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	To be verified via quarterly
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ report
4.6 Collection of sludge by licensed collector at regular intervals?	Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	✓ No spillage observed
4.10 Obtained approval for the use of chemical waste container >450L?	
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	Incompatible wastes are not observed
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or providing trays capable of storing 110% of the volume of the largest container (if quantity >50.00)	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	✓ No storage of liquid waste

SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest cont 20% volume of the material in storage?	tainer 🗸 📗	No storage of liquid waste
4.22 Walls or partitions of stacked container storage area constructed of impermeable materials.	erial?	No storage of liquid waste
5. Landfill Gas (LFG) (within LFG Consultation Zone)5.1 Alert workers and visitors of possible LFG hazards?5.2 Smoking and open fires prohibited?	N/A Yes No	Remarks Outside LFG consultation zone
6. Others	N/A Yes No	Remarks
6.1 Works confined within lot boundaries?]
6.2 Damage to surrounding areas avoided?	✓]
6.3 Site lighting designed to avoid glare to surrounding receivers?	✓]
6.4 Materials and machinery stored in an orderly manner?	✓]
6.5 Areas within lot for recycling activities paved with concrete?	✓]
6.6 Potential stagnant pools cleared and mosquito breeding prevented?]
6.7 Valid calibration certificate for any monitoring equipment?	/	Not required
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓	Not required
a) Storage area in compliance with the approved plan?	/]
b) Storage area is securely locked?	✓]
c) Total storage capacity in compliance with relevant statutory requirement?	✓]
d) Proper labelling provided?	✓]
e) Dangerous goods properly packaged?]

Remarks:

New Observations

1) During site inspection, it is observed that rubbish and debris had been accumulated inside the perimeter drain near a catchpit, and so the stagnant dirty water had been induced. According to the retification photos provided by the Operator on the same day, cleaning activity of the perimeter drainage was carried out, and the rubbish and dirty water were removed from the drain. The condition will be verified in the next audit.




(Observed on 24 August 2018)





(Photos Provided by Operator on 24 August 2018)

SITE INSPECTION CHECKLIST



Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name Ronan CHAN

Date: 2018/08/24

Name May V

13 SEP 2018


Date:

Name: Hazel CHEUNG


Date: 2018/09/10



	Inspection Date: 2018/09/18 Time: 11:15 Lot Number: P14 Tenant: E.Tech	Inspected by:		n CHAN I TSANG
Wea	<u>ther</u>			
	Condition: Sunny ✓ Fine Overcast Drizzle Temperature: 28 °C Humidity: ✓ High Wind: ✓ Calm Light Breeze Strong	Rain Moderate		Storm Hazy Low
<u>1. G</u>	<u>eneral</u>	N/A Yes	No	Remarks
	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented?	✓		EP for tenant is not required. UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed Subject to tenant's
	(a) Drill or training records available?	✓		provision provision
1.5	All recycling processes in operation have been approved by WFBU?	✓		
1.6	Any record of complaint or prosecution?		✓	
2. W	ater Quality	N/A Yes	No	Remarks No wastewater is generated
2.1	Valid Effluent Discharge Licence available?	✓		from recycling process
	a) Sampling record available?	✓		
	b) Monitoring frequency met the licence requirement?	✓		
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	√		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓		
	a) Adequate capacity?	✓		
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?	✓		
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?	✓		
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	✓		Follow-up Observation (1)
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?	✓		
2.9	Processes or activities with high risk of contamination located under covered area?	✓		Stop-logs are available for
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	√		use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	√			No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓			Not required
	a) Oil and grease removed regularly?	√			Not required
	b) Collected by licensed collector?	√			Not required
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?	√			
2.16	Temporary stockpiles covered during rainstorms?	√			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	√			No sand/silt is generated from the recycling process
3. Ai	ir Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	√			Not required
	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?		√		
	a) If odour is detected, can the source be identified?	√			
	b) Odourous materials covered?	√			
	c) If odour control system is installed, is it operating normally?	√			
3.3	Dusty materials dampened prior to loading/unloading?	√			No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	√			
	b) Any exceedance?	√			
	c) If exceedance is recorded, follow-up action taken?	√			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		√		Crusher is enclosed and connected to dust collector
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?		√		
3.8	Vehicles and equipment switched off while not in use?		√		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	√			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	√			Not required
3.11	Air pollution control system properly maintained and function normally?		√		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	√			
	a) Obtained approval for the use of controlled refrigerant?	√			
	b) If yes, record of refrigeration equipment service available?	√			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	√			
3.14	Public road around site entrance kept clean and free from dust?		√		



3.15 Materials transported on trucks covered?	✓ Not Observed				
3.16 Truck loads to a level within the side and tail boards?	Not Observed No trade it is fairty				
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed				
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement				
Loading/unloading of materials	Others: n/a				
4. Waste / Chemical Management					
<u>General</u>	N/A Yes No Remarks				
4.1 Registered as chemical waste producer?					
4.2 Sufficient receptacles (e.g. rubbish bins) available?					
4.3 Disposed of regularly and properly?					
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?					
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	To be verified via quarterly report				
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required				
Packaging of Chemical Waste					
4.7 Stored in suitable container?					
4.8 Container properly closed or sealed?					
4.9 Spillage cleaned up immediately through the use of absorbent?	✓ No spillage observed				
4.10 Obtained approval for the use of chemical waste container >450L?					
Labelling of Chemical Waste					
4.11 Provision of chemical waste label?					
a) Label is securely attached and visible?					
b) Label is bilingual and in proper dimension?					
c) Information is accurate and sufficient?					
Storage of Chemical Waste					
4.12 Proper "Chemical Waste" sign displayed?	Incompatible wastes are				
4.13 Incompatible wastes separated by impermeable partition?	not observed				
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or providing trays capable of storing 110% of the volume of the largest container (if quantity >50.00).					
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?					
4.16 Properly stored and locked in designated area with adequate ventilation?					
4.17 Storage area paved with concrete and kept clean and dry?					
4.18 Cover provided for outdoor storage area?					
4.19 Chemical waste collected by licensed collector?					
Liquid Waste Storage					
4.20 Storage area provided with permeation-proof floor or surface?	✓ No storage of liquid waste				

SITE INSPECTION CHECKLIST



	Capacity of retention structure sufficient to accommodate contents of the largest container 20% volume of the material in storage?	(/			No storage of liquid waste
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	✓			No storage of liquid waste
<u>5. La</u>	ndfill Gas (LFG) (within LFG Consultation Zone)	N/A	Yes	No	Remarks Outside LFG consultation
5.1	Alert workers and visitors of possible LFG hazards?	✓			zone
5.2	Smoking and open fires prohibited?		√		
6. Ot	<u>hers</u>	N/A	Yes	No	Remarks
6.1	Works confined within lot boundaries?		\checkmark		
6.2	Damage to surrounding areas avoided?		√		
6.3	Site lighting designed to avoid glare to surrounding receivers?	√			
6.4	Materials and machinery stored in an orderly manner?		\checkmark		
6.5	Areas within lot for recycling activities paved with concrete?		✓		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		\checkmark		
6.7	Valid calibration certificate for any monitoring equipment?	√			Not required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	√			Not required
i	a) Storage area in compliance with the approved plan?	✓			
1	b) Storage area is securely locked?	✓			
(c) Total storage capacity in compliance with relevant statutory requirement?	✓			
(d) Proper labelling provided?	✓			
(e) Dangerous goods properly packaged?	✓			

Remarks:

Follow-up from Previous Audits

1) According to the retification photos provided by the Operator in August 2018, cleaning activity of the perimeter drainage was carried out, and the rubbish and dirty water were removed from the drain. During current site inspection, it was confirmed that no accumulation of rubbish or dirty water were observed in the perimeter drainage and good drainage condition has been maintained after cleaning activity.



(Observed on 24 August 2018)





(Photos Provided by Operator on 24 August 2018)

SITE INSPECTION CHECKLIST







(Observed on 18 September 2018)

New Observations

No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name Ronan CHAN

Date: 18/9//2018


May Wu Name

Date:

24 SEP 2018

Name:

Date:



Issue 1______AEC



	Inspection Date: 2018/07/18 Time: 12:30 Lot Number: P2, P3 & P4 Tenant: WEEE.PARK	Inspected by:	David TSANG
Wea	Condition: Sunny Fine Overcast Drizzle Temperature: 28 °C Humidity: High Wind: Calm Light Breeze Strong	Rain Moderate	Storm Hazy Low
<u>1. G</u>	<u>eneral</u>	N/A Yes	No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	√	EP for tenant is not required.
1.2	Environmental Policy documented?		
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓	
1.4	Emergency Response Plan (ERP) documented?	✓	In-house Emergency Procedure Plan was applied.
	(a) Drill or training records available?	✓	
1.5	All recycling processes in operation have been approved by WFBU?		
1.6	Any record of complaint or prosecution?		<u> </u>
<u>2. W</u>	ater Quality	N/A Yes	No Remarks
2.1	Valid Effluent Discharge Licence available?		
	a) Sampling record available?	✓	
	b) Monitoring frequency met the licence requirement?	✓	Self-monitoring when required
	c) Monitoring result comply with the licence requirement?	✓	
	d) If exceedance is recorded, any follow-up action taken?	✓	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓	via petrol interceptor
	a) Adequate capacity?		
	b) Properly maintained and function normally?		
2.3	Surface run-off control measures in place and adequately maintained?		
2.4	Surface run-off discharging into drainage system?	✓	
2.5	All manholes covered?	$\boxed{}$	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	✓	
2.7	Storage of materials and equipment located away from water bodies?		
2.8	Drainage system well maintained to prevent flooding or overflow?	✓	
2.9	Processes or activities with high risk of contamination located under covered area?		Stop-logs are available for
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓	use by tenant if needed. Replacement activity is
2.11	$\label{thm:equipment} Equipment\ oil\ and\ lubrication\ replacements\ performed\ only\ in\ bunded\ maintenance\ area?$	√	not observed



2.12 Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	/	No contaminated water is observed
2.13 Drainage from fuel dispensing area discharged via oil interceptor?		
a) Oil and grease removed regularly?	✓ □ □	Not observed
b) Collected by licensed collector?	V	
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓	Not required
2.15 Bulk cargo and materials packed properly?		
2.16 Temporary stockpiles covered during rainstorms?		No dusty stockpile is observed
2.17 Measures to prevent the washing away of sand/silt to drains?	/	No sand/silt is generated from the recycling process
3. Air Quality	N/A Yes No	Remarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	✓	Not required
a) SP Licence conditions / monitoring requirements comply?	V	
3.2 Operate without generation of noticeable odour?		
a) If odour is detected, can the source be identified?	✓	
b) Odourous materials covered?	✓ □ □	
c) If odour control system is installed, is it operating normally?	✓	
3.3 Dusty materials dampened prior to loading/unloading?		Dusty material is not observed
3.4 Air monitoring record available?		
a) Monitoring frequency met the licence requirement?		Requirements stipulated in Compliance Audit Report
b) Any exceedance?		Against AQO/USEPA
c) If exceedance is recorded, follow-up action taken?	✓	
3.5 Suppression measures provided where main pollutant-generating activities take place (i.e. enclosures or regular dampening)?		Use of localised hood and extraction system with HEPA filter for CRT Recovery
3.6 Open burning prohibited?		
3.7 Emission from chimney or powered plant free of black smoke?		
3.8 Vehicles and equipment switched off while not in use?		
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?		
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	/	
3.11 Air pollution control system properly maintained and function normally?		
3.12 Filtered dust/ fluorescent powder from any air pollution control equipment installed by tenants disposed of as chemical waste?		Not observed
a) Obtained approval for the use of controlled refrigerant?		
b) If yes, record of refrigeration equipment service available?		
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14 Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion Ve	Phicle/equipment movement
Loading/unloading of materials ✓ Ot	hers: n/a
3.19 Shredding, crushing and sorting processes including CRT dismantling are carried out in enclosed structure(s)?	
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	✓ Not observed
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	

SITE INSPECTION CHECKLIST




<u>Liqu</u>	id Waste Storage					
4.20	Storage area provided with pe	rmeation-proof floor or surface?				
4.21	Capacity of retention structure container or 20% volume of the	e sufficient to accommodate conte ne material in storage?	nts of the largest			
4.22	Walls or partitions of stacked	container storage area constructed	of impermeable material?			
5. La	andfill Gas (LFG) (within LF)	G Consultation Zone)		N/A Y	es No	Remarks
5.1	Alert workers and visitors of p	oossible LFG hazards?				
5.2	Smoking and open fires prohil	pited?				
<u>6. O</u>	thers			N/A Y	es No	Remarks
6.1	Works confined within lot bou	andaries?				
6.2	Damage to surrounding areas	avoided?				
6.3	Site lighting designed to avoid	glare to surrounding receivers?		√		
6.4	Materials and machinery store	ed in an orderly manner?				
6.5	Areas within lot for recycling	activities paved with concrete?				
6.6	Potential stagnant pools cleared	ed and mosquito breeding prevente	ed?			
6.7	Valid calibration certificate for	or any monitoring equipment?		√		Not provided
6.8	Valid licence(s) obtained for r	nanufacture or storage of dangero	us goods?	✓		
	a) Storage area in compliance	with the approved plan?		√		
	b) Storage area is securely loc	ked?		√		
	c) Total storage capacity in co	mpliance with relevant statutory r	equirement?	✓		
	d) Proper labelling provided?			✓		
	e) Dangerous goods properly J	packaged?		✓		,
New	arks: Observations No major environmental defic	iency was observed.				
Sign	atures:					
ET F	Representative:	Operator Representative:	Tenant Representativ	e:	IEC Re	presentative:
0	David	N.	40			
Name	David TSANG	Name May Wu	Name Evic Wo	ng	Name:	
Date:	2018/07/18	Date: 1.3 AUG 2018	Date: 15/08/7	2018	Date:	

13 AUG 2018



	Inspection Date: 2018/08/24 Time: 12:30 Lot Number: P2, P3 & P4 Tenant: WEEE.PARK	Inspected by:	Ronan CHAN David TSANG
Wea	Condition: Sunny Fine Vovercast Drizzle Temperature: 29 °C Humidity: V High Wind: V Calm Light Breeze Strong	Rain Moderate	Storm Hazy Low
<u>1. G</u>	<u>eneral</u>	N/A Yes	No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	√	EP for tenant is not required.
1.2	Environmental Policy documented?	✓	
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓	
1.4	Emergency Response Plan (ERP) documented?	 ✓	In-house Emergency Procedure Plan was applied.
	(a) Drill or training records available?	✓	
1.5	All recycling processes in operation have been approved by WFBU?		
1.6	Any record of complaint or prosecution?		✓
2. W	ater Quality	N/A Yes	No Remarks
2.1	Valid Effluent Discharge Licence available?	✓	
	a) Sampling record available?	✓	
	b) Monitoring frequency met the licence requirement?	✓	Self-monitoring when required
	c) Monitoring result comply with the licence requirement?	✓	
	d) If exceedance is recorded, any follow-up action taken?	√	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓	via petrol interceptor
	a) Adequate capacity?	✓	
	b) Properly maintained and function normally?	✓	
2.3	Surface run-off control measures in place and adequately maintained?	✓	
2.4	Surface run-off discharging into drainage system?	✓	
2.5	All manholes covered?	✓	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	✓	
2.7	Storage of materials and equipment located away from water bodies?	✓	
2.8	Drainage system well maintained to prevent flooding or overflow?		
2.9	Processes or activities with high risk of contamination located under covered area?	✓	Stop-logs are available for
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓	use by tenant if needed. Replacement activity is
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	√	not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓			No contaminated water is observed
2.13	Drainage from fuel dispensing area discharged via oil interceptor?		√		
	a) Oil and grease removed regularly?	✓			Not observed
	b) Collected by licensed collector?	√			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?		√		
2.16	Temporary stockpiles covered during rainstorms?	✓			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓			No sand/silt is generated from the recycling process
3. A	ir Quality	N/A	Yes N	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓			Not required
	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?		√		
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	√			
3.3	Dusty materials dampened prior to loading/unloading?	✓			Dusty material is not observed
3.4	Air monitoring record available?		✓		
	a) Monitoring frequency met the licence requirement?		√		Requirements stipulated in Compliance Audit Report
	b) Any exceedance?			√	Against AQO/USEPA
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Suppression measures provided where main pollutant-generating activities take place (i.e. enclosures or regular dampening)?		√		Use of localised hood and extraction system with HEPA filter for CRT Recovery
3.6	Open burning prohibited?		√		
3.7	Emission from chimney or powered plant free of black smoke?		√		
3.8	Vehicles and equipment switched off while not in use?		√		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?		√		
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	√			
3.11	Air pollution control system properly maintained and function normally?		✓		
3.12	Filtered dust/ fluorescent powder from any air pollution control equipment installed by tenants disposed of as chemical waste?		√		
	a) Obtained approval for the use of controlled refrigerant?	√			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		✓		
3.14	Public road around site entrance kept clean and free from dust?		✓		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion Ve	Phicle/equipment movement
Loading/unloading of materials ✓ Ot	hers: n/a
3.19 Shredding, crushing and sorting processes including CRT dismantling are carried out in enclosed structure(s)?	
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	✓ Not observed
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	



<u>Liqu</u>	id Waste Storage					
4.20	Storage area provided with pe	rmeation-proof floor or surface?				
4.21	Capacity of retention structure container or 20% volume of the	e sufficient to accommodate contents ne material in storage?	s of the largest			
4.22	Walls or partitions of stacked	container storage area constructed o	f impermeable material	?		
5. La	andfill Gas (LFG) (within LF	G Consultation Zone)		N/A Ye	es No Remarks	
5.1	Alert workers and visitors of p	possible LFG hazards?				
5.2	Smoking and open fires prohil	bited?				
<u>6. O</u>	thers			N/A Ye	es No Remarks	
6.1	Works confined within lot bou	undaries?				
6.2	Damage to surrounding areas	avoided?				
6.3	Site lighting designed to avoid	I glare to surrounding receivers?		✓		
6.4	Materials and machinery store	ed in an orderly manner?				
6.5	Areas within lot for recycling	activities paved with concrete?				
6.6	Potential stagnant pools cleared	ed and mosquito breeding prevented	?			
6.7	Valid calibration certificate for	or any monitoring equipment?		✓	Not provided	
6.8	Valid licence(s) obtained for r	manufacture or storage of dangerous	goods?	✓		
	a) Storage area in compliance	with the approved plan?		√		
	b) Storage area is securely loc	ked?		✓		
	c) Total storage capacity in co	ompliance with relevant statutory req	uirement?	√		
	d) Proper labelling provided?			✓		
	e) Dangerous goods properly p	packaged?		√		
Ren	arks:					
New	Observations					
•	No major environmental defic	ciency was observed.				
Sign	atures:					
ET F	Representative:	Operator Representative:	Tenant Representat	ive:	IEC Representative:	
	(1)	~~~·	J		0	
Name	Ronan CHAN	Name May Wu	Name Clement	Pang	Name: Hazel CHEUNG	
Date:	2018/08/24	Date: 1 3 SEP 2018	Date: 13 Sep	18	Date: 2018/09/10	



	Inspection Date: 2018/09/18 Time: 12:30 Lot Number: P2, P3 & P4 Tenant: WEEE.PARK	Inspected by:	Ronan CHAN David TSANG
Wea	Condition: Sunny Fine Overcast Drizzle Temperature: 28 °C Humidity: High Wind: Calm Light Breeze Strong	Rain Moderate	Storm Hazy Low
<u>1. G</u>	<u>eneral</u>	N/A Yes	No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓	EP for tenant is not required.
1.2	Environmental Policy documented?		
1.3	Environmental Management Plan (EMP) kept up-to-date?		
1.4	Emergency Response Plan (ERP) documented?		In-house Emergency Procedure Plan was applied.
	(a) Drill or training records available?		
1.5	All recycling processes in operation have been approved by WFBU?		
1.6	Any record of complaint or prosecution?		<u> </u>
2. W	ater Quality	N/A Yes	No Remarks
2.1	Valid Effluent Discharge Licence available?		
	a) Sampling record available?	✓	
	b) Monitoring frequency met the licence requirement?	✓	Self-monitoring when required
	c) Monitoring result comply with the licence requirement?		
	d) If exceedance is recorded, any follow-up action taken?	✓	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?		via petrol interceptor
	a) Adequate capacity?		
	b) Properly maintained and function normally?		
2.3	Surface run-off control measures in place and adequately maintained?		
2.4	Surface run-off discharging into drainage system?		
2.5	All manholes covered?		
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		
2.7	Storage of materials and equipment located away from water bodies?		
2.8	Drainage system well maintained to prevent flooding or overflow?		
2.9	Processes or activities with high risk of contamination located under covered area?		Stop-logs are available for
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓	use by tenant if needed. Replacement activity is
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓	not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓			No contaminated water is observed
2.13	Drainage from fuel dispensing area discharged via oil interceptor?		✓		
	a) Oil and grease removed regularly?	√			Not observed
	b) Collected by licensed collector?	✓			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?		✓		
2.16	Temporary stockpiles covered during rainstorms?	√			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	√			No sand/silt is generated from the recycling process
3. A	ir Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	√			Not required
	a) SP Licence conditions / monitoring requirements comply?	√			
3.2	Operate without generation of noticeable odour?		✓		
	a) If odour is detected, can the source be identified?	√			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	√			Declaration
3.3	Dusty materials dampened prior to loading/unloading?	✓			Dusty material is not observed
3.4	Air monitoring record available?		✓		
	a) Monitoring frequency met the licence requirement?		✓		Requirements stipulated in Compliance Audit Report
	b) Any exceedance?			✓	Against AQO/USEPA
	c) If exceedance is recorded, follow-up action taken?	√			
3.5	Suppression measures provided where main pollutant-generating activities take place (i.e. enclosures or regular dampening)?		✓		Use of localised hood and extraction system with HEPA filter for CRT Recovery
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?		✓		
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?		V		
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			
3.11	Air pollution control system properly maintained and function normally?		✓		
3.12	Filtered dust/ fluorescent powder from any air pollution control equipment installed by tenants disposed of as chemical waste?		✓		
	a) Obtained approval for the use of controlled refrigerant?	√			
	b) If yes, record of refrigeration equipment service available?	√			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		√		
3.14	Public road around site entrance kept clean and free from dust?		√		




3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion Ve	hicle/equipment movement
Loading/unloading of materials ✓ Oth	hers: n/a
3.19 Shredding, crushing and sorting processes including CRT dismantling are carried out in	
enclosed structure(s)?	
4. Waste / Chemical Management	
<u>General</u>	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	Varified via sustativ
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	✓ Not observed
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	

SITE INSPECTION CHECKLIST



<u>Liqu</u>	id Waste Storage					
4.20	Storage area provided with pe	rmeation-proof floor or surface?			√	
4.21	Capacity of retention structure container or 20% volume of the	e sufficient to accommodate content ne material in storage?	s of the largest		√	
4.22	Walls or partitions of stacked	container storage area constructed of	of impermeable material?		/	
5. La	andfill Gas (LFG) (within LF	G Consultation Zone)		N/A	Yes No	Remarks
5.1	Alert workers and visitors of p	oossible LFG hazards?			✓	
5.2	Smoking and open fires prohil	bited?			✓	
<u>6. O</u> 1	thers_			N/A	Yes No	Remarks
6.1	Works confined within lot box	undaries?			✓	
6.2	Damage to surrounding areas	avoided?			✓	
6.3	Site lighting designed to avoic	I glare to surrounding receivers?		✓		
6.4	Materials and machinery store	ed in an orderly manner?			√	
6.5	Areas within lot for recycling	activities paved with concrete?			√	
6.6	Potential stagnant pools cleared	ed and mosquito breeding prevented	?		√	
6.7	Valid calibration certificate for	or any monitoring equipment?		√		Not provided
6.8	Valid licence(s) obtained for a	manufacture or storage of dangerous	s goods?	√		
	a) Storage area in compliance	with the approved plan?		√		
	b) Storage area is securely loc	ked?		√		
	c) Total storage capacity in co	ompliance with relevant statutory rec	quirement?	√		
	d) Proper labelling provided?			✓		
	e) Dangerous goods properly	packaged?		√		
						_
Rem	arks:					
New	Observations					
	No major environmental defic	eiency was observed.				
Sign	atures:					
ET R	Representative:	Operator Representative:	Tenant Representativ	ve:	IEC Re	presentative:
_	(1)		69)		
Name	Ronan CHAN	Name May Wu	Name EVIC Wi	mg	Name:	
Date:	2018/09/18	Date: 24 SEP 2018	Name E/10 Wi Date: 28 [08 ()	olf	Date:	



Issue 1_____AEC



	Inspection Date: 2018/07/18 Time: 11:00	Inspected		
	Inspection Date: 2018/07/18 Time: 11:00 Lot Number: P8 Tenant: On Fat Lung	Inspected by	David	l TSANG
	Lot rounder. 10 Tellant. On rat Lung			
Wea	<u>ther</u>			
	Condition: Sunny Fine Overcast Drizzle ✓	Rain		Storm Hazy
	Temperature: 28 °C Humidity: ✓ High	Moderate		Low
	Wind: Calm ✓ Light Breeze Strong	_		
1 G	eneral	N/A Yes	No	Remarks
		1071 103		EP for tenant is not
	Environmental Permit (EP) for Tenant displayed at entrances/exits?			required. UPML's Environmental
1.2	Environmental Policy documented?			Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?			UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed Subject to tenant's
	(a) Drill or training records available?	√		provision
1.5	All recycling processes in operation have been approved by WFBU?	✓		
1.6	Any record of complaint or prosecution?		✓	
2. W	Vater Quality	N/A Yes	No	Remarks Subject to tenant's
2.1	Valid Effluent Discharge Licence available?	√		provision
	a) Sampling record available?	✓		
	b) Monitoring frequency met the licence requirement?	√		-
	c) Monitoring result comply with the licence requirement?	✓		-
	d) If exceedance is recorded, any follow-up action taken?	✓		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	√		Not observed
	a) Adequate capacity?	✓		
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?			
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from			
	entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?	✓		
2.9	Processes or activities with high risk of contamination located under covered area?			Stop-logs are available for
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	√		use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?			Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	√			No contaminated water was observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓			Not required
	a) Oil and grease removed regularly?	✓			Not required
	b) Collected by licensed collector?	✓			Not required
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?		√		N. I. d. I. d.
2.16	Temporary stockpiles covered during rainstorms?	✓			No dusty stockpile is observed No sand/silt is generated
2.17	Measures to prevent the washing away of sand/silt to drains?	√			from the recycling process
3. A	ir Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	√			Not required
	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?		✓		
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	✓			N. I. J. J. J. G.
3.3	Dusty materials dampened prior to loading/unloading?	✓			No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	✓			
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		✓		Via enclosure
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?		√		
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?		✓		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓			
	a) Obtained approval for the use of controlled refrigerant?	√			
	b) If yes, record of refrigeration equipment service available?	√			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	√			
3.14	Public road around site entrance kept clean and free from dust?		✓		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed No cooler its of shorts
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion Ve	hicle/equipment movement
Loading/unloading of materials ✓ Oth	hers: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provide drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	



4.21 Capacity of retention structure 20% volume of the material	cture sufficient to accommodate conte	ents of the largest	✓		
	ked container storage area constructe	d of impermeable materi	ial? ✓		
5. Landfill Gas (LFG) (within	LFG Consultation Zone)		N/A Y	es No	Remarks
5.1 Alert workers and visitors	of possible LFG hazards?				
5.2 Smoking and open fires p	rohibited?				
6. Others			N/A Y	es No	Remarks
6.1 Works confined within lo	t boundaries?				
6.2 Damage to surrounding ar	reas avoided?				
6.3 Site lighting designed to a	avoid glare to surrounding receivers?		√		
6.4 Materials and machinery	stored in an orderly manner?				
6.5 Areas within lot for recyc	ling activities paved with concrete?				
6.6 Potential stagnant pools c	leared and mosquito breeding prevent	red?			
6.7 Valid calibration certification	te for any monitoring equipment?		✓		Not required
6.8 Valid licence(s) obtained	for manufacture or storage of dangero	ous goods?	✓		Not required
a) Storage area in complia	ance with the approved plan?		✓		
b) Storage area is securely	/ locked?			$\exists \Box$	
c) Total storage capacity i	n compliance with relevant statutory	requirement?	✓		
d) Proper labelling provid				$\exists \Box$	
e) Dangerous goods prope	erly packaged?		✓		
Remarks:					
New Observations					
· No major environmental o	leficiency was observed.				
Signatures:					
ET Representative:	Operator Representative:	Tenant Represent	ative:	IEC Re	presentative:
David	M	47			
Name David TSANG	Name May Wu	Name KONLY 1	KINN	Name:	
Date: 2018/07/18	Date: 13 AUG 2018	Date: Sec 9.	- 2018	Date:	



	Inspection Date: 2018/08/24 Time: 11:00 Lot Number: P8 Tenant: On Fat Lung	Inspec	ted by:		n CHAN I TSANG
Wea	<u>ither</u>				
	Condition: Sunny Fine Overcast Drizzle Temperature: 29 °C Humidity: High Wind: Calm Light Breeze Strong	Rain Moder	ate		Storm Hazy Low
<u>1. G</u>	<u>eneral</u>	N/A	Yes	No	Remarks
1.2 1.3	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date?	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓			EP for tenant is not required. UPML's Environmental Policy is followed UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented? (a) Drill or training records available?	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓			UPML's ERP is followed Subject to tenant's provision
	All recycling processes in operation have been approved by WFBU? Any record of complaint or prosecution?		✓	✓	
2. W	ater Quality	N/A	Yes	No	Remarks Subject to tenant's
2.1	Valid Effluent Discharge Licence available?	✓			provision
	a) Sampling record available?	✓			
	b) Monitoring frequency met the licence requirement?	✓			
	c) Monitoring result comply with the licence requirement?	✓			
	d) If exceedance is recorded, any follow-up action taken?	✓			
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓			Not observed
	a) Adequate capacity?	✓			
	b) Properly maintained and function normally?	✓			
2.3	Surface run-off control measures in place and adequately maintained?	一	✓		
2.4	Surface run-off discharging into drainage system?		√		
2.5	All manholes covered?		✓		
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		√		
2.7	Storage of materials and equipment located away from water bodies?		√		
2.8	Drainage system well maintained to prevent flooding or overflow?		√		
2.9	Processes or activities with high risk of contamination located under covered area?		√		
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	√			Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓			Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	√			No contaminated water was observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓			Not required
	a) Oil and grease removed regularly?	✓			Not required
	b) Collected by licensed collector?	✓			Not required
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?		√		N. I. d. I. d.
2.16	Temporary stockpiles covered during rainstorms?	✓			No dusty stockpile is observed No sand/silt is generated
2.17	Measures to prevent the washing away of sand/silt to drains?	√			from the recycling process
3. A	ir Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	√			Not required
	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?		✓		
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	✓			N. I. J. J. J. G.
3.3	Dusty materials dampened prior to loading/unloading?	✓			No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	✓			
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		✓		Via enclosure
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?		√		
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?		✓		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓			
	a) Obtained approval for the use of controlled refrigerant?	√			
	b) If yes, record of refrigeration equipment service available?	√			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	√			
3.14	Public road around site entrance kept clean and free from dust?		✓		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed No stockerile of decty
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion Ve	hicle/equipment movement
Loading/unloading of materials ✓ Oth	hers: n/a
4. Waste / Chemical Management	
<u>General</u>	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	✓
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	✓
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	✓ □ □ □
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provide drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	✓ □ □
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	

SITE INSPECTION CHECKLIST




4.21	Capacity of retention structure 20% volume of the material in	e sufficient to accommodate conte a storage?	ents of the largest	✓			
4.22	Walls or partitions of stacked	container storage area constructe	d of impermeable mater	rial? ✓			
5. L	andfill Gas (LFG) (within LF	G Consultation Zone)		N/A Y	es No	Remarks	
5.1	Alert workers and visitors of p	oossible LFG hazards?					
5.2	Smoking and open fires prohil	bited?					
<u>6. O</u>	<u>thers</u>			N/A Y	es No	Remarks	
6.1	Works confined within lot box	undaries?					
6.2	Damage to surrounding areas	avoided?					
6.3	Site lighting designed to avoid	I glare to surrounding receivers?		√			
6.4	Materials and machinery store	ed in an orderly manner?					
6.5	Areas within lot for recycling	activities paved with concrete?					
6.6	Potential stagnant pools cleared	ed and mosquito breeding preven	ted?				
6.7	Valid calibration certificate for	r any monitoring equipment?		✓		Not required	
6.8	Valid licence(s) obtained for r	nanufacture or storage of dangero	ous goods?	√		Not required	
a) Storage area in compliance with the approved plan?							
	b) Storage area is securely loc	ked?		✓			
	c) Total storage capacity in co	mpliance with relevant statutory	requirement?	√			
	d) Proper labelling provided?			√			
	e) Dangerous goods properly	packaged?		√			
Rem	narks:						
New	Observations Observations						
	No major environmental defic	iency was observed.					
Sign	natures:						
ET I	Representative:	Operator Representative:	Tenant Represen	tative:	IEC Re	presentative:	
	(1)	Mary W.	A VENING		6	2	
	e Ronan CHAN	Name May Wu Date: 13 SEP 2018	Name Frunt Date: 12 Con	Kupa		azel CHEUNG	
Date:	2018/08/24	Date: 13 3 C 7 2010	Date: 14 Sep	10	Date: 201	8/09/10	



	Inspection Date: 2018/09/18 Time: 11:00	Inspected by:	Rona	n CHAN
	Lot Number: P8 Tenant: On Fat Lung	. ,		1 TSANG
Wea	<u>ther</u>			
	Condition: Sunny Fine Overcast Drizzle	Rain		Storm Hazy
	Temperature: 28 °C Humidity: ✓ High	Moderate		Low
	Wind: ✓ Calm Light Breeze Strong			
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓		EP for tenant is not required.
1.2	Environmental Policy documented?	✓		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed Subject to tenant's
	(a) Drill or training records available?	√		provision
1.5	All recycling processes in operation have been approved by WFBU?	✓		
1.6	Any record of complaint or prosecution?		✓	
<u>2. W</u>	<u>Vater Quality</u>	N/A Yes	No	Remarks Subject to tenant's
2.1	Valid Effluent Discharge Licence available?	√		provision
	a) Sampling record available?	√		
	b) Monitoring frequency met the licence requirement?	√		
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	√		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓		Not observed
	a) Adequate capacity?	✓		
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?	✓		
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?	✓		
2.8	Drainage system well maintained to prevent flooding or overflow?			
2.9	Processes or activities with high risk of contamination located under covered area?			
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?			Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	$\overline{}$		Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓			No contaminated water was observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓			Not required
	a) Oil and grease removed regularly?	✓			Not required
	b) Collected by licensed collector?	✓			Not required
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓			Not required
2.15	Bulk cargo and materials packed properly?		√		
2.16	Temporary stockpiles covered during rainstorms?	✓			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	√			No sand/silt is generated from the recycling process
3. A	ir Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓			Not required
	a) SP Licence conditions / monitoring requirements comply?	√			No operation is observed
3.2	Operate without generation of noticeable odour?	✓			during inspection.
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	√			
3.3	Dusty materials dampened prior to loading/unloading?	√			No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	√			
	c) If exceedance is recorded, follow-up action taken?	√			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	√			Dust-generating activity is not observed.
3.6	Open burning prohibited?		√		
3.7	Emission from chimney or powered plant free of black smoke?	✓			No operation is observed during inspection
3.8	Vehicles and equipment switched off while not in use?		√		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	√			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	√			Not required
3.11	Air pollution control system properly maintained and function normally?		√		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	√			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		√		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed No stockpile of dusty
3.17 Stockpiles of dusty materials covered or regularly watered?	material is observed
3.18 Major dust source(s): Wind erosion Ve	ehicle/equipment movement
Loading/unloading of materials Ot	hers: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provide drip trays capable of storing 110% of the volume of the largest container (if quantity >500 container).	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	✓
4.17 Storage area paved with concrete and kept clean and dry?	✓
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
<u>Liquid Waste Storage</u>	
4.20 Storage area provided with permeation-proof floor or surface?	



4.21 Capacity of retention structure 20% volume of the materi	cture sufficient to accommodate conte al in storage?	ents of the largest	✓		
	ked container storage area constructe	d of impermeable material	? 🗸 📗		
5. Landfill Gas (LFG) (within	LFG Consultation Zone)		N/A Yes	No	Remarks
5.1 Alert workers and visitors	of possible LFG hazards?		✓		
5.2 Smoking and open fires pr	ohibited?				
6. Others			N/A Yes	No	Remarks
6.1 Works confined within lot	boundaries?				
6.2 Damage to surrounding ar	eas avoided?				
6.3 Site lighting designed to a	void glare to surrounding receivers?		√		
6.4 Materials and machinery s	tored in an orderly manner?				
6.5 Areas within lot for recycl	ing activities paved with concrete?				
6.6 Potential stagnant pools cl	eared and mosquito breeding prevent	red?			
6.7 Valid calibration certificat	e for any monitoring equipment?		✓		Not required
6.8 Valid licence(s) obtained to	for manufacture or storage of dangero	ous goods?	✓		Not required
a) Storage area in complia	nce with the approved plan?		\checkmark		
b) Storage area is securely	locked?		$\overline{}$		
c) Total storage capacity is	n compliance with relevant statutory	requirement?	✓		
d) Proper labelling provide	ed?		$\overline{}$		
e) Dangerous goods prope	rly packaged?		<u> </u>		
Remarks:					
New Observations					
· No major environmental d	eficiency was observed.				
Signatures:					
ET Representative:	Operator Representative:	Tenant Representati	ive:	IEC Rep	resentative:
100		- Hot		/	
Name Ronan CHAN	Name May Wu	Name KENNY K	WAN	Name:	
Date: 2018/09/18	Date: 24 SFP 7018	Date: 26- 9-	20,8	Date:	



Issue 1______AEC

SITE INSPECTION CHECKLIST



Inspection Date: Lot Number:	2018/07/18 n/a	Time: Tenant:	09:30 - 13:00 n/a	Inspected by:	David TSANG	
Weather Condition: Temperature: Wind:	Sunny Fin 28 °C Calm ✓ Li		Overcast Drizzle Humidity:	✓ Rain Moderate	Storm	Hazy

Follow-up from Previous Audits

<u>SSK</u>

1) The tenant was requested to provide hoarding along the site boundary.



(Observed on 20 June 2018)



(Observed on 18 July 2018)

2) Open stockpile of dusty materials was observed on the ground. The tenant should cover the stockpile with impervious sheet to avoid potential dust dispersal. In order to satisfy with the requirements stipulated in the Air Pollution Control Ordinance, in particular Air Pollution Control (Construction Dust) Regulation, the tenant is also reminded to implement the required dust control measures and to notify the Authority for carrying out notifiable work.




(Observed on 20 June 2018)



(Observed on 18 July 2018)

SITE INSPECTION CHECKLIST



3) During site inspection, no temporary site drainage system was observed for collection and treatment of construction wastewater. The tenant should apply for a Discharge License under Water Pollution Control Ordiance (WPCO) and establish a construction site drainage system, including provision of wastewater treatment facilities to ensure wastewater is treated effectively prior to discharge and compliance with WPCO.



(Observed on 20 June 2018)



(Observed on 18 July 2018)

WEEE Refurbishment Centre

1) The remaining vegetation has grown and extended into the perimeter drain. The tenant was requested to clear the vegetation that were inside the perimeter drainage near the lot entrance in order to prevent potential blockage of the drainage channel.



(Observed on 20 June 2018)



(Observed on 18 July 2018)

New Observation

SSK

· No major environmental deficiency was observed.

Li Tong

· No major environmental deficiency was observed.

WEEE Refurbishment Centre

· No major environmental deficiency was observed.

Other Areas

· No major environmental deficiency was observed.

Signatures:

ET Representative:

Name David TSANG

Date: 2018/07/18

Operator Representative:

M

Name May Wu
Date: 1.3 AUG 2

Tenant Representative:

Name

Name:

IEC Representative:

Date:

Date:

SITE INSPECTION CHECKLIST



Inspection Date: Lot Number:	2018/08/24 n/a	Time: Tenant:	09:30 - 13:00 n/a		Ronan CHAN David TSANG	
Weather Condition: Temperature: Wind:	29 °C		Overcast Drizzle Humidity: High Breeze Strong	Rain Moderate	Storm Low	Hazy

Follow-up from Previous Audits

HKBRC

1) The tenant was requested to provide hoarding along the site boundary.



(Observed on 18 July 2018)



(Observed on 24 August 2018)

2) Although open stockpile of dusty materials was not observed during site inspection, the tenant was also reminded to implement the required dust control measures and to notify the Authority for carrying out notifiable work, for satisfying with the requirements stipulated in the Air Pollution Control Ordinance, in particular Air Pollution Control (Construction Dust) Regulation.



(Observed on 18 July 2018)



(Observed on 24 August 2018)

SITE INSPECTION CHECKLIST



3) During site inspection, no temporary site drainage system was observed for collection and treatment of construction wastewater. The tenant should apply for a Discharge License under Water Pollution Control Ordiance (WPCO) and establish a construction site drainage system, including provision of wastewater treatment facilities to ensure wastewater is treated effectively prior to discharge and compliance with WPCO.



(Observed on 18 July 2018)



(Observed on 24 August 2018)

WEEE Refurbishment Centre

1) It was observed that part of the extended vegetation had been removed from the rear part of perimeter drain. The tenant was reminded to clear the remaining vegetation that were inside the perimeter drainage near the lot entrance in order to prevent potential blockage of the drainage channel.



(Observed on 18 July 2018)



(Observed on 24 August 2018)

HP Telford

1) Oil stain near the perimeter drain at the lot entrance had been removed.



(Observed on 18 July 2018)



(Observed on 24 August 2018)

New Observation


HKBRC

· No major environmental deficiency was observed.

Li Tong

· No major environmental deficiency was observed.

SITE INSPECTION CHECKLIST



WEEE Refurbishment Centre

· No major environmental deficiency was observed.

HP Telford

· No major environmental deficiency was observed.

Other Areas

· No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name Ronan CHAN

Date: 2018/08/24

Name May Wu

Date:

13 SEP 2018

Name

Date:

Name: Hazel CHEUNG

Date: 2018/09/10

SITE INSPECTION CHECKLIST



Inspection Date: Lot Number:	2018/09/18 n/a	Time: Tenant:	09:30 - 13:00 n/a	Inspected by:	Ronan CHAN David TSANG	
Weather Condition: Temperature: Wind:	28 °C	Fine	Overcast Drizzle Humidity: High Breeze Strong	Rain Moderate	Storm	Hazy

Follow-up from Previous Audits

HKBRC

1) The tenant was requested to provide hoarding along the site boundary.



(Observed on 24 August 2018)



(Observed on 18 September 2018)

2) Although open stockpile of dusty materials was not observed during site inspection, the tenant was also reminded to implement the required dust control measures and to notify the Authority for carrying out notifiable work, for satisfying with the requirements stipulated in the Air Pollution Control Ordinance, in particular Air Pollution Control (Construction Dust) Regulation.



(Observed on 24 August 2018)



(Observed on 18 September 2018)

SITE INSPECTION CHECKLIST



3) During site inspection, no temporary site drainage system was observed for collection and treatment of construction wastewater. The tenant should apply for a Discharge License under Water Pollution Control Ordiance (WPCO) and establish a construction site drainage system, including provision of wastewater treatment facilities to ensure wastewater is treated effectively prior to discharge and compliance with WPCO.



(Observed on 24 August 2018)



(Observed on 18 September 2018)

WEEE Refurbishment Centre

1) It was observed that part of the extended vegetation had been removed from the rear part of perimeter drain. The tenent was reminded to clear the remaining vegetation that were inside the perimeter drainage near the lot entrance in order to prevent potential blockage of the drainage channel.



(Observed on 24 August 2018)



(Observed on 18 September 2018)

New Observation

HKBRC

· No major environmental deficiency was observed.

Li Tong

· No major environmental deficiency was observed.

WEEE Refurbishment Centre

· No major environmental deficiency was observed.

Other Areas

· No major environmental deficiency was observed.

Signatures:

ET Representative:

Name Ronan CHAN

Date: 2018/09/18

Operator Representative:

Name May Wu 2 4 SEP 2018

Tenant Representative:

Name

Date:

IEC Representative:

Name:

Date:

Date: